NEW MELICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

HOBBS OFFICE O.C.C.

(Company or Operator)	ns of the	Commissi	on.	If State La	nd submit 6 Copies	> . [*] .`™		ons in Rules and Regula-				
TA FE, NEW MEXICO themen: You are hereby notified that it is our invention to commence the (Drilling) (Bassaphraina) of a well to be known as The Suparior Oil Company (Company or Operator) G. H. Coatas (Lease) (Le		P. O. B	9X 190	(Place)	id, Texas			964				
You are hereby notified that it is our intention to commence the (Drilling) (Becomplesion) of a well to be known as The Superior Oil Company (Company or Operator) G. H. Coates (Lease) (Le	NTA FE	E, NEW N										
The Superior Oil Company G. H. Coates (Lease)			notified	that it is our	invention to commence th	on (Deilling) (Barrella)						
Cases Clease Coun If State Land the Oil and Gas Lease is No		.The Su	perior	Oil Comp	intention to commence the	e (Dinning) (Basapasi	of a well to be ki	nown as				
Nest		Q 11	Pastas	_	(Company	or Operator)	_	•				
Nest Size of Hole Size of Casing and to cement them as indicated: Size of Hole Size of Casing and to cement Size of Hole Size of Casing and to cement Size of Hole Size of Casing and to cement Size of Hole Size of Casing and to cement Size of Hole Size of Casing and to cement Size of Hole Size of Casing Size of Ca												
WE LOCATION FROM SECTION LINE) If State Land the Oil and Gas Lease is No	tcd	1980	fe	et from the	Morth	10 10	line and	2080 feet from the				
If State Land the Oil and Gas Lease is No												
D C B A Address. 1610 Miles Bldg., Sen Antonio 3, Texas We propose to drill well with drilling equipment as follows:	VE LO	CATION	FROM	SECTION LI				-				
D C B A Address 1610 Miles Bldg., Sen Antonio 5, Texes We propose to drill well with drilling equipment as follows: Rotary Rig E F G H The status of plugging bond is CK Drilling Contractor McFerland M N O P We intend to complete this well in the Devonian formation at an approximate depth of 13,000 fee CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 7-1/2 13-3/8 48# New 425 450 (Circ) 2-1/4 9-5/8 40# 6 36# New 4,600 1,200	i						_					
We propose to drill well with drilling equipment as follows: Retery Rig E FX G H The status of plugging bond is	D	С	В	A								
E FX G H The status of plugging bond is L K J I Drilling Contractor McFarland M N O P We intend to complete this well in the Devonian formation at an approximate depth of 13,000 fee CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 7-1/2 13-3/8 484 New 425 450 (Circ) 2-1/4 9-5/8 404 6 364 New 4,600 1,206												
The status of plugging bond is	F	F₩	G	н								
M N O P We intend to complete this well in the Devonian formation at an approximate depth of 13,000 feee CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 7-1/2 13-3/8 48# New 425 450 (Circ) 2-1/4 9-5/8 40# 6.36# New 4,600 1,200	L		<u> </u>	11	The status of plugging bond is							
M N O P We intend to complete this well in the Peronian formation at an approximate depth of 13,000 fee CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 7-1/2 13-3/8 48# New 425 450 (Circ) 2-1/4 9-5/8 40# 6.36# New 4,600 1,200	L	K	J	I								
We intend to complete this well in the Devenian formation at an approximate depth of 13,000 fee CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 7-1/2 13-3/8 48# New 425 450 (Circ) 2-1/4 9-5/8 40# & 36# New 4,600 1,200												
formation at an approximate depth of	м	N	О	P				,				
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 7-1/2 13-3/8 48# New 425 450 (Circ) 2-1/4 9-5/8 40# & 36# New 4,600 1,200												
We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement 7-1/2 13-3/8 48# Rew 425 450 (Circ) 2-1/4 9-5/8 40# & 36# New 4,600 1,200							13,000	feet.				
7-1/2 13-3/8 48# New 425 450 (Circ) 2-1/4 9-5/8 40# & 36# New 4,600 1,200	We pro	opose to u	se the fol	llowing strings								
2-1/4 9-5/8 40# & 36# New 4,600 1,200	Size o	of Hole		Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement				
2-1/4 9-5/8 40# & 36# New 4,600 1,200	7-1/2	2		13-3/8	48#	Nev	425	450 (Circ)				
-3/4 5-1/2 17# 4 20# New 13,000 600												
	3-3/4			5-1/2	17# & 20#	Nev		·				
If changes in the above plans become advisable we will notify you immediately.												
				-			•					
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)												
This well is to be drilled as a replacement for The Superior Oil Company - G. H. Coates No	IR WI	alen cu	a ruce	IMMETATE:	A-2/O. CORTUR CAT	rahear, Mart No.	T IS NOW DETR	R braffer.				
				458 a								
This well is to be drilled as a replacement for The Superior Oil Company - G. H. Coates No in which the intermediate 9-5/8" casing collapsed. Well No. 1 is now being plugged.			···			Sincerely yours,						
This well is to be drilled as a replacement for The Superior Oil Company - G. H. Coates No in which the intermediate 9-9/8" casing collapsed. Well No. 1 is now being plugged. Sincerely yours,	ept as f	ollows:				The Sup						
This well is to be drilled as a replacement for The Superior Oil Company - G. H. Coates No in which the intermediate 9-5/8" casing collapsed. Well No. 1 is now being plugged. Sincerely yours, ept as follows: The Superior Oil Company						By BN. Frey	and On.	(B.H. Freeland, J				
This well is to be drilled as a replacement for The Superior Oil Company - G. H. Coates No in which the intermediate 9-5/8" casing collapsed. Well No. 1 is now being plugged. Sincerely yours, The Superior Oil Company (Company or Operator)						Petrole	m Engineer					
This well is to be drilled as a replacement for The Superior Oil Company - G. H. Coates No in which the intermediate 9-3/8" casing collapsed. Well No. 1 is now being plugged. Sincerely yours, The Superior Oil Company (Company or Operator) By Sh. Freeland,						Position.						

Name The Superior Oil Company Address Box 1900, Midland, Texas

NEW XICO OIL CONSERVATION COMMISSIC

Well Location and Acreage Dedication Plat

	, ,	
	$\mathcal{H}oalls$	07910E 0. C.
y .	19447	3 53 PH 1
		23 PH 1
	-38-13	NMPM
_		TAIRIT. [A]

ction A.				Date	129 MANY 6CT	3
erator 🔩 🛕	ier Oil Cempany	L _a ase	G. H. Coates	12.0	20 m	
11 No. 1980 Uni		ction	Township_	Bar	nge	NM
cateu	_Feet From		reet	From	60	_Li
	Formation Devent	vation 3843 Res	Dedicated Pool	Acreage Wilde	•	Acr
Is the Operator	the only owner*	in the dedica		lined on the	plat below?	
YesNo_	NO .		_			
If the answer	to question one i	s "no," have t	the interests of	fall the owne		
consolidated by	y communitization Consolidation	agreement or	otherwise? Yes	No	. If answer	15
yes, Type or	to question two i				ective inter	rest
below:	•	•				
0	20.5		Land Desci	intion		
<u>Owi</u>	ier		Land Desci	. Iption		
					 	
			····			
tion.B						
 		i		This is to d	certify that	the
l		1			in Section	
i I	1980'	<u> </u>	İ	above is tru to the best	•	
J I	1960-	l		and belief.	or my knowre	age
i		[The Superi	or Oil Compa	mv
				(Opera		
		1		11/1		
2080	×	1		D.N. Tru	Mand n	_
	#1 -A	· i		(Represe	entative)	
·				Box 1900,	Midland, Ten	26
		. 1		Addre		
<u>.</u>						
1		1		This is to d	contify that	+ho
í		1		well location	•	
! !		1			tion B was p	
ļ					notes of acti	
		ļ		•	by me or un	
- 				my supervisi	e and correct	
1					my knowledge	
1					•	
			ļ	belief. Date Surveye	d 1/13/.01	7
				Yalk.	Wantill	L
				Registered F	Professional	- Ü
<u> </u>				Engineer and		rvey
330 660 990 1320	1650 1980 2310 2640	2000 1500	1000 500 O		1317 19	3
•	(See instruction			Certificate	No.	

INSTRUCTIONS FOR COMPLY ON:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plate the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)