

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

756 1 1 35 AM '57

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy <u>1850'</u>	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt <u>2710'</u>	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>2985'</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen <u>3300'</u>	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres <u>4440'</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta <u>5947'</u>	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard <u>7423'</u>	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo <u>8030'</u>	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp <u>8715'</u>	T. _____	T. Chinle _____	T. _____
T. Penn. <u>10,320'</u>	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) <u>10,610'</u>	T. _____	T. Penn. "A" _____	T. _____

#### FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1850	1850	Red Beds				
1850	2710	860	Anhydrite & salt				
2710	2985	275	Anhydrite & dolomite				
2985	3135	150	Sand, shale, some anhydrite				
3135	3800	665	Anhydrite & dolomite				
3800	4440	640	Sand, shale & anhydrite				
4440	5947	1507	Dolomite & anhydrite				
5947	5977	30	Sand				
5977	7423	1446	Dolomite & anhydrite				
7423	7530	107	Sand				
7530	8030	550	Dolomite & anhydrite				
8030	8730	700	Shale				
8730	9715	935	Dolomite - some anhydrite				
9715	10724	1009	Limestone - some shale				
	10724		TD				