Submit 3 Copies to Appropriate District Office

APPROVED BY -

CONDITIONS OF APPROVAL, IF ANY:

State of New Mexico Ener_{e...} Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICT | P.O. Box 1980, Hobbs, NM 88240 OIL CONSERVATION DIVISION

Revised 1-1

P.O. Box 1980, Hobba, NM 88240 P.O. Box 2088	30-025-22239
DISTRICT II P.O. Drawer DD, Artesia, NM 88210 Santa Fe, New Mexico 875	504-2088 5. Indicate Type of Lease STATE FEE X
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 6. State Oil & Gas Lease No.	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMI" (FORM C-101) FOR SUCH PROPOSALS)	PLUG BACK TO A 7 Lease Name or Unit Aureement Name
1. Type of Well: Oil. OAS WELL X WELL OTHER	Sanders AOU
2. Name of Operator YATES PETROLEUM CORPORATION	8. Well No.
3. Address of Operator	9. Pool name or Wildcat
105 South 4th St., Artesia, NM 88210	Saunders Permo Upper Penn
4. Well Location Unit Letter F: 1980 Feet From The North Line and 1980 Feet From The West Line	
Unit Letter 1 : 1900 Feet From the 107 till tilbe and 1900 Feet From the West Tille	
Section 1 Township 14S Range 33E NMPM Lea County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4185 GR	
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF
PERFORM REMEDIAL WORK PLUG AND ABANDON R	EMEDIAL WORK ALTERING CASING
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT	
PULL OR ALTER CASING CASING TEST AND CEMENT JOB	
OTHER:	THER: Re-entry X
12. Describe Proposed or Completed Operations (Clearly state all perionent details, and give perionent dates, including estimated date of starting any proposed work) SEE RULE 1103. CONTINUED FROM PREVIOUS PAGE: 12-6-95 - Drill thru splice at 1550'. Ran 3 joints. TOOH. Changed bit. TIH with new 7-7/8" bit, collars and tubing. Tagged splice at 1550'. Rotated with tongs. Went thru splice. TIH and tagged at 2505'. Rigged up swivel. Started drilling and fell out at 2556' Circulated. TIH to 3879'. Circulate heavy mud up. Washed down and tagged shoe plug at 4100'. Drilled cement. Fell out at 4215'. Washed down to 4304'. Circulating. 12-7-95 - Washed down. No plug at 5510'. Washed down thru a few stringers. TIH - no plug at 6910'. Circulated. TIH and tagged at 8750'. Conditioned mud. Drilled out to 8755'. TIH and tagged plug at 9600'. Drilling. 12-8-95 - Drilled cement and fell out at 9778'. Washed down. Tragged PBTD at 10072'. Circulated and conditioned mud. TOOH with bit. Rigged up Schlumberger. TIH with logging tools. Logging. 12-9-95 - Logged. TIH with 7-7/8" button bit, drill collars and tubing. Tagged at 10071'. Rigged up swivel. Drilled 30' of new hole to 10101'. Circulated clean. TOOH. CONTINUED ON NEXT PAGE: Incred the page of the page of the best of my knowledge and belief. SHONATURE THE PROBLEM. 505/748-147.	
TYPE OR PRINT NAME	
(This space for State Use)	