

**DUPLICATE**

NEW MEXICO OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

SUBMIT THIS NOTICE IN TRIPPLICATE TO THE DISTRICT OFFICE, OIL CONSERVATION COMMISSION, BEFORE THE WORK SPECIFIED IS TO BEGIN. A COPY WILL BE RETURNED TO THE SENDER ON WHICH WILL BE GIVEN THE APPROVAL, WITH ANY MODIFICATIONS CONSIDERED ADVISABLE, OR THE REJECTION BY THE COMMISSION OR AGENT, OF THE PLAN SUBMITTED. THE PLAN AS APPROVED SHOULD BE FOLLOWED, AND WORK SHOULD NOT BEGIN UNTIL APPROVAL IS OBTAINED. SEE ADDITIONAL INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION.

INDICATE NATURE OF NOTICE BY CHECKING BELOW

|                                      |   |   |   |                                      |  |
|--------------------------------------|---|---|---|--------------------------------------|--|
| NOTICE OF INTENTION TO CHANGE PLANS  |   | NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL |   | NOTICE OF INTENTION TO DRILL DEEPER  |  |
| NOTICE OF INTENTION TO PLUG WELL     |   | NOTICE OF INTENTION TO PLUG BACK                | X | NOTICE OF INTENTION TO SET LINER     |  |
| NOTICE OF INTENTION TO SQUEEZE       |   | NOTICE OF INTENTION TO ACIDIZE                  | X | NOTICE OF INTENTION TO SHOOT (NITRO) |  |
| NOTICE OF INTENTION TO GUN PERFORATE | X | NOTICE OF INTENTION (OTHER)                     |   | NOTICE OF INTENTION (OTHER)          |  |

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Hobbs, New Mexico  
(PLACE)

June 26, 1956  
(DATE)

GENTLEMEN:

FOLLOWING IS A NOTICE OF INTENTION TO DO CERTAIN WORK AS DESCRIBED BELOW AT THE F. J. Danglede

Humble Oil & Refining Company WELL NO. 1 IN L IV  
(COMPANY OR OPERATOR) (UNIT)  
SW 1/4 OF SEC. 31, T. 15 S, R. 35 E, NMPM., Undesignated POOL  
(40-ACRE SUBDIVISION)  
Lea COUNTY.

FULL DETAILS OF PROPOSED PLAN OF WORK  
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

1. Acidize perforations from 11040 to 11085 with 3000 gallons.
2. Swab and test.
3. If production is not restored, pull tubing, drop trip bob in Baker packer at 10995 and dump cement on top.
4. Set cast iron bridge plug at 10514.
5. Perforate casing from 10462 to 10484.
6. Set Baker production packer at 10432.
7. Re-run tubing and acid wash perforations from 10462 to 10484 with 500 gallons.
8. Swab and test.
9. If satisfactory production is not obtained, acidize with 3000 gallons.

APPROVED JUN 27 1956, 19\_\_\_\_  
EXCEPT AS FOLLOWS:

APPROVED  
OIL CONSERVATION COMMISSION  
BY [Signature]  
ENGINEER DISTRICT I  
TITLE \_\_\_\_\_

Humble Oil & Refining Company  
COMPANY OR OPERATOR  
BY [Signature]  
POSITION Agent  
SEND COMMUNICATIONS REGARDING WELL TO:  
M. M. Rogers  
NAME Humble Oil & Refining Company  
ADDRESS Box 2347, Hobbs, New Mexico  
cpj