

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 South First, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-101  
Revised March 17, 1999

Submit to appropriate District Office  
State Lease - 6 Copies  
Fee Lease - 5 Copies

AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

<sup>1</sup> Operator Name and Address Ocean Energy, Inc. 1001 Fannin, Suite 1600, Houston, TX 77002		<sup>2</sup> OGRID Number 169355
<sup>3</sup> Property Code 23303	<sup>3</sup> Property Name Carlisle State Com	<sup>3</sup> API Number 30-025-34400
		<sup>6</sup> Well No. 17

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	10	16S	35-E		1721	South	1909'	West	Lea

<sup>8</sup> Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

<sup>9</sup> Proposed Pool 1 North Shoe Bar Atoka (96763)	<sup>10</sup> Proposed Pool 2
--	-------------------------------

<sup>11</sup> Work Type Code P	<sup>12</sup> Well Type Code G	<sup>13</sup> Cable/Rotary	<sup>14</sup> Lease Type Code S	<sup>15</sup> Ground Level Elevation 3998'
<sup>16</sup> Multiple N	<sup>17</sup> Proposed Depth	<sup>18</sup> Formation	<sup>19</sup> Contractor	<sup>20</sup> Spud Date

<sup>21</sup> Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
See initial application	See initial application				

<sup>22</sup> Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Abandon the Townsend Morrow (12,068-120') with a CIBP set at 12,000' with 20' cement on top. Perforate the Atoka 11,572-74', 11,577-93', 11,710-14' and 11,725-27'. See attached procedure and wellbore diagrams for further details.

<sup>23</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief.		OIL CONSERVATION DIVISION	
Signature: <i>Robert P. Elliott</i>		Approved by:	
Printed name: Robert P. Elliott		Title:	
Title: Sp. Staff Production Engineer		Approval Date:	Expiration Date:
Date: 4/23/01	Phone: (713) 265-6839	Conditions of Approval:	
		Attached <input type="checkbox"/>	

Plugback

S  
C  
A