

Santa Fe, New Mexico


DEPARTMENT OF THE STATE GEOLOGIST

NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. E. H. Wells, State Geologist. Hobbs, N. Mex., July 4, 1934

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as Turner Well No. 2 in N 1/4 of Sec. 34 T. 10 S, R. 30 E, N. M. P. M., Hobbs Oil Field Lea County



AREA 640 ACRES

LOCATE WELL CORRECTLY

The well is 220 feet (N.) of North line and 220 feet (E.) of West line of Section 34

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is B. H. & L. B. Turner

Address Hobbs, New Mexico

The lessee is Stanaland Oil and Gas Company Address Tulsa, Oklahoma

The elevation of the derrick floor above sea level is 5447 feet. We propose to drill well with No. Rotary method

Make of Drill

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
<u>10"</u>	<u>70#</u>	<u>Second hand</u>	<u>200'</u>	<u>Will set and cement</u>
<u>10 5/8"</u>	<u>40#</u>	<u>Second hand</u>	<u>1000'</u>	<u>Will set and cement</u>
<u>7"</u>	<u>24#</u>	<u>New</u>	<u>4000'</u>	<u>Will set and cement</u>

DUPLICATE

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4000 feet.

Additional information: Will drill well with intention of encountering commercial production at approximately 4000'. Well will be drilled rotary method. Will set and cement approximately 200' of 10" 70# conductor. Will set and cement approximately 1000' of 10 5/8" 40# casing. Will set and cement approximately 4000' of 7" 24# seamless casing. All work to be done in accordance with best oil field practice and conforming to the oil and gas regulations of the State of New Mexico.

Sincerely yours,

Approved 7-10, 1934
Except as follows:

Stanaland Oil and Gas Company

Company or Operator.

By J. R. Phillips

Position Production Foreman

Send communication regarding well to

Name Stanaland Oil and Gas Company

Address Hobbs, New Mexico

State Geologist or Oil and Gas Inspector.

[Signature]

