

Sub: 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION  
2040 Pacheco St.  
Santa Fe, NM 87505

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

WELL APN NO. 30-025-21111
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-867-1
7. Lease Name or Unit Agreement Name VACUUM COLORIETA WEST UNIT
8. Well No. 111
9. Pool name or Wildcat VACUUM COLORIETA

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator TEXACO Exploration & Production Inc.
3. Address of Operator P.O. Box 3109 MIDLAND, TX
4. Well Location Unit Letter <u>A</u> : <u>330</u> Feet From The <u>NORTH</u> Line and <u>330</u> Feet From The <u>EAST</u> Line Section <u>2</u> Township <u>18S</u> Range <u>34E</u> NMPM <u>LEA</u> County

10. Elevation (Show whether DP, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data
NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>
OTHER: <input type="checkbox"/>
SUBSEQUENT REPORT OF:
REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. SET 2 7/8" CIBP @ +5875'
2. Fill 2 7/8" CSQ w/ CMT From 5875'-2600'. CLASS "C" CMT 80 SXS.
3. PERF 6 HOLES @ 2600'. SQUEEZE 50 SXS "C" CMT From 2600'-2400'
4. CUT 2 7/8" CSQ @ 1600', Spot 75 SX PLUG "C" CMT From 1600'-1400'.
5. DISPLACE HOLE w/ 9.5 # 35 VISC. MUD LADEN FLD.
6. 10 SX PLUG 10'-SURF, INSTALL DEQ HOLE MARKER.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE James T. Corbitt TITLE PROJECT ENGINEER DATE 2/22/00  
 TYPE OR PRINT NAME JAMES T. CORBITT TELEPHONE NO. 915 688-4438

24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

25  
FIS 2000  
Received  
10/10

# PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR TEXACO Exploration & Production

LEASENAME VACUUM Coloeieta WEST UNIT


WELL # 111

SECT 2 TWN 18S RNG 34E

FROM 330 N/S L 330 E/W L

TD: 6850 FORMATION @ TD VACUUM

PBTD: \_\_\_\_\_ FORMATION @ PBTD Coloeieta  
Padlock



113/4  
@ 1550  
TOC SURF  
15" HOLE  
CSG CUT @ 1600'  
Perf 6 HOLES  
@ 2600  
Padlock 5922-  
Coloeieta 6003-  
Coloeieta 6011-  
6033  
27/8  
@ 6850  
TOC 2640  
7 7/8" HOLE

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	113/4	1550	SURF	CRC
INTMED 1	2 7/8	6850	2640	CBL
INTMED 2				
PROD				
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @		TOP - BOTTOM	
INTMED 1	1600'		PERFS	-
INTMED 2			OPENHOLE	-
PROD				

**\*REQUIRED PLUGS DISTRICT I**

DISTRICT (A-M)	
TATES	
QUEEN	
ORAYBURG	
SAN ANDREW	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHEERY CANYON	
BURNET CANYON	
BONE SPRING	
COLORETA	
BLINDELY	
TUMB	
DEBREAD	
ASO	
WC	
FIDON	
STRAWN	
ATOKA	
MORROW	
SM	
DEVONIAN	

PLUG	TYPE	SACKS	DEPTH
	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	30 SXS	5350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #4	CIBP	25 SXS	4800'
PLUG #4	STUB	50 SXS	3600'-3700'
PLUG #5	REINR SQZ	200 SXS	100'
PLUG #6	SURF	10 SXS	0-10'
PLUG #1	CIBP	80	5875-2600
PLUG #2	YATES	50	2600-2400
PLUG #3	SHOE	75	1600-1400
PLUG #4	SURF	10	10'-SURF
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #			
PLUG #			

Coloeieta  
SALT  
SALT

TD 6850

23 24 25 26 27 28 29  
FEB 2000  
RECEIVED  
HISTORICAL