

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. L-4883
7. Unit Agreement Name
8. Farm or Lease Name State HR
9. Well No. 1
10. Field and Pool, or Wildcat Und. Airstrip Wolfcamp
11. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR INTENTIONAL TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. SEE MAPS AND INFORMATION FOR PERMIT TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator Amoco Production Company
3. Address of Operator P. O. Box 68, Hobbs, NM 88240
4. Location of Well UNIT LETTER C 330 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 36 TOWNSHIP 18-S RANGE 34-E N.M.P.M.

15. Elevation (Show whether DF, RT, GR, etc.) 3965.6 GL
--

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Plug back to Queen	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1193.

Request permission to plug back to Queen by the following procedure:

- Spot 50 sx Class H cement plug from 10480'-10580'.
- Spot 50 sx Class H cement plug from 10190'-10290'.
- Spot 50 sx Class H cement plug from 9350'-9450'.
- Spot 50 sx Class H cement plug from 9020'-9120'.
- Spot 50 sx Class H cement plug from 7750'-7850'.
- Spot 50 sx Class H cement plug from 5780'-5880'.
- Spot 100 sx Class H cement plug from 4900'-5100'.

Will shut well in and hold for possible salt water disposal well.

* 100' plug inside 9 5/8" csg. opposite top of salt ± 1830'
* 10 sx cmt. at surface

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Bob Davis TITLE Assist. Admin. Analyst DATE 12-27-79

APPROVED BY John W. Kunze TITLE OIL & GAS INSPECTOR DATE DEC 27 1979

CONDITIONS OF APPROVAL, IF ANY:
0+4 NMOCD-H, 1-Hou, 1-Susp, 1-BD, 1-Mesa, 1-Pacific Lighting Gas, 1-Bass, 1-Superior, 1-