

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.
B-3196

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator Conoco Inc.	8. Farm or Lease Name State H-35
3. Address of Operator P.O. Box 460 - Hobbs, New Mexico 88240	9. Well No. 10
4. Location of Well UNIT LETTER G , 2030 FEET FROM THE north LINE AND 1780 FEET FROM THE east LINE, SECTION 35 TOWNSHIP 17S RANGE 34E NMPM.	10. Field and Pool, or Wildcat Vacuum G-SA
15. Elevation (Show whether DF, RT, GR. etc.)	12. County Dea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

16. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

As per your mandate that work be completed by November 26, 1958. MIRR. Bleed water (from water flow) to pit or frac tank. Kill well if necessary. Run scraper to 3300' PBTD. Make gauge ring w/ sinter base to PBTD in 2 7/8" csq. Set CIBP at 4600'. Dump bail 50' of cement on top of CIBP. Set CIBP for 4 1/2" csq string & set at 3300'. Dump bail 50' of cement on top of CIBP. Cut csq at 1575'. Pull & lay down 2 7/8" csq. Cut csq at 1575'. Pull & lay down 4 1/2" csq. R1H w/ 10 3/4" cement retainer & set 5' above top of cut csq strings. Fill backside w/ TFW. Set cement plug below 10 3/4" csq shoe & 50' above cement retainer by pumps 100 sxs class "C" cement. Establish inject rate below cement retainer by pumps TFW & monitor backside. Pump 65 sxs cement. String out & pump 35 sxs cement. Displace w/ 6 BTFW. Pull up to 1500' & reverse circulate clear. Set a cement surface plug by pulling 2 3/8" Hg to 50'. Pump & circ 7 sxs cement. P.O.H. Show hole full on cement, install P&A marker.

16. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Administrative Supervisor DATE November 2, 1958
Orig. Signed by Paul Kautz Geologist
 APPROVED BY _____ TITLE _____ DATE _____
 CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

NOV 3 1988

**OCD
HOBBS OFFICE**

Conoco Inc.
 State H-35 No 10
 Proposed P&A

Location:
 2030' FNL & 1780' FEL
 Section 35, T-17S, R-34E
 Spudded: 12/15/63
 Completed: 2/12/64
 Elevation: 4011' MSL
 Datum: 4021' MSL

10-3/4", 32.75' & 40.5' p.p.f.,
 H-40 casing set @ 1596'


TOC (primary) @ 2700'
 TOC in 4-1/2" @ 3245'
 CIBP @ 3295'

4-1/2" casing collapsed
 during remedial on
 2-7/8" casing.

- TOC in 4-1/2" @ 3300'
 - 2-3/8" tbg cut @ 3300'
 - TOC in 2-3/8" @ 4752'
 - Kobe hydraulic pump
 @ 5900'

Glonetta Perfs:
 5963'-6002'

4-1/2", 9.5' & 11.6' p.p.f., J-55
 casing set at 6750'



50' cement plug
 @ surface

TOC @ 1520'
 10-3/4" Cmt. Ret @ 1570'

4-1/2" & 2-7/8" casing
 cut @ 1575' and
 pulled
 BOC @ 1695'

- TOC @ 4550'
 - CIBP @ 4600'

- San Andres Perfs:
 4671'-4716'

- Cement Retainer @ 4740'

- San Andres Perfs:
 4747'-67'

- CIBP @ 6050'

- Blueberry Perfs:
 6393'-6476'
 6560'-6690 (SQUEEZED)

- 2-7/8", 6.4 p.p.f., J-55 casing
 set @ 6750'

9-7/8" Hole

Conoco Inc.
 Calculation Sheet

Job No.

Title

Field

Made By TB
 Checked By
 Date 11/1/88
 Pao

13-341-1B, 779