

IF DRILL-STEM OR OTHER SPECIAL TESTS OR DEVIATION SURVEYS WERE MADE, SUBMIT REPORT ON SEPARATE SHEET AND ATTACH HERETO

### TOOLS USED

ROTARY TOOLS WERE USED FROM 0 FEET TO 6210\* FEET, AND FROM FEET TO FEET.  
CABLE TOOLS WERE USED FROM FEET TO FEET, AND FROM FEET TO FEET.  
\*Drillers T. D.

### PRODUCTION

PUT TO PRODUCING May 19 19 64

OIL WELL: THE PRODUCTION DURING THE FIRST 4 1/2 HOURS WAS 68 BARRELS OF LIQUID OF WHICH 100 % WAS OIL; % WAS EMULSION; % WATER; AND % WAS SEDIMENT. A.P.I. GRAVITY 38.4

GAS WELL: THE PRODUCTION DURING THE FIRST 24 HOURS WAS M.C.F. PLUS BARRELS OF LIQUID HYDROCARBON. SHUT IN PRESSURE LBS.

LENGTH OF TIME SHUT IN

PLEASE INDICATE BELOW FORMATION TOPS (In Conformance With Geographical Section Of State):

#### SOUTHEASTERN NEW MEXICO

#### NORTHWESTERN NEW MEXICO

T. ANHY	T. DEVONIAN	T. OJO ALAMO
Rustler 1509	T. SILURIAN	T. KIRTLAND-FRUITLAND
Tansill 2692	T. MONTOYA	T. FARMINGTON
T. YATES 2792	T. SIMPSON	T. PICTURED CLIFFS
T. 7 RIVERS 3025	T. McKEE	T. MENEFFEE
T. QUEEN 3668	T. ELLENBURGER	T. POINT LOOKOUT
T. GRAYBURG 4015	T. GR. WASH	T. MANCOS
T. SAN ANDRES 4338	T. GRANITE	T. DAKOTA
T. GLORIETA 5924	T.	T. MORRISON
Paddock 6048	T.	T. PENN
T. TUBBS	T.	T.
T. ABO	T.	T.
T. PENN	T.	T.
T. MISS	T.	T.

### FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION	FROM	TO	THICKNESS IN FEET	FORMATION
0	41	41	Surface Rock				
41	2709	2668	Red Bed & Salt				
2709	3220	511	Anhydrite & Salt				
3220	6210	2990	Lime				
	T. D.						

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I HEREBY SWEAR OR AFFIRM THAT THE INFORMATION GIVEN HERewith IS A COMPLETE AND CORRECT RECORD OF THE WELL AND ALL WORK DONE ON IT SO FAR AS CAN BE DETERMINED FROM AVAILABLE RECORDS.

May 22, 1964

COMPANY OR OPERATOR Humble Oil & Refining Company  
NAME

ADDRESS Box 2100, Hobbs, New Mexico (DATE)  
POSITION OR TITLE Agent