SUBMIT IN TRIPLIC

(Other instructions on

Form approved. Budget Bureau No. 42-R1425.

Ε

MNJ打手 DEPARTMENT	D S	FATE	ĘŞ ,	•	
DEPARTMENT	OF	THE	ĮŅ,	TERI	OR

INTERIOR	reverse side)	
INTERIOR		5. LEASE DESIGNATION AND SERIAL NO.

DEPARTMENT OF THE INTERIOR					5. LEASE DESIGNATION AND SERIAL NO.			
charles the language						NM 0141013		
APPLICATION	FOR PERMIT T	O DRILL, [	DEEPEN,	OR P	LUG B	4CK	6. IF INDIAN, ALLOTT	EE OR TRIBE NAME
a. TYPE OF WORK	LL 🖾	DEEPEN [		PL	UG BAC	<b>κ</b> 🗆	7. UNIT AGREEMENT	
b. Type of Well	s —		SINGLE	$\mathbf{x}$	MULTIPL	E 🖳	Mescalero	o klage
OIL WELL W	ELL OTHER		ZONE		ZONE		Mascaler	ro
Me-Tex Supply Company							Mescaler 9. WELL NO.	
ADDRESS OF OPERATOR	-080 11 1		r •	4401	^		10. FIELD AND POOL,	OR WILDCAT
P. O. Box 2070 Hobbs, New Mexico 88240  Hobbs, New Mexico 88240  Hobbs, New Mexico 88240  Hobbs, New Mexico 88240					<del></del>	Wildcat		
$\Delta t$ surrange						11. SEC., T., B., M., OR BLK.		
1980' FNL and 1980' FEL of Section						AND SURVEY OR	AREA	
At proposed prod. zone Same							Sec. 19, 3	Γ-19-S, R-34-
4. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE®					<del>-</del>	12. COUNTY OR PARIS		
28 miles w	est of Hobbs,	New Mexi	ico				Lea	New Mexico
5 DISTANCE FROM PROPOSED* 16. NO. OF ACRES IN LEASE 17. NO.						OF ACRES ASSIGNED HIS WELL		
PROPERTY OR LEASE I	PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any)  1980  800				40			
DESIGNATE FROM PROPOSED LOCATION* 10 NORTH WELL, DRILLING, COMPLETED,		20. вота	ARY OR CABLE TOOLS					
OR APPLIED FOR, ON TH					Rotary			
1. FLEVATIONS (Show who	ether DF, RT, GR, etc.)							WOBK WILL START®
	3700' GR						<u>  June 10</u>	<u>, 1969</u>
23.	F	ROPOSED CASI	NG AND CE	MENTIN	G PROGRA	M		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	FOOT SETTING DEPTH			QUANTITY OF CEMENT		
121"	8 5/8"	28#	250'		15	50 sx (circulate)		
7 7/8"	5월"	<u> 15.5#</u>		<u> 1 000,</u>		50	00 sx	
	†	1	ļ					

Plan to drill 12½" hole to 250', set 8 5/8" casing, then drill 7 7/8" hole to 4900'. Will conventionally core top Queen & Penrose at approx 4450'-4500' and 4745'-4795' respectively. Run porosity logs set  $5\frac{1}{2}$ " casing at 4900', perf Queen and stimulate with 1000 gals 15% N.E. acid, swab test and complete. If additional treatment is necessary, will fracture treat with sand-oil.

NOTICY HICE IN SUFFICIENT TIME TO CASING.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

meventer program, it any.		
24. May 121 41 41	TITLE President	5.June 1969
Clas space for Federal or State office (see)	APPROVAL DATE	JVED
CONTROL OF APPROVAL, IF ANY :	TITLE WIN 6	1969 R. EROWN DATE ENGINEER