

- E. Drainage Design: New road will have a drop of 6" from the centerline on each side.
- F. Culverts: None required.
- G. Cuts and Fills: None required.
- H. Gates and Cattleguards: None required.
- 3. LOCATION OF EXISTING WELLS:
 - A. Existing wells within a one-mile radius are shown on Plat "B"
- 4. LOCATION OF PROPOSED FACILITIES:
 - A. Location of the proposed tank battery and flow line from well No. 1 are shown on Plat "C". The proposed flow line will not be buried.
- 5. LOCATION AND TYPE OF WATER SUPPLY:
 - A. Water for drilling will be purchased from Mark Smith (a rancher) or A. A. Oilfield Services - Hobbs. Water will be trucked over existing roads.
- 6. SOURCE OF CONSTRUCTION MATERIALS:
 - A. Caliche for surfacing roads, pad (well) and repairing roads will be obtained from existing quarries listed and circled in red on Plat "A" and have been located on the ground as actually being there.
- 7. METHOD OF HANDLING WASTE DISPOSAL:
 - A. Drill cuttings will be disposed of in the pit.
 - B. Drilling fluid soaks into the ground and evaporates.
 - C. Produced water will be disposed of in pit. Produced oil goes into rental tanks until sold.
 - D. Current laws and regulations pertaining to the disposal of human waste will be complied with.
 - E. Trash, waste paper, garbage and junk will be buried in the disposal pit and covered with a minimum of 36 inches of dirt. All waste material will be contained to prevent scattering by the wind.
 - F. All trash and debris will be buried or removed from the wellsite within 30 days after finishing drilling and/or completion operations.