

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.  
30-025-26551

5. Indicate Type of Lease  
STATE  FEE

6. State Oil & Gas Lease No.  
B-1402-2

7. Lease Name or Unit Agreement Name  
EAST VACUUM GB/SA UNIT  
TRACT 2717

8. Well No.  
W005

9. Pool name or Wildcat  
VACUUM GB/SA

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
OIL WELL  GAS WELL  OTHER WATER INJECTOR

2. Name of Operator  
Phillips Petroleum Company

3. Address of Operator  
4001 Penbrook Street, Odessa, TX 79762

4. Well Location  
Unit Letter P : 132' Feet From The SOUTH Line and 1240' Feet From The EAST Line  
Section 27 Township 17-S Range 35-E NMPM LEA County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)  
3937' RKB - 3927' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <u>PERF &amp; ACIDIZE</u> <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

05/24/96 MIRU LUCKY WS DDU #31, REL PKR COOH W/TBG, PU TRIP IN HOLE W/SCRAPER ON 2-7/8" WS T/+-4300', SISD - CREW OFF 5-25-26-&27-96.

05/28/96 MIRU DAVIS TOOL, TAG @ 4690', TRY T/BREAK CIRC, SISD.

05/29/96 SWITCH T/CONVENTIONAL CIRC & CLEANOUT T/4750', COOH W/TBG & BIT, MIRU HYDRO TEST, TEST TBG IN HOLE W/PKR, RD TUBING TESTERS, SET PKR @ 4281', SISD.

05/30/96 TST PKR T/500#, MIRU HES, TST LINES, PMP 6500 GALS 15% FERCHECK ACID, 5600# ROCK SALT IN 100 BBLs XLINKED GELLED BRINE W/BREAKER, & 36 BBLs FR WTR FLUSH: 1000 GALS ACID, 1000# SALT 25 BBLs XLINK; 1500 GALS ACID 2000# SALT 32 BBLs XLINK; 2000 GALS ACID, 2600# SALT 43 BBLs XLINK; 2000 GALS ACID; 36 BBLs FLUSH, ISIP 92#, 5 MIN 57#, 10 MIN 42#, 15 MIN 34#, MAX PRESS 648# AVG RATE 5 BPM, SI RDMO HES, OPEN WELL W/20# ON TBG @ 200', SWAB/FLOW BACK 26 BBLs, SISD.  
(CONTINUED ON BACK)

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Larry M. Sanders TITLE Senior Regulation Analyst DATE 6-11-96  
 TYPE OR PRINT NAME Larry M. Sanders TELEPHONE NO. (915)368-1488

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON  
DISTRICT SUPERVISOR

JUN 19 1996

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

EVGSAU 2717W005 (CONTINUED)

05/31/96 360# ON TBG, FLOW BACK 229 BBLS, SISD, CREW OFF F/WEEKEND.  
06/03/96 1500# ON TBG FLOW BACK 1229 BBLS, SISD.  
06/04/96 CIRC BRINE T/KILL WELL, RELEASE PKR, COOH LD WKSTRING,  
MIRU HYDROSTATIC TBG TSTRS, TST PKR & CHANGE OUT SEAL  
RINGS IN COLLARS & USE SEALLUBE THREAD COMPOUND, SISD.  
06/05/96 FIN TSTNG, CIRC 75 BBLS PKR FLUID, SET PKR @ 4297', LD CSG/TBG  
ANNULUS W/PKR FLUID, PRESS UP T/500# TEST 30 MIN OK, RD DDU  
HOOK UP F/INJECTION, INJECT WTR @ 1750 BWPD @ 0#.  
06/06/96 INJECT @ 1768 BWPD 0#.  
06/07/96 INJECT @ 1838 BWPD 200#.  
06/08/96 INJECT @ 1734 BWPD 300#.


COMPLETE DROP FROM REPORT




6 NIGHT →

← 6 DAY

PRINTED IN U.S.A.



Legals: 12:40 PM  
 1321 F56  
 800274  
 Co WA



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12