

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt <u>1860</u>	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt <u>3360</u>	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates 3360 <u>3360</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen <u>4730</u>	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres <u>5205</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand <u>6000</u>	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs <u>1st ss 9400</u>	T. Entrada _____	T. _____
T. Abo _____	T. <u>2nd B.S. ss 9990</u>	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	1860	1860	Anhy	9190	9400	210	Lm, SS
1860	3360	1500	Salt	9400	9850	450	Sand
3360	4730	1370	Sand, Dolo	9850	9990	140	Lm, Sand
4730	4800	70	Sand	9990	10100	110	Sand
4800	5000	200	Sand, Dolo	10100	10638	538	Lm, Sand
5000	5040	40	Sand				
5040	5205	165	Sand, Dolo				
5205	6000	795	Dolo, Sand				
6000	6160	160	Sand				
6160	6600	440	Sand, Dolo				
6600	6735	135	Sand				
6735	6875	40	Dolo				
6875	7200	325	Sand, Dolo				
7200	8950	1750	Sand, Dolo				
8950	9190	240	Lime				