

Las Cruces

(SUBMIT IN TRIPLICATE)

Land Office 065447-A  
Lease No. G  
UnitUNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

|  |     |   |  |     |   |
|--|-----|---|--|-----|---|
| NOTICE OF INTENTION TO DRILL                   | (2) | X | SUBSEQUENT REPORT OF WATER SHUT-OFF        | (1) | X |
| NOTICE OF INTENTION TO CHANGE PLANS            |     |   | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |     |   |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF     | (4) | X | SUBSEQUENT REPORT OF ALTERING CASING       |     |   |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL |     |   | SUBSEQUENT REPORT OF REDRILLING OR REPAIR  |     |   |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE        |     |   | SUBSEQUENT REPORT OF ABANDONMENT           |     |   |
| NOTICE OF INTENTION TO PULL OR ALTER CASING    |     |   | Report of Well History                     | (3) | X |
| NOTICE OF INTENTION TO ABANDON WELL            |     |   |  |     |   |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 23, 1957

Federal-Bobb "C"

Well No. 1 is located 1980 ft. from [N] line and 1980 ft. from [E] line of sec. 13

NE 1/4 Sec. 13

20S

33E

N.M.P.M.

(1/4 Sec. and Sec. No.)  
Texas(Twp.)  
Lea

(Range)

(Meridian)

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

The elevation of the derrick floor above sea level is 3607 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

- Spud 16" hole 8 A.M. 7-21-57.
- (1) 13-3/8" csg. mudded in at 105'. Hole bailed dry (16" hole).
- (1) 10-3/4" csg. " " " 550'. " " " (13" hole).
- (1) 8-5/8" csg. " " " 990'. " " " (10" hole).

- Used saturated brine in drilling from 1200' to T.D.
- (1) 5 1/2" csg. mudded in at 3302' in 8" hole. Hole bailed dry with show of oil. Drilled Yates oil zones 3302 to 3332' and from 3347' to 3372' T.D. Propose to under-ream and lower 5 1/2" csg. to T.D. before cementing (per phone approval Mr. John A. Frost on 8-16-57). (2)

(cont. on attached sheet)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

SOUTHERN CALIFORNIA PETROLEUM CORP.

Company

Address Box 1071  
Midland, Texas

By

Division Engineer

Title