


APPROVED

Form 9-381a  
(Feb. 1951)

NOV 17 1961

(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4  
Approval expires 12-31-60.



E. W. STANDLEY  
DISTRICT ENGINEER

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New Mexico  
Lease No. 02127-B  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Lea Unit

Hobbs, New Mexico November 16, 1961

Well No. 8 is located 810 ft. from N line and 1980 ft. from E line of sec. 12

NW NE Sec. 12 20 S 3 1/2 E  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Undesignated Lea New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate cementing points, and all other important proposed work)

Plan to drill a Devonian well to a depth of approximately 15,000'. The casing program is as follows:

- 13-3/8", 48#, set at approximately 850' with 600 sacks cement, circulated.
- 9-5/8", 36 & 40#, set at approximately 5,500' with 3,000 sacks cement, circulated.
- 7", 26 & 29#, set at approximately 15,000' with 1,200 sacks cement, sufficient to protect all known oil & water formations.

All casing will be cemented and tested by approved methods.

Dist:

USGS	D.V. Kitley
Com. of Public Lands	T.O. Webb
J. L. Hamon	Albert Mechler, Jr.
J. A. Grimes	File

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE OHIO OIL COMPANY

Address P. O. Box 2107

Hobbs, New Mexico

By B. L. Walters

Title Superintendent