

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 11-1-79

| | |
|------------------------|--|
| NO. OF COPIES RECEIVED | |
| DISTRIBUTION | |
| SANTA FE | |
| FILE | |
| U.S.G.S. | |
| LAND OFFICE | |
| OPERATOR | |

0+6-NMOCD-Hobbs 1-Laura Richadson
1-File 1-Southland Royalty
1-Engr-LM 1-CP, 1-CB, 1-JA, 1-BB
1-Foreman-EF

5a. Indicate the Type of Lease
State Fee
5. State Oil & Gas Lease No.
B-2656

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT - 1 (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL GAS WELL OTHER- Water Injection Well
2. Name of Operator: Getty Oil Company
3. Address of Operator: P.O. Box 730, Hobbs, NM 88240
4. Location of Well: UNIT LETTER 0, 660 FEET FROM THE South LINE AND 1980 FEET FROM THE East LINE, SECTION 26, TOWNSHIP 19S, RANGE 37E, N.M.P.M.
5. Elevation (Show whether DF, RT, GR, etc.): 3608' DF
7. Unit Agreement Name: East Eumont Unit
8. Farm or Lease Name:
9. Well No.: 82
10. Field and Pool, or Wildcat: Eumont Y-7R-Qu
12. County: Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

| | | | |
|--|---|---|--|
| NOTICE OF INTENTION TO: | | SUBSEQUENT REPORT OF: | |
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> | PLUG AND ABANDONMENT <input checked="" type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | OTHER <input type="checkbox"/> | CASING TEST AND CEMENT JOB <input type="checkbox"/> | |

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

7/29/83 To plug and abandon. Move in and rig up Baber. Open well & backflow to pit flowing 1 bbl / hour.

7/30/83 Could not release pkr. Pulled 45,000# over weight and sheared packer. TOH and layed down 119 jts of 2 3/8" tbg and Johnson 101-S packer. Pick up Howco 5 1/2", 14#, CIBP on tubing. TIH and set B.P. @ 3725'. Released from CIBP and pulled to 3675'.

8/1/83 RIH and tag CIBP @ 3725'. P.U. to 3723'. Western spot 8 sxs. Cmt from 3725-3625'. P.O.H. to 3565', reverse tbg clean. Displace hole w/ 10# brine. P.O.H. and lay down 69 jts to 1598'. Western spot 8 sxs from 1598-1498'. Pull and reverse tbg clean. P.O.H. lay down tbg. CRC perf two holes @ 300'. Western established circulation between 8 5/8" x 5 1/2". Pump 54 sxs cement & circulate 4 sxs. Remove BOP.

8/2/83 Cut off wellhead, install dry hole marker. Rig down unit.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] Area Superintendent August 11, 1983
P.R. Crockett

APPROVED BY [Signature] OIL & GAS INSPECTOR SEP 8 1983
Ronald M. [Signature]

CONDITIONS OF APPROVAL, IF ANY:

fm