

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.
30-025-05963

5. Indicate Type of Lease
STATE FEE

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name

J. R. Phillips

8. Well No.

10

9. Pool name or Wildcat

Eumont Yates 7 Rv Qn

1. Type of Well:

OIL

WELL

GAS

WELL

OTHER

2. Name of Operator

Texaco Producing Inc.

3. Address of Operator

P. O. Box 730 Hobbs, NM 88240

4. Well Location

Unit Letter F : 1654 Feet From The North Line and 1602 Feet From The West Line

Section 6 Township 21S Range 37E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK

PLUG AND ABANDON

REMEDIAL WORK

ALTERING CASING

TEMPORARILY ABANDON

CHANGE PLANS

COMMENCE DRILLING OPNS.

PLUG AND ABANDONMENT

PULL OR ALTER CASING

CASING TEST AND CEMENT JOB

OTHER:

OTHER:

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Notify OCD 24 hrs prior to commencement of work.
2. MIRU pulling unit. Kill well. Pull rods & pump. Install BOP. Pull tbg.
3. By wireline. RIH with CIHP and set at 2285'. Cap with 35' of cement (5 sxs Class H, 1.18 cu.ft./sx) using dump bailer.
4. Cut 5-1/2" casing at 1500'. Pull casing.
5. TIH w/ tbg. Load hole w/ 9.5 lb/gal mud.
6. Spot 100' cement plug 1550' - 1450' (29 sxs Class H, 1.18 cu.ft./sx). SION.
7. Tag plug at 1450'.
8. Spot 100' cement plug 1090' - 990' (35 sxs Class H, 1.18 cu.ft./sx). SION.
9. Tag plug at 990'.
10. Spot 10 sx plug from 34' to surface.
11. Cut off well head, install hole marker, clean location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

L. D. Ridenour

TITLE

Engineer's Assistant

DATE

7-25-90

TYPE OR PRINT NAME

L. D. Ridenour

TELEPHONE NO. 393-7191

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

PRESENT

PROPOSED

J. R. Phillips #10

