

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes must be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Dallas, Texas

May 10, 1948

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as _____

The Atlantic Refining Company - Bradley State Well No. 6 in NE 1/4
Company or Operator Lease

of Sec. 6, T. 19S, R. 38E, N. M. P. M., Hebbs Field, Lea County.

The well is 480 feet (N.) (S.) of the N line and 1650 feet
(E.) (W.) of the E line of Section 6

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. A-1646 Assignment No. 5

If patented land the owner is _____

Address _____


If government land the permittee is _____

Address _____

The lessee is The Atlantic Refining Company

Address Box 2819, Dallas, Texas

We propose to drill well with drilling equipment as follows: Rotary



AREA 640 ACRES

LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Bond No. 44120 (General Casualty Co. of America) in effect.

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
15"	13-3/8"	48#	New	350	Cemented	400
7-7/8"	5 1/2"	15.5#	New	4140	Cemented	800

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 4150 feet.

Additional information:

MAY 11 1948

Approved _____

except as follows:

Return to top of well section on 5 1/2" casing and be determined by temperature survey

OIL CONSERVATION COMMISSION,

By _____

Title _____

Sincerely yours,

The Atlantic Refining Company
Company or Operator


By _____

Position _____

Send communications regarding well to

Name A. H. ArantAddress Box 2819, Dallas, Texas

R 38 E



Operator
Lease
Field
Description
Date Plat Drawn

THE ATLANTIC REFINING CO.
STATE OF NEW MEXICO NO. A1646
HOBBS POOL
NE 1/4 Sec. 6, T19S - R38E, Lea Co., N.M.
Jan. 15, 1948



NM-26

Scale: 1"=1000'

THE ATLANTIC REFINING CO. SURVEYING DEPT. DALLAS, TEXAS	SUR. 244 DRN. J.E.E.	APPROVED <i>W. J. Burkart</i>	DATE 1-15-48 REV. 5-7-48 A-992
---	-------------------------	----------------------------------	--------------------------------------