

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	

1969 AUG 28 PM 4 01
WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations

NAME CHANGED Submit in QUINTUPPLICATE

If State Land submit 6 Copies

FROM: PAN AMERICAN PETR. CORP.
TO: AMOCO PRODUCTION CO. CorporationN. Terry Tract 1 (R/A) AREA 640 ACRES
(Lease) WELL CORRECTLY

EFFECTIVE 2/1/71 (Company or Operator)

Well No. 28, in SW 1/4 of SE 1/4, of Sec. 9, T. 19-S, R. 38-E, NMPM.

Hobbs

Pool, Lea

County.

Well is 890 feet from South line and 1650 feet from East line

of Section 9. If State Land the Oil and Gas Lease No. is

Drilling Commenced 7-19-63, 19. Drilling was Completed 7-27-63, 19.

Name of Drilling Contractor Cactus Drilling Co.

Address San Angelo, Texas

Elevation above sea level at Top of Tubing Head 3611' RDB The information given is to be kept confidential until Not Confidential, 19.

OIL SANDS OR ZONES

No. 1, from 4075 to 4135 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	24	New	389	Guide			Surface
4-1/2	11.6	New	4158	Guide		4075-4135	Oil String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8"	400	225	Pump Plug		
7-7/8	4-1/2"	4150	275	Pump Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforations 4075 to 4135' washed with 500 gallons acid and S-O-F with 30,000 gal oil; 7,500# sand and 3,000# glass Beads.

Result of Production Stimulation Pump 94 80 x 0 BW 24 hours.

Depth Cleaned Out 4148'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4150 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 8-18-63, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 35.5°

GAS WELL: The production during the first 24 hours was 34 M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):
Southeastern New Mexico Northwestern New Mexico

T. Anhy. 1600	T. Devonian	T. Ojo Alamo
T. Salt. 1710	T. Silurian	T. Kirtland Fruitland
B. Salt. 2590	T. Montoya	T. Farmington
T. Yates. 2805	T. Simpson	T. Pictured Cliffs
T. 7 Rivers. 3010	T. McKee	T. Menefee
T. Queen. 3340	T. Ellenburger	T. Point Lookout
T. Grayburg. 4075	T. Gr. Wash.	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn.
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn.	T.	T.
T. Miss.	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	400	400	Sand, Red Bed				
400	1603	1203	Red Bed				
1603	1708	105	Anhy				
1708	1857	149	Anhy, Salt				
1857	3775	1918	Anhy				
3775	4032	257	Lime, Anhy				
4032	4150	118	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

August 22, 1963 (Date)
Company or Operator Pan American Petroleum Corp. Address Box 68 - Hobbs, New Mexico
Name Position or Title Area Superintendent