

RECEIVED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Stevens & Tull, Inc.

3. Address and Telephone No

P. O. Box 11005, Midland, Texas 79702 (915)699-1410

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2310' FSL & 990' FEL
Section 9, T20S, R33E

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

NM 89889

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Federal 9 - 7

9. API Well No.

10. Field and Pool, or Exploratory Area

West Teas Y-SR

11. County or Parish, State

Lea, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☒ Altering Casing
☐ Other

- ☒ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Amendment to APD - Federal #9 - 7

Stevens & Tull, Inc. proposes to amend the previous casing design submitted to the BLM-Carlsbad for the above referenced well.

The changes are as follows so as to protect The Potash Formation:

- 1) Drill 12 1/4" hole to 800' and set 9 5/8" - 36# csg - circulate cement
- 2) Drill 8 3/4" hole to 2800' and set 7" ⁵⁵28# ⁵⁵csg - circulate cement
- 3) Drill 6 1/8" hole to +/- 3500' and set 4 1/2" ⁵⁵9.5# ⁵⁵csg - cement w/ 100 SX "C"

14. I hereby certify that the foregoing is true and correct

Signed Michael H. [Signature]
(This space for Federal or State office use)

Title Engineer

Date 5/22/95

Approved by _____
Conditions of approval, if any:

Title _____

Date _____