

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

Revised March 25, 1999

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-025-33501
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: McGrail State
8. Well No. 7
9. Pool name or Wildcat Monument

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Marathon Oil Company

3. Address of Operator
P.O. Box 552 Midland, TX 79702

4. Well Location

Unit Letter **H** : **2310** feet from the **North** line and **430** feet from the **East** line

Section **27** Township **19-South** Range **36** NMPM County **Lea**

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/26/02 MIRU, fish junk from TD. Drill out float collar cement from 7609 to 7692'. Perforate 7662-72 (2 SPF). Swab 25 bbls of water, no oil or gas shows. Set plug at 7645'. Perforate 7606-26 (4 SPF). Recovered 94 BW, no oil or gas. Set plug at 7588'. Set CIBP at 7270'. Perforate 7150-7233 (2 SPF). Acidize with 8400 gals of 20% HCL. Use 200 balls sealers with good ball action. Swab fluid down to 6800', 100% water, no oil or gas. Tag CIBP at 7270'. Perforate 7020-7124 (6 SPF). Swab fluid level to 6600'. Trace of oil. Knock CIBP at 7270 to 7588'. 5/14/02 FWOP.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Veronica Galindo TITLE Administrative Assistant DATE 5/31/02

Type or print name Veronica Galindo

Telephone No. 915-687-8418

(This space for State use)

APPROVED BY PAUL E. KAUTZ DATE JUN 05 2002
Conditions of approval, if any: PETROLEUM ENGINEER