

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

OIL CONSERVATION DIVISION
2040 Pacheco St.
Santa Fe, NM 87505

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.
30 - 025 - 34134

5. Indicate Type of Lease
STATE FEE

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)



7. Lease Name or Unit Agreement Name
Union State "AB"

1. Type of Well:
OIL WELL GAS WELL OTHER

8. Well No. 2

2. Name of Operator
Xeric Oil & Gas Corporation

9. Pool name or Wildcat
Eumont (Yates-Seven Rivers-Queen)

3. Address of Operator
P.O. Box 352. Midland Texas 79702

4. Well Location
Unit Letter B : 660' Feet From The North Line and 1980 Feet From The East Line

Section 30 Township 20S Range 36E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3648 GR



11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: Set Surface Casing <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

10/5/97 - MIRU Cantex Drilling Rig # 1 - Spud 12 1/4" hole @ 9:30 AM
TD surface hole @ 382' - Set 8 5/8" - 24# J-55 casing @ 382'
Cement w/ 250 sx class "C" + 2% Cacl2 - circulated 92 sx to
surface - WOC 12 hrs before nipple-up

10/7/97 - Begin drilling 7 7/8" hole w/ brine water

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Michael G. Mooney TITLE Consulting Engineer DATE 10/20/97
TYPE OR PRINT NAME Michael G. Mooney TELEPHONE NO. 915/528-2251

(This space for State Use) ORIGINAL SIGNED BY CHRIS WILLIAMS
SUPERVISOR

APPROVED BY _____ TITLE _____ DATE _____

5
✓