

Submit 3 copies To Appropriate district Office
DISTRICT I
 1625 N. French Dr., Hobbs NM 88240
DISTRICT II
 P.O. Drawer DD, Artesia NM 88210
DISTRICT III
 1000 Rio Brazos Rd., Aztec NM 87410
DISTRICT IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources Department

Form C-105
 Revised 1-1-89

OIL CONSERVATION DIVISION
 P.O. Box 2088
 Santa Fe, New Mexico 87504-2088

WELL API NO
 30-025-36005

5. Indicate Type of Lease
 State Fee

6. State Oil & Gas Lease No.
 V-2443

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL GAS WELL DRY OTHER _____

2. Name of Operator
 Yates Petroleum Corporation

3. Address of Operator
 105 South 4th St., Artesia, NM 88210

4. Well Location
 Unit Letter C : 660 Feet From The North Line and 1980 Feet From The West Line
 32 Section 22S Township 32E Range NMPM Lea County

10. Date Spudded 11/3/02 11. Date T.D. Reached 11/22/02 12. Date Completed (Ready to Prod) 12/19/02 13. Elevations (DF & RKB, RT, GR, etc.) 3552' GR 14. Elev. Casinghead

15. Total Depth 8600' 16. Plug Back T.D. 8558' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled by 19. Producing Interval (s), of this completion - Top, Bottom, Name 6706-7141', 7804-7990', 8268-8398' Basal Brushy Canyon 20. Was Directional Survey Made No

21. Type Electric and Other Logs Run CNL/GR, Laterolog 22. Was Well Cored No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"	Conductor	40'			
13-3/8"	48#	842'	17-1/2"	700 sx (circ)	
8-5/8"	32#	4518'	11"	1250 sx (circ)	
5-1/2"	15.5#, 17#	8600'	7-7/8"	1100 sx (TOC 5610'-CBL)	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8		6654

26. PERFORATION RECORD (INTERVAL, SIZE, AND NUMBER)	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
8268-72' (5), 8298-8302' (5), 8390-98' (9) 7804-10' (7), 7964-90' (27)	8268-8398'	2850 gal 7-1/2% IC/HCl w/52 BS
	8268-8398'	Delta 140 frac w/824 sx 20/40 Super LC sand
	7946-90'	1000 gal 7-1/2% IC/HCl w/41 BS (Continued...)

PRODUCTION

28. Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. Or Shut-in)		
12/21/02		Pumping				Producing		
Date of Test	Hours Tested	Choke Size	Prod'n for Test Period	Oil - BBl	Gas-MCF	Water-Bbl.	Gas - Oil Ratio	
1/22/03	24			146	95	253	0.650	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil-Bbl	Gas-MCF	Water-Bbl	Oil Gravity - API		
			146	95	253	38.6		

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
 Sold

Test Witnessed By
 Shannon Moss

30. List Attachments
 Logs

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Stormi Davis Printed Name Stormi Davis Title Regulatory Compliance Technician Date 1/27/03

100
 A

[Handwritten signature]

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
Rustler	828'					
Top of Salt	960'					
Bottom of Salt	4340'					
Bell Canyon	4660'					
Cherry Canyon	5515'					
Brushy Canyon	6788'					
Bone Spring	8450'					

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

26. PERFORATION RECORD (INTERVAL, SIZE, AND NUMBER)	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
6706-08', 10', 16', 18', 46', 48', 50', 68', 70', 6842-44', 45', 47' and	7804-10'	750 gal 7-1/2% IC/HCl w/11 BS
6956-58', 60', 63', 65', 74', 75', 76', 80', 7056-58', 60' 62', 83', 85'	7056-7141'	750 gal 7-1/2% IC/HCl w/24 BS
89', 91', 7139-41', (Total of 33 holes)	6842-7056'	750 gal 7-1/2% IC/HCl w/26 BS
	6706-7141'	500 gal 7-1/2% IC/HCl w/20 BS
	6706-7141'	Delta 140 frac w/1004.4 sx 20/40 Super LC

OPERATOR: YATES PETROLEUM
WELL/LEASE: LOTUS ALT ST. 3
COUNTY: EDDY *lea*

143-0012

STATE OF NEW MEXICO
DEVIATION REPORT

*C-32-225-32e
660/N + 1980/W*

30-025-36005

351	1
909	1 3/4
1,319	1/2
1,819	1
2,319	1
2,569	1
2,819	1
3,163	1
3,413	1
3,631	1
3,881	1/2
4,131	2 3/4
4,224	3
4,318	3 1/4
4,961	3/4
5,462	3/4
5,962	1 1/4
6,461	1/2
6,720	1
7,219	1 1/2
7,711	3/4
8,179	1 1/2
8,429	1 1/2
8,600	1 1/2

By: *Steve Moore*


STATE OF TEXAS

COUNTY OF MIDLAND

The foregoing instrument was acknowledged before me on this 3rd day of December, 2002, by Steve Moore on behalf of Patterson-UTI Drilling Company LP, LLLP.

Joni D. Hodges
Notary Public for Midland County, Texas

My Commission Expires: 3/31/2003



Handwritten initials