

MAR 13 1942
RECEIVED

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL			
NOTICE OF INTENTION TO DEEPEN WELL		NOTICE OF INTENTION TO PLUG WELL	

Hobbs, New Mexico, March 12, 1942

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the DRILLING & EXPLORATION CO., INC. et al

Company or Operator STATE #11 Lease Well No. 1 in SW/4
of Sec. 13, T. 21-S, R. 35-E, N. M. P. M., Hunice Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

New 8-5/8", 24# casing was cemented at 297' with 100 sacks of cement at 12:30 P. M. February 26, 1942. Cement circulated to the surface. Plug was drilled after standing 36 hours.

MAR 13 1942

Approved _____, 19____
except as follows:

OIL CONSERVATION COMMISSION,
By Roy Yarrrough
Title OIL & GAS INSPECTOR

DRILLING & EXPLORATION CO., INC.

Company or Operator
By D. A. Powell
Position D. A. Powell, Vice-President
Send communications regarding well to
Name D. A. Powell
Address Box 1575, Hobbs, New Mexico

...the ... of ...
 ...the ... of ...
 ...the ... of ...

...the ... of ...
 ...the ... of ...
 ...the ... of ...

...the ... of ...
 ...the ... of ...
 ...the ... of ...

...the ... of ...
 ...the ... of ...
 ...the ... of ...

...the ... of ...
 ...the ... of ...
 ...the ... of ...

...the ... of ...
 ...the ... of ...
 ...the ... of ...

...the ... of ...
 ...the ... of ...
 ...the ... of ...

NEW MEXICO OIL CONSERVATION COMMISSION
 Santa Fe, New Mexico

RECEIVED
 MAR 1 1942
 HOBBBS OFFICE

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan is approved and should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL			
NOTICE OF INTENTION TO DEEPEN WELL		NOTICE OF INTENTION TO PLUG WELL	X

Hobbs, New Mexico Place March 19, 1942 Date

OIL CONSERVATION COMMISSION,
 Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the DRILLING & EXPLORATION CO., INC. et al

Company or Operator STATE "H" Lease Well No. 1 in SW/4
 of Sec. 13, T. 21-S, R. 35-E, N. M. P. M., Sanico Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
 FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

This well has been drilled to a total depth of 4006' without having encountered any porosity to that point, no oil or water.

A string of 8-5/8" casing has been set and cemented at 297' with 100 sacks of cement, behind which all surface waters are confined.

We propose to plug and abandon this hole by the following procedure:
 Set a 4-sack "Calseal" bridge at 3400' (Base of Salt 3360') and after being allowed to stand 45 minutes, place 10 sacks of cement on top of the "Calseal". Place another 4-sack "Calseal" bridge at 1780' (Top of Salt 1800') and after setting 45 minutes, place 10 sacks of cement on top of this bridge. At the surface a 10-sack cement plug will be placed to ground level and the location marked with a steel pipe 4" in diameter and 4' above the ground level.

Other than that part occupied by plugs, the hole will be filled with heavy drilling mud. **MAR 20 1942**

Approved _____, 19____
 except as follows:

DRILLING & EXPLORATION CO., INC.
 Company or Operator

By D. A. Powell

Position D. A. Powell, Vice-President
 Send communications regarding well to

OIL CONSERVATION COMMISSION
 By Roy J. ...
 Title OIL & GAS INSPECTOR

Name D. A. Powell
 Address Box 1575, Hobbs, New Mexico