

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back on a different reservoir. Use Form 9-331-C for such proposals.)

**RECEIVED**  
**APR 23 1981**

1. oil ☒ well    gas ☐ well    other ☐

2. NAME OF OPERATOR    **U.S. GEOLOGICAL SURVEY**  
Tenneco Oil Exploration & Production Co.    **HOBBBS, NE**

3. ADDRESS OF OPERATOR    **San Antonio, TX**  
6800 Park Ten Blvd., Suite 200 N.,    **78213**

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1980' FLS & 1980' FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:    SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)	<input type="checkbox"/>	<input type="checkbox"/>

5. LEASE    **LC-065525-A**

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME    **Elliott Federal**

9. WELL NO.    **2**

10. FIELD OR WILDCAT NAME    **Blinebry**

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA  
Sect. 1, T21S, R37E

12. COUNTY OR PARISH    **Lea**    13. STATE    **New Mexico**

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
3531'

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

We cleaned fill out of open hole section from 5954' to 6015' and did an acid wash on the open hole and on perforations in the 5-1/2" casing 5895-5930'. Test after work - 6 BOPD and 5 BWPD.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED *Mary Hall* TITLE Production Analyst DATE 4/20/81

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

**APR 27 1981**

**U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO**