NE MEXICO OIL CONSERVATION COM. SSION

Santa Fe, New Mexico

ASCELLANEOUS NOTICES

Subnit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin it copy will be returned to the sender on which will be given the approval, with any modifications considered addisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

eguia on the					~~~~				
OTICE OF INTEL SHUT-OFF	NTION TO TEST	CASING		NOTICE OF CHEMIC	INTENTION EALLY TRE				<u>.</u>
OTICE OF INTE	NTION TO CHA	NGE PLANS		NOTICE OF OTHER	INTENTIO	N TO PUL R CASING	LL OR		
TICE OF INTE	NTION TO REPA	AIR WELL	,	Notice of	Intentio	m to Du	ally	Comple	ete I
TICE OF INTER	NTION TO DEEP	EN WELL		NOTICE OF	INTENTIO	N TO PLU	JG WEI	LL	
				Dallas,	Texas		Janua	ry 27	, 195
L CONSERVATI	ON COMMISSION	N,		Tiacc				Date	
ntlemen: lowing is a notic	ce of intention to	do certain wor	k as des	cribed below	at the St	m 011 C	ompan	у	
	W. W. Weathe	rly	Y		Well No	1	in	Unit	nKn
Company or O	perator , T 21-S								_Field,
		County.							
	FIII.I.	DETAILS OF	F PROF	POSED PLA	N OF WO	RK			
/42 when for ently produ- ually comple	4/36; TO 3815 rmation packeting 8 bbls. to well as 1 00 of 5" lin	r set at) oil per da fellows:	565' o y f ro m	n 3" tbg. Grayburg	to shut o section 3	ff Quee 565/381	n San	d gas.	
Viz when for ently productionally complete. Comment 90 Perf. Gre Perf. Que gal. sand	rmation packe cing 8 bbls.	or set at 3 oil per da fellows: her from 29 0 and frac 2/60 and wa 5D/gal.	565' o y from 15/381 . with sh wit	n 3" tbg. Crayburg 5, using 1 10,000 ga h 500 gal.	to shut of section 3 00 sacks. 1. sand of mud acid	off Queen 1565/381 with i, then	n San 5. #	5 untid gas. c proj))056 P ga
vently productionally complete the complete comp	rmation packed cing 8 bbls. to well as in 20° of 5" line ayburg 3732/5 een Sand 3522 if oil with 1#	or set at 3 oil per da fellows: her from 29 0 and frac 2/60 and wa 5D/gal.	565' o y from 15/381 . with sh wit at 370	n 3" tbg. Crayburg 5, using 1 10,000 ga h 500 gal.	to shut of section 3 00 sacks. 1. sand of mud acid	off Queen 1565/381 with i, then	n San 5. #	s untid gas. proper proper such proper with))056 P ga
July when for ently productivally complete. Coment 90 Perf. Gre Perf. Que gal. sand Run tubin	rmation packed cing 8 bbls. ste well as in 20° of 5" lin ayburg 3732/5 sen Sand 3522 d oil with 1/2 ng with BOT E	or set at 3 oil per da fellows: her from 29 0 and frac 2/60 and wa 5D/gal.	565' o y from 15/381 . with sh wit at 370	n 3" tbg. Grayburg 5, using 1 10,000 gal. 0' for com	to shut of section 3 00 sacks. 1. sand of mud acid pletion s	off Queen 1565/381 with i, then	n San 5. 4 1# se frac.	s untid gas. proper proper such proper with	ose er gal
rently productionally complete. Coment 90 Perf. Gregel. Perf. Quegal. sans	rmation packeting 8 bbls. Ste well as in the well as with 1 min the well as with BOT In the well as in the well as we	or set at 3 oil per da fellows: ler from 29: 0 and frac 2/60 and was SD/gal. WR packer	565' o y from 15/381 . with sh wit at 370	orayburg 5, using 1 10,000 ga h 500 gal. O' for com	section 3 00 sacks. 1. sand of mud acid pletion s Sun 01 Company or	il with then the dual.	n San 5. 4 1# su frac.	s untid gas. e prop	ose er gal
contly production of the produ	rmation packeting 8 bbls. Ste well as in the well as with BOT In the well as with BOT In the well as with BOT In the well as in the well as	oil per da sellows: ler from 29: 0 and frac 2/60 and was SD/gal. WR packer	565' o y from 15/381 . with sh wit at 370	orayburg 5, using 1 10,000 ga h 500 gal. O' for com	SUN OI Company or Communicat	il with then the dual.	n San 5. 4 frac.	s untid gas. e prop	r ga 5,00

Dallas, Texas

48 - 11 i (a) A construction of the construction of t . . •

And the second of the second s

3522/60

Geo Annalus

Brown Oil Tool Type DER

the go Tubing 011

3615

38251

J.T. Hightower

3560 / -

