

DUPLICATE

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

RECEIVED
OCT 30 1947
RECEIVED
HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

October 20, 1947

Hobbs, New Mexico.

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

M. G. Penrose, Inc.

Company or Operator

11001

Lease

Well No. 3

in the

372

of Sec. 15

T. 22

R. 372

N. M. P. M.,

Drinkard

Field,

County.

The dates of this work were as follows: October 10, 1947

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on October 15 19 47

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Cement was allowed 7 1/2 hours set on 5 1/2" casing cemented at 7365' with 500 sacks on October 15, 1947. Cement in hole to drill cement on October 18th and found 130 feet in bottom of casing. Drilled same out then pressure tested casing and found same OK. Drilled shoe then washed hole to bottom.

Witnessed by Tom Marks

Name

M. G. Penrose, Inc.

Company

Sup't.

Title

Subscribed and sworn before me this

I hereby swear or affirm that the information given above is true and correct.

27th day of October, 1947

Name Charles P. Miller

Position Agent

[Signature]
Notary Public

Representing M. G. Penrose, Inc.
Company or Operator

My commission expires 10/24/49

Address St. North, Texas.

Remarks:

APPROVED


Date OCT 30 1947

[Signature]
Name RE

OIL & GAS INSPECTOR
Title

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES



Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO REPAIR WELL	<input type="checkbox"/>	NOTICE OF INTENTION TO PLUG WELL	<input type="checkbox"/>
NOTICE OF INTENTION TO DEEPEN WELL	<input type="checkbox"/>		

Hobbs, New Mexico
Place

October 15, 1947
Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the _____

N. S. Penrose, Inc., _____ Well No. 3 in _____
Company or Operator Lease

of Sec. 15, T. 22N, R. 37E, N. M. P. M., Brunson Field.

Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Total depth of hole is 7568', in granite. We have cemented 7365' of 5 1/2" casing in a 7-7/8" hole with 400 sacks. The casing string is composed of 1102.71' of 17 and 2193.82' of 15 1/2". Float collar and shoe total 2.47'.

Plug was pumped down at 2:00 P.M. October 15, 1947. Cement will be allowed 72 hours set time before casing is tested and plug is drilled.

Approved _____, 19____
except as follows: _____

N. S. Penrose, Inc.
Company or Operator

By Charles F. Miller

Position Agent
Send communications regarding well to

Name N. S. Penrose, Inc.,

Address St. North, Texas.

By _____
Title _____

OIL CONSERVATION COMMISSION,

