

NEW MEXICO STATE LAND OFFICE  
**OFFICE OF THE STATE GEOLOGIST**  
 SANTA FE, NEW MEXICO

**MISCELLANEOUS REPORTS ON WELLS**

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF SHOOTING WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<b>X</b>	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF ABANDONMENT OF WELL			

Hobbs, New Mexico

March 29, 1935

Place

Date

Mr. E. H. Wells State Geologist,  
 Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Amerada Petroleum Corporation Isabell Well No 1 in the SE 1/4 of NE 1/4 of Sec. 15, T. 24S, R. 36E N. M. P. M., Cooper Oil Field, Lee County.

The dates of this work were as follows: March 28, 1935

Notice of intention to do the work was ~~XXXXXX~~ submitted on Form SG 103 on March 26, 1935, and approval of the proposed plan was (~~XXXXXX~~) obtained. (Cross out incorrect words.)

**DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED**

Plug was drilled and well was bailed to bottom and allowed to stand one hour. Bailer was again run to bottom and no water had accumulated in well.

APR 2 1935

DUPLICATE

Subscribed and sworn to before me this

30 day of March, 1935  
May Frances Beal  
 Notary Public

I hereby swear or affirm that the information given above is true and correct.

Name J. J. Truman  
 Position Superintendent  
 Representing Amerada Petroleum Corporation

My Commission expires July 28-38.

Address Hobbs, New Mexico

Remarks:

APPROVED AS O. K.  
 BY [Signature]

Name

Title

NCR



NEW MEXICO STATE LAND OFFICE  
SANTA FE, NEW MEXICO

DEPARTMENT OF THE STATE GEOLOGIST  
NOTICE OF INTENTION TO TEST WATER SHUT-OFF

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector at least five days before the test. It is desirable that a representative of the Department of the State Geologist witness the water shut-off before drilling into the productive sand whenever possible. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to sender. Submit this notice in triplicate.

Hobbs N. Mex., March 26, 1935, 19\_\_

Mr. E. H. Walls  
State Geologist,  
Santa Fe, New Mexico.

Dear Sir:

You are hereby notified that we intend to test the shut-off of water in Isbell

Well No. 1 in SE<sup>1</sup> of NE<sup>1</sup> of Sec. 15-, T. 24S, R. 36E

N. M. P. M., Cooper Oil Field Lea County,

on March 28, 19 35. 12<sup>1</sup>/<sub>2</sub> in. 50 lb. casing was 

}	cemented	}	in <u>Redbed</u>
	<del>XXXX</del>		

  
formation at a depth of 254' feet on March 26, 1935 19\_\_

175 sacks of Incor cement were used.

The method used in placing the cement was as follows: Halliburton

Fluid level will be bailed to a depth of 250' feet and left undisturbed for at least 1 ~~12~~ hours before your inspection.

Adjacent property owners have been notified as follows: \_\_\_\_\_

Additional information:

Cement circulated around casing. Plug will be drilled and Well will be bailed to bottom and allowed to stand one hour and bailed again to determine whether any water has accumulated in well.

DUPLICATE

Approved MAR 28 1935 19\_\_

Except as follows:

Sincerely yours,

Amerada Petroleum Corporation

Company or Operator.

By D. F. Furse

Position Field Clerk

Send communication regarding well to

Name J. A. Starkey

Address Hobbs, New Mexico.

State Geologist or Oil and Gas Inspector.

DEPARTMENT OF THE STATE GEOLOGIST  
MEXICO

NOTION OF EXERCISE TO TEST WATER SHUT-OFF

The purpose of this exercise is to determine the location of the water shut-off in the reservoir. The exercise is to be conducted in the following manner: The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

The test well is to be drilled to a depth of 100 feet below the water table. The water shut-off is to be located by means of a test well. The test well is to be drilled to a depth of 100 feet below the water table.

NEW MEXICO STATE LAND OFFICE  
**OFFICE OF THE STATE GEOLOGIST**  
 SANTA FE, NEW MEXICO

**MISCELLANEOUS REPORTS ON WELLS**

Submit this report in duplicate to the State Geologist or proper Oil and Gas Inspector within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of water shut-off, result of abandonment of well, and other important operations, even though the work was witnessed by the State Geologist or Oil and Gas Inspector. Reports on minor operations need not be signed and sworn to before a notary public, but such operations should be witnessed by an Oil and Gas inspector if possible.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	<input checked="" type="checkbox"/>	REPORT ON DEEPENING WELL	<input type="checkbox"/>
REPORT ON RESULT OF SHOOTING WELL	<input type="checkbox"/>	REPORT ON PULLING OR OTHERWISE ALTERING CASING	<input type="checkbox"/>
REPORT ON RESULT OF TEST OF WATER SHUT-OFF	<input type="checkbox"/>	REPORT ON REPAIRING WELL	<input type="checkbox"/>
REPORT ON RESULT OF ABANDONMENT OF WELL	<input type="checkbox"/>		

Hobbs, New Mexico

March 26, 1935

Place

Date

Mr. E. H. Wells State Geologist,  
 Santa Fe, N. Mex.

Following is a report on the work done and the results obtained under the heading noted above at the Amerada Petroleum Corporation Isbell Well No. 1 in the SE 1/4 of NE 1/4 of Sec. 15 of Lease 248, T. 24S, R. 36E N. M. P. M., Cooper Oil Field, Lea County.

The dates of this work were as follows: March 25, 1935

Notice of intention to do the work was (~~was not~~) submitted on Form SG 101 on March 19, 1935, and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

**DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED**

Drilling operations were begun on March 25, 1935.

Subscribed and sworn to before me this

27 day of March, 1935

Mary Francis Beal  
 Notary Public

My Commission expires July 28-38

Remarks:

I hereby swear or affirm that the information given above is true and correct.

Name J. Thurman

Position Farm Boss

Representing Amerada Petroleum Corpora  
 Company or Operator

Address Hobbs, New Mexico

APPROVED AS A R  
 NCR. [Signature]

Name

Title



**NEW MEXICO STATE LAND OFFICE  
OFFICE OF THE STATE GEOLOGIST  
SANTA FE, NEW MEXICO**

**MISCELLANEOUS NOTICES**

Submit this notice in triplicate to the State Geologist or proper Oil and Gas Inspector at least five days before the work specified is to begin. A copy will be returned to the sender on which will be given the approval with any modifications considered advisable or the rejection by the State Geologist or Oil and Gas Inspector of the plan submitted. The plan as approved should be followed and work should not begin until approval is obtained.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO CHANGE PLANS	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL			
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

March 26, 1935

PLACE

DATE

**E. H. Wells**

Mr. .... State Geologist,  
Santa Fe, N. Mex.

Following is a notice of intention to do certain work as described below at the ~~land~~ **Amerada Petroleum Corporation** **Isbell**

Well No. **1** in **SE** of **NE**  
 COMPANY OR OPERATOR **15** **245** LEASE **56E**  
 of Sec. ...., T. ...., R. ...., N. M. P. M., **Cooper**  
 Oil Field, **Lea** County.

**DETAILS OF PROPOSED PLAN OF WORK**

On notice of intention to drill new well, which was mailed to you on March 19, 1935, we reported that it was our intention to use 1400' of 9-5/8" casing. This report was in error through an misunderstanding. It is our intention to set and cement 9-5/8" casing through the salt, or to a depth of about 2900'.

**DUPLICATE**

MAR 26 1935

Approved ..... 19  
except as follows:

*[Signature]*  
NAME TITLE

Address .....

**Amerada Petroleum Corporation**

COMPANY OR OPERATOR

By *[Signature]*

Position **Field Clerk**

Send communications regarding well to

Name **J. A. Starkey**

Address **Hobbs, New Mexico.**

R.

**NEW MEXICO STATE LAND OFFICE  
OFFICE OF THE STATE GEOLOGIST**

SANTA FE, NEW MEXICO

**MISCELLANEOUS NOTICES**

Subject: The notice in duplicate is returned to the State Geologist or proper Oil and Gas Inspector in least five days after the date of receipt is to be made. A copy will be retained in the folder in which it will be given. The approval of the State Geologist or Oil and Gas Inspector is required for the State Geologist or Oil and Gas Inspector to issue a permit. The State Geologist or Oil and Gas Inspector should be followed and work should not be started until approved by the State Geologist or Oil and Gas Inspector.

Indicate nature of notice by checking below:

NATURE OF NOTICE TO BE CHECKED ON	NATURE OF NOTICE TO BE CHECKED ON
1	2
3	4
5	6

\_\_\_\_\_  
 State Geologist

\_\_\_\_\_  
 State Geologist

**DETAILS OF PROCEEDING IN AN OIL WORK**

\_\_\_\_\_  
 State Geologist

\_\_\_\_\_  
 State Geologist

\_\_\_\_\_  
 State Geologist

\_\_\_\_\_  
 State Geologist