NO. OF COPIES RECEIVED		-	
DISTRIBUTION		Sim	Form C-103 Supersedes Old
SANTA FE	NEW MEXICO OIL (CONSERVATION COMMISSION	C-102 and C-103
FILE		TOTAL COMMISSION	Effective 1-1-65
U.S.G.S.			5a. Indicate Type of Lease
LAND OFFICE			State Fee X
OPERATOR			5. State Oil & Gas Lease No.
			G 152436
SUNI (DO NOT USE THIS FORM FOR USE "APPLIC			
OIL GAS WELL	OTHER-		7. Unit Agreement Name
2. Name of Operator Worldwide Energy	8. Farm or Lease Name J L Isbell		
3. Address of Operator	9 Well No.		
1700 Broadway - 1	600 Tower Building	, Denver, Colorado 8	30290 3
The second secon	1980 FEET FROM THE NOT	th LINE AND 1980 FEET	10. Field and Pool, or Wildcat Jalmat
i		24S RANGE 36E	
mmmm			
	15. Elevation (Show who 3382' G.L.	ether DF, RT, GR, etc.)	12. County Lea
16. Checl	Appropriate Box To Indica	te Nature of Notice, Report o	Other Data
NOTICE OF	INTENTION TO:		JENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK]
TEMPORARILY ABANDON		COMMENCE DRILLING OPNS.	ALTERING CASING PLUG AND ABANDONMENT X
PULL OR ALTER CASING	CHANGE PLANS	CASING TEST AND CEMENT JOB	A SANDONMENT
		OTHER	·
OTHER			
17. Describe Proposed or Completed	Operations (Clearly state all pertinen	t details, and give pertinent dates, incl	uding estimated date of starting any proposed
work) SEE RULE 1103.			some commerce water of stating any proposed
See attached	list	.**	
			•
18. I hereby certify that the information	on above is true and complete to the b	est of my knowledge and belief.	
01 01	4 11	Production English	7/15/00
SIGNED COLLEGE CON	Tuff	Production Engine	er 7/15/80
900). r)		102

CONDITIONS OF APPROVAL, IF ANY:

J. L ISBELL #3

- 1. 1/27/78 Spotted 30 sx of cement at 3531'.
- 2. 1/28/78 Tagged top of cement at 3422'.
- 3. 1/30/78 Pulled 2000' (63 joints) of $5\frac{1}{2}$ " casing out of wells. Displaced hole with 9.5# per gallon mud.
- 4. 1/31/78 Spotted 35 sacks of cement at 2000'.
- 5. 2/1/78 Tagged cement at 1890'. Spotted 100 sx. of cement at 1578'.
- 6. 2/2/78 Tagged cement top at 1543'. Spotted 90 sx. of cement at 1543'.
- 7. 2/3/78 Tagged cement top at 1383'. Spotted 29 sacks of cement at surface. Welded steel plate on top of 13-3/8" casing.

W0 05 000 000 000 000 000 000 000 000 00				
NO. OF COPIES RECEIVED	. •	Form C-103		
DISTRIBUTION		Supersedes Old C-102 and C-103		
SANTA FE	NEW MEXICO OIL CONSERVATION COMMISSION	Effective 1-1-65		
FILE				
U.S.G.S.		5a, Indicate Type of Lease		
LAND OFFICE		State Fee XX		
OPERATOR		5. State Oak & Gas Lease No.		
		G 152436		
SUNDR	Y NOTICES AND REPORTS ON WELLS POSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. ION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)			
USE "APPLICAT	ION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)			
OIL V GAS		7, Unit Agreement Name		
2. Name of Operator	OTHER-			
Worldwide Energy Co.	who was tile a	8, Farm or Lease Name		
3. Address of Operator	rporation	J. L. Isbell		
<u>-</u>	- 1/00 P	9. Well No.		
4. Location of Well	e 1600, Denver, Colorado 80290	3		
•	1000	10. Field and Pool, or Wildcat		
UNIT LETTER	1980 FEET FROM THE NORTH LINE AND 1980 FEET FROM	M		
THE LINE, SECTION	N 15 TOWNSHIP 24 S RANGE 36 E NMPN			
	15. Elevation (Show whether DF, RT, GR, etc.)	12, County		
		Lea ())))))		
Check A	Appropriate Box To Indicate Nature of Notice, Report or Ot	ther Data		
NOTICE OF IN		T REPORT OF:		
		, ALI SKI OF.		
PERFORM REMEDIAL WORK	PLUG AND ABANDON X REMEDIAL WORK	ALTERNA ALTERNA		
TEMPORARILY ABANDON	COMMENCE DRILLING OPNS.	ALTERING CASING		
PULL OR ALTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB	PLUG AND ABANDONMENT		
	OTHER			
OTHER				
 Describe Proposed or Completed Operator. Describe Proposed or Completed Operator. 	erations (Clearly state all pertinent details, and give pertinent dates, including	g estimated date of starting any proposed		
,		- · · ·		
(1) Free-point out	& pull 5-1/2", 17# prod. csg at or above 3000			
(2) Place 25 sx cmt	plug in $5-1/2!$ of the contact of the salarity $\frac{1}{2}$	•		
100' inside csa	plug in 5-1/2" stub. Cmt calculated to lap co & 50' in open hole.	sg stub,		
		•		
(3) Place 45 sx cmt plug from 1578' to 1428'. (4) Place 29 sx cmt plug 150'+ to 50'+. Weld steel cap on 13'' surface csg.				
	ion w/steel marker William to the steel cap on 13" sur	rface csg.		
W/well name nu	ion w/steel marker 4" in diameter, 4" high set	in concrete		
(6) Restore location	mber & location welded on surface of marker.			
	n & clear out equipment.			
rioposed starti	ng date: Nóvember 1, 1977.			
		-		
1 100' 2/11	6 @ 3431 - 3531			
1, 100 164		Λ.		
2. JOHD HOL	E W/ 95# BRINE MUD THE GOMMISS	SIAMMS IF POINT		
• ,	HOURS FRIOR	NOTIFIED 24		
	MUSCING OF	PEDATIONS SEGIMINING OF		
	TO BE APPRO	PERATIONS FOR THE C-103		
16. I hereby certify that the information a	above is true and complete to the best of my knowledge and belief.			
4.5				
SIGNED ATTT	Jon N. Dull TITLE Production Engineer	10/6/77		
////		DATE 10/6/77		
Orig. Sign	red by			
Terry Ses	ten -	11111111111		
APPROVED BY	TITLE	DATE		

Expires 4/11/78

CIL CONSTRUATION COMM. HOBBS, N. M.