

LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company **Continental Oil Company** Address **Box 68, Eunice, New Mexico**
Lessor or Tract **Eaves B-30** Field **Jalant** State **New Mexico**
Well No. **4** Sec. **30** T. **26-S** R. **37-E** Meridian **N&M** County **Lea**
Location **660** ft. **N** of **S** Line and **1650** ft. **E** of **E** Line of **Sec. 30** Elevation **2945'** KB
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed *J. R. [Signature]* Title **District Superintendent**
Date **August 27, 1962**

The summary on this page is for the condition of the well at above date.

Commenced drilling **July 18**, 19**62** Finished drilling **July 27**, 19**62**

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from **3162** to **3184** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
7 5/8"	314'	200							
4 1/2"	3291'	200							

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
7 5/8"	314'	200	Pump & Plug		
4 1/2"	3291'	200	Pump & Plug		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from **0** feet to **3291** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

August 27, 19**62** Put to producing **August 18**, 19**62**

The production for the first 24 hours was **20** barrels of fluid of which **70%** was oil; _____% emulsion; **30%** water; and **0%** sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

R. H. Compton, Driller **W. W. Malone**, Driller
Jim Kalisek, Driller _____, Driller


FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
0	1230	1230'	Anhydrite
1230'	1315'	85'	Salt
1315'	2751'	1436'	Sand & Dolomite
2751'	2852'	101'	Dolomite & Sand
2852'	TD	439'	Dolomite & Sand

FOLD MARK

LOG OF OIL OR GAS WELL

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
UNITED STATES



Company Continental Oil Company
Address
Field
State
County
Well No.
Location
Date
Signed

The summary on this page is for the condition of the well at above date
Completed drilling
Finished drilling

OIL OR GAS SANDS OR ZONES

No. 1, from
No. 2, from
No. 3, from

IMPORTANT WATER SANDS

No. 1, from
No. 2, from
No. 3, from
No. 4, from

CASING RECORD

Table with columns: Casing, Size, Weight, Make, Amount, Kind of shoe, Cut and drilled from, Restored, Purpose.

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results.

MUDDING AND CEMENTING RECORD

Table with columns: Casing, Size, Weight, Number sacks of cement, Method used, Mud gravity, Amount of mud used.

PLUGS AND ADAPTERS

Table with columns: Adapter, Size, Length, Depth set.

SHOOTING RECORD

Table with columns: Size, Weight used, Quantity, Date, Depth shot, Depth cleaned out.

TOOLS USED

Rotary tools were used from
Cable tools were used from

DATES

Put to producing
The production for the first 24 hours was
Rock pressure, lbs. per sq. in.

EMPLOYEES

Driller
Driller

FORMATION RECORD

Table with columns: FROM, TO, TOTAL FEET, FORMATION. Includes detailed geological data and notes.

FORMATION RECORD—Continued

TD 3291 DOLO & SD, RB 13, Elev 2945 KB, CSD PT 4-1/2" AT 3291. LOG
COMPARISON: 3162, ON G/R SENSIC IS 3162, ON G/R NEUTRON AND 3154, ON CORRE. LOGS;