

COUNTY LEA FIELD Scarborough STATE NM MN 21201
 OPR HANSON OIL CO. MAP
 1 CSA Federal
 Sec 29, T-26-S, R-37-E
 2310' FSL, 330' FWL of Sec. CO-ORD

Re-Cmp 8-1-69	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
8 5/8" at 323' w/125 sx				
5 1/2" at 3389' w/200 sx				
LOGS EL GR RA IND HC A				

TD 3400'; PBD 3150'

(Seven Rivers) Perfs 3019-3135' NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 3095' TYPE WO

F.R.C. 9-4-69
 PD 3095' WO
 (Orig. Hanson, Ernest A. #1 CSA Federal, comp.
 8-1-65 thru Seven Rivers perfs 3116-35', OTD
 3400', OPB 3150')
 9-2-69 TD 3400'; PBD 3150'; COMPLETE
 Perf @ 3019', 3021', 3034', 3036', 3060',
 3062', 3069' w/1 SPI
 Acid (3019-95') 1000 gals
 9-4-69 Frac (3019-95') 17,000 gals wtr + 30,000# sd
 COMPLETION REPORTED

COUNTY	LEA	FIELD	Jalmat	STATE	NM
OPR	HANSON, ERNEST A.				MAP
1 CSA					
Sec. 29, T-26-S, R-37-E				CO-ORD	
2310' fr S Line & 330' fr W Line of Sec.					
Spd 7-15-65		CLASS		EL	
Cmp 8-1-65		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 8 5/8" 300' circ. 5 1/2" 3400'		LOG:			
		Anhy 1170			
		B/Salt			
		2702			
		Yates 2865			
		7-R 3139			
LOGS EL GR RA IND HC A		TD 3400', PBD 3150'			

IP Seven Rivers Perfs 3116-3137' Flwd 96 BOPD + 315 BW. Pot.
Based on 24 hr test thru 1/4" chk., TP 175#, CP 800#, gravity
38.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH 3400'	TYPE
DATE		

	F.R. 7-15-65
	PD 3400' - Seven Rivers
7-19-65	Drlg. 2784'.
7-26-65	TD 3400', WOC.
	Cored 3300-12', rec 10' dolo., w/show throughout.
	Cored 3312-46', rec 34' dolo., w/show 3312-35'.
8-2-65	NR
8-9-65	TD 3400', tstg.
	Side Wall Core @ 2921', rec sd., w/show.
	Side Wall Core @ 2926', rec sd., w/show.
	Side Wall Core @ 2961', rec sd., w/show.
	Side Wall Core @ 3020', rec sd., w/show.
	Side Wall Core @ 3060', rec sd., w/show.
	Side Wall Core @ 3069', rec sd., w/show.
	Side Wall Core @ 3116', rec sd., w/show.
	Side Wall Core @ 3119', rec sd., w/show.
	Side Wall Core @ 3131', rec sd., w/show.
	Side Wall Core @ 3135', rec sd., w/show.
	Side Wall Core @ 3214', rec sd., w/show.

LEA Jalmat NM
HANSON, ERNEST A., #1 CSA

Sec. 29-26S-37E
Page #2

8-9-65 Continued
Perf @ 3172 , 3182', 3192', 3197' W/1 SPI
Ac. 1000 gals.
Flwd 25 BW, w/unestimated amt cf gas.
Set BP @ 3150'
Perf @ 3116', 3120', 3132', 3137' W/1 SPI
Frac 750 BW + 30,000# sd.
8-16-65 TD 3400', PBD 3150', COMPLETED.