Form 9-331a
(Feb. 1951)

Budget Bureau No. 42-R358.4.
Form Approved.

Land Office
Lease No.
Unit

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

South Mattix Unit September 6, 1963

Well No. 15 is located 660 ft. from {N/S} line and 660 ft. from {E/W} line of sec. 22

NE/4 NE/4, Sec. 22 (¼ Sec. and Sec. No.) T-24-S, R-37-E (Twp.) (Range) NMPM (Meridian)

Fowler-Ellenberger (Field) Lea (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 3246 ft. RDB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 9-3-63, 9-5/8" OD 32.3-36# H-40 & J-55 casing was run and set at 4378' with 430 sx. After WOC 18 hours, tested casing with 1500 PSI for 30 minutes. Test OK. Reduced hole to 8-3/4" at 4378' and resumed drilling operations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Box 68
Hobbs, New Mexico

By

Title Area Superintendent

GPO 914974

Form 9-331a
(Feb. 1951)

Budget Bureau No. 42-R358.4.
Form Approved.

Land Office
Lease No. 060573
Unit A

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPROVED
AUG 26 1963
A. R. BROWN
DISTRICT ENGINEER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

South Mattix Unit August 22, 1963

Well No. 15 is located 660 ft. from {N} line and 660 ft. from {E} line of sec. 22

NE/4, NE/4, Sec. 22 (¼ Sec. and Sec. No.) T-24-S, R-37-E (Twp.) (Range) NMPM (Meridian)

Fowler Ellenberger (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is NYA ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Davidson Bros. Co. spudded 17" hole at 4-30 PM on 8-20-63. On 8-21-63, 13-3/8" OD 48# H-40 ST&C casing was run and set at 300' with 300 sx cement. Cement circulated. After WOC 18 hours tested casing with 700 PSI for 30 minutes. Test OK. Reduced hole to 12-1/4" at 300' and resumed drilling operations.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Box 68
Hobbs, New Mexico

Original Signed by:
By V. E. STALEY

Title Area Superintendent

GPO 914974