

RECEIVED
MAR 4 1949
HOBB'S OFFICE

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	XXX	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

March 1, 1949

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
Cities Service Oil Company State "W" Well No. 1 in the _____
Company or Operator
C SE SE of Sec. 36, T. 24, R. 36, N. M. P. M.,
Cooper-Jal Field, Lea County.

The dates of this work were as follows: February 27, 1949 and March 1, 1949

Notice of intention to do the work was (~~submitted~~) submitted on Form C-102 on February 28 1949
and approval of the proposed plan was (~~was~~) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Total depth 3525', Lime. Ran 133 jts. 3516' of 5 1/2" OD casing set at 3524' and cemented with 250 sacks of bulk cement. Plug down at 11:00 AM, February 27, 1949. Cement was allowed to set 48 hours before testing for shut-off. 1000# pressure was applied, with all valves closed with no drop in pressure during a 30 minute period. Drilling resumed.

Witnessed by R. W. Ely Cities Service Oil Company District Superintendent
Name Company Title

Subscribed and sworn before me this _____
1st day of March 19 49
[Signature]
Notary Public

I hereby swear or affirm that the information given above is true and correct.
Name [Signature]
Position District Superintendent
Representing Cities Service Oil Company
Company or Operator
Drawer "G"
Address Hobbs, New Mexico

My commission expires March 12, 1951

Remarks:

APPROVED

[Signature]
Name
Title

Handwritten text at the bottom left of the page, possibly a signature or date, appearing to read "18th January 1951".

RECEIVED
FEB 28 1949

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO
MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL	<input type="checkbox"/>	NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL	<input type="checkbox"/>		

Hobbs, New Mexico Place February 28, 1949 Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the _____
Cities Service Oil Company State "W" Well No. 1 in C SE SE
Company or Operator Lease
of Sec. 36, T. 24, R. 36, N. M. P. M., Cooper-Jal Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Total depth 3525', Lime. Ran 133 joints, 3516' of 5 1/2" OD casing set at 3524' and cemented with 250 sacks bulk cement. Plug down at 11:00 A.M., February 27, 1949, Cement will be allowed to set 48 hours before testing for shut-off.

MAR 4 1949

Approved _____, 19____
except as follows:

Cities Service Oil Company
Company or Operator
By [Signature]
Position District Superintendent
Send communications regarding well to
Name R. W. Ely
Address Drawer "G"
Hobbs, New Mexico

OIL CONSERVATION COMMISSION,
By [Signature]
Title OIL & GAS INSPECTOR

Handwritten text, possibly a signature or name, located in the lower-left quadrant of the page.

Handwritten text, possibly a signature or name, located in the lower-right quadrant of the page.