RECEIVED:	REVIEWER:	TYPE:	APP NO:	
		ABOVE THIS TABLE FOR OCD  O OIL CONSERV  Cal & Engineerin	<b>/ATION DIVISIOI</b> g Bureau –	•
				ONGERVATION CHIEF
THIS	CHECKLIST IS MANDATORY FOR AL	ATIVE APPLICAT  L ADMINISTRATIVE APPLIC  QUIRE PROCESSING AT TH	CATIONS FOR EXCEPTIONS	
Applicant: Vell Name:			OGI API:	RID Number:
ool:			Poo	l Code:
				S THE TYPE OF APPLICATION
A. Location	ICATION: Check those n – Spacing Unit – Simult NSL   NSP(PR	which apply for [A	A] on	∃sD
[1] Com [	one only for [1] or [11] nmingling – Storage – M DHC	_C □PC □( ire Increase – Enh	OLS	-
A. Offse B. Roya C. Appli D. Notifi E. Notifi F. Surfa G. For a	N REQUIRED TO: Check toperators or lease hole lity, overriding royalty or cation requires published cation and/or concurred cation and/or concurred ce owner lit of the above, proof or otice required	ders wners, revenue oved notice ent approval by S ent approval by B	wners LO LM	FOR OCD ONLY  Notice Complete  Application Content Complete  Ched, and/or,
administrative understand the	N: I hereby certify that a approval is accurate a nat no action will be tall are submitted to the Div	and <b>complete</b> to ken on this applic	the best of my kr	nowledge. I also
N	lote: Statement must be comple	ted by an individual wit	h managerial and/or si	upervisory capacity.
			Date	
Print or Type Name				
			Phone Number	er
	Peana Weaver			
Signature			e-mail Addres	S

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

#### Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

FORM C-108 Revised June 10, 2003

#### APPLICATION FOR AUTHORIZATION TO INJECT

I.	PURPOSE:Secondary RecoveryPressure MaintenanceXDisposalStorage Application qualifies for administrative approval?YesNo						
II.	OPERATOR: Redwood Operating LLC						
	ADDRESS: P.O. Box 1370 Artesia, NM 88211-1370						
	CONTACT PARTY: Deana WeaverPHONE: _575-748-1288						
III.	WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.  Additional sheets may be attached if necessary.						
IV.	Is this an expansion of an existing project?YesNo  If yes, give the Division order number authorizing the project:						
V.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.						
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.						
VII.	Attach data on the proposed operation, including:						
	<ol> <li>Proposed average and maximum daily rate and volume of fluids to be injected;</li> <li>Whether the system is open or closed;</li> <li>Proposed average and maximum injection pressure;</li> <li>Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,</li> <li>If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).</li> </ol>						
*VIII.	Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.						
IX.	Describe the proposed stimulation program, if any.						
*X.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).						
*XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.						
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.						
XIII.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.						
XIV.	Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.						
	NAME: Deana Weaver						
	SIGNATURE:						
*	E-MAIL ADDRESS:dweaver@mec.com  If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal:						

#### III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
  - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
  - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
  - (3) A description of the tubing to be used including its size, lining material, and setting depth.
  - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
  - (1) The name of the injection formation and, if applicable, the field or pool name.
  - (2) The injection interval and whether it is perforated or open-hole.
  - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
  - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
  - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

#### XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,
- (4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

#### INJECTION WELL DATA SHEET

Side 1

OPERATOR: Redwood Operating LLC

WELL NAME & NUMBER: \_\_\_\_ Angel Ranch SWD #2

 WELL LOCATION:
 588 FNL & 2157 FEL
 B
 11
 T19S
 R27E

FOOTAGE LOCATION

UNIT LETTER

SECTION TOWNSHIP

RANGE

#### **WELLBORE SCHEMATIC**

Operator: Redwood Operating LLC Location: Sec. 11 T195 R27E	
588 FNL 2157 FEL	
Objective: SWD; Claco	
OL Elevation: 3505.6'	<b>─</b>
Depth Cement Casing	Detail
Certain	
17 12* hole	
	ye*
JE JE	
90 x	
Cite to Surface	
500*	
12 W hole 95	8"
J-55	
	00"
925ex	
Circ to Surface	
3,300	
8 34* hole 7	.
Lac	
	00"
975sx	
8,300° Circ to Surface	
6 1/6 hole	
100mx	
9,179 Citc to Surface 4.1	12"
L-80	11.6
8100-	
Perfo	ration
8490	8075
41/211	8#L-80
8.5	00
	- 1
Acrow 6	
	) Nickel Plated
Packer with	
Profile Nippi	e set at 8,100°.
	- 1
	- 1
	- 1
	- 1
	- 1
XXXX XXXX	
TD-9,175	

# WELL CONSTRUCTION DATA Surface Casing

Hole Size:	17 1/2"		Casing Size: 13 3/8"	
Cemented with:	550	_sx.	or	_ft <sup>3</sup>
Top of Cement:	0		Method Determined:Circ	

#### 1st & 2nd Intermediate Casing

Hole Size: 12 1/4	4"	Casing Size: 1st- 9 5/8"	2nd- 7"	
Cemented with:	1st- 925 2nd-975 <sub>SX</sub> .	or		ft <sup>3</sup>
Top of Cement: _	0	Method Determined:	Circ	
	Production	on Casing		

Hole Size:o	)/4		Casing Size: 4 1/2" Production Liner	
Cemented with:	100	SX.	or	ft <sup>3</sup>

Top of Cement: \_\_\_\_ Method Determined: \_\_Circ

Total Depth: 9175'

#### **Injection Interval**

(Perforated or Open Hole; indicate which)

### INJECTION WELL DATA SHEET

Tub	ing Size:	4 1/2"	_Lining Material:	IPC
Typ	e of Packer: _	Arrow Set 10K (6 1/8" x 4 1/2") Nick	tel Plated Packer w/ a 2.81 Profil	e Nipple
Pac	ker Setting D	Depth:8,100'	_	
Oth	er Type of T	ubing/Casing Seal (if applicable	e):	
		<u>Addi</u>	tional Data	
1.	Is this a nev	w well drilled for injection?	Yes	No
	If no, for w	hat purpose was the well origina	ally drilled?	
2.	Name of the	e Injection Formation: Cis	sco	
3.	Name of Fi	eld or Pool (if applicable):SW	/D; Cisco	
4.		l ever been perforated in any oth d give plugging detail, i.e. sacks		
5.	Give the na injection zo	me and depths of any oil or gas one in this area:Bone Springs- 3,	zones underlying or overly 225', Wolfcamp- 7,977', Cisco- 8	ying the proposed 3,396', Strawn- 9,013'

#### **Angel Ranch SWD #2**

#### VII. DATA SHEET: PROPOSED OPERATIONS

1. Proposed average and maximum daily rate and volume of fluids to be injected;

#### Respectively, 15,000 BWPD and 20,000 BWPD

2. The system is closed or open;

#### Closed

3. Proposed average and maximum injection pressure;

#### 0-4042#

4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than re-injected produced water;

#### We will be re-injecting produced water

5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water:

N/A

#### VIII. GEOLOGICAL DATA

Lithologic Detail; Dolomite
 Geological Name; SWD; Cisco

3. Thickness; 525'

4. Depth; 8,450-8,975' TD-9,175'

#### IX. PROPOSED STIMULATION PROGRAM

1. To be treated with 10000 gallons 15% acid

#### X. LOGS AND TEST DATA

1. Well data will be filed with the OCD.

#### XI. ANALYSIS OF FRESHWATER WELLS

See attached

Additional Information Waters Injected: San Andres

Glorieta

Yeso

#### XII. AFFIRMATIVE STATEMENT

RE: Angel Ranch SWD #2

We have examined the available geologic and engineering data and find no evidence of open faults or any other hydraulic connection between the disposal zone and any underground source of drinking water.

Redwood Operating LLC

Date: 12/13/22

Charles Sadler, Geologist

Angel Ranch SWD #2 588 FNL 2157 FEL Sec. 11 T19S R27E Formation Tops

Quaternary Surface

Yates 395'

Seven Rivers 750'

Queen 1370'

Grayburg 1720'

San Andres 2105'

Bone Springs 3225'

Wolfcamp 7977'

Cisco 8396'

Strawn 9013'

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 State of New Mexico

### Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Numbe	ber <sup>2</sup> Pool Code		<sup>3</sup> Pool Name		
		96099	SWD; Cisco		
<sup>4</sup> Property Code	<sup>5</sup> Property Name				<sup>6</sup> Well Number
	ANGEL RANCH SWD				2
<sup>7</sup> OGRID No.		8 Operator Name			<sup>9</sup> Elevation
330211		REDWOOD OPERATING, LLC			3505.8


#### <sup>10</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
В	11	19 S	27 E		588	NORTH	2157	EAST	EDDY
						705:00	~ ^		


#### <sup>11</sup> Bottom Hole Location If Different From Surface

2 over 1101 2 comment 2 minor 110 m 2 minor									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
12 Dedicated Acres	3 Joint	or Infill 14	Consolidatio	n Code			15 Order No.		
40									

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



# SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP




REDWOOD OPERATING, LLC
ANGEL RANCH SWD 2


LOCATED 588 FT. FROM THE NORTH LINE AND 2157 FT. FROM THE EAST LINE OF SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO

DECEMBER 1, 2022

SURVEY NO. 9580

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO





DIRECTIONS TO LOCATION

FROM THE INTERSECTION OF C.R. 206 (ILLINOIS CAMP) & C.R. 236 (NETHERLIN), GO WEST ON C.R. 236 APPROX. 1.3 MILES, JUST PAST CATTLE GUARD, TURN RIGHT ON CALICHE ROAD AND GO NORTH APPROX. 0.9 MILES, TAKE RIGHT FORK AND CONTINUE APPROX. 0.6 MILES TO A ROAD SURVEY ON RIGHT (EAST). FOLLOW ROAD SURVEY EAST APPROX. 432' TO THE SOUTHWEST PAD CORNER FOR THIS LOCATION.

REDWOOD OPERATING, LLC
ANGEL RANCH SWD 2


LOCATED 588 FT. FROM THE NORTH LINE
AND 2157 FT. FROM THE EAST LINE OF
SECTION 11, TOWNSHIP 19 SOUTH,
RANGE 27 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

DECEMBER 1, 2022

SURVEY NO. 9580

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

# SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO AERIAL PHOTO



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH DEC. 2019

REDWOOD OPERATING, LLC
ANGEL RANCH SWD 2

LOCATED 588 FT. FROM THE NORTH LINE AND 2157 FT. FROM THE EAST LINE OF SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO

DECEMBER 1, 2022

SURVEY NO. 9580


 $MADRON \ \ SURVEYING, \ \ INC. \ {}^{301}_{(575)} \ {}^{234-3327} \ \ CARLSBAD, \ \ NEW \ \ MEXICO$ 

# SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO AERIAL ACCESS ROUTE MAP ANGEL RANCH SWD 2 0.6 MILES 0.9 MILES 1.3 MILES C.R. 206 (ILLINOIS CAMP) C.R. 236 (NETHERLIN) NOT TO SCALE AERIAL PHOTO: REDWOOD OPERATING, LLC GOOGLE EARTH ANGEL RANCH SWD 2 DEC. 2019 LOCATED 588 FT. FROM THE NORTH LINE AND 2157 FT. FROM THE EAST LINE OF SECTION 11, TOWNSHIP 19 SOUTH. RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO DECEMBER 1, 2022 SURVEY NO. 9580 MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

PROPOSED ACCESS ROAD FOR ANGEL RANCH SWD 2

#### REDWOOD OPERATING, LLC

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO DECEMBER 1, 2022



SEE NEXT SHEET (2-2) FOR DESCRIPTION

INC. (575)



#### GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 1-2

MADRON SURVEYING

#### SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN MENERS WEEDER THE CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THE WEEL DAY OF DECEMBER 2022

MADRON SURVEYING, INC.

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3327

SURVEY NO. 9580

NEW MEXICO

PROPOSED ACCESS ROAD FOR ANGEL RANCH SWD 2

REDWOOD OPERATING, LLC
CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO
DECEMBER 1, 2022

#### DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NW/4 OF SAID SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE NORTHWEST CORNER OF SAID SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N76\*17'19"W, A DISTANCE OF 2448.75 FEET;

THENCE S64'19'46"E A DISTANCE OF 432.28 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTH QUARTER CORNER OF SAID SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N15'42'48"W, A DISTANCE OF 714.54 FEET;

SAID STRIP OF LAND BEING 432.28 FEET OR 26.20 RODS IN LENGTH, CONTAINING 0.298 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NW/4 204.31 L.F. 12.38 RODS 0.141 ACRES NW/4 NE/4 227.97 L.F. 13.82 RODS 0.157 ACRES

#### SURVEYOR CERTIFICATE

NEW M

#### GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 2-2

MADRON SURVEYING, INC. (575)

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

NATION WIEDERTAINS CERTIFICATE IS EXECUTED AT CARLSBAD.

GCO, HEN 92 1/04 OF ECEMBER 2022

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234–3327

*NEW MEXICO* 


SURVEY NO. 9580

Reteased to Imaging: 1/26/2023 10:21:20 AM

EXISTING ROAD FOR ACCESS TO ANGEL RANCH SWD 2


#### REDWOOD OPERATING, LLC

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 14, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO DECEMBER 1, 2022



SEE NEXT SHEET (2-4) FOR DESCRIPTION

INC. 301 S



#### GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 1-4

*MADRON SURVEYING*(

#### SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND NEW MEXICO. SURVEYING IN

CERTIFICATE IS EXECUTED AT CARLSBAD, NEW M MADRON SURVEYING, INC.

7301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3327

*NEW MEXICO* 

SURVEY NO. 9580

Released to Imaging: 1/26/2023 10:21:20 AM

EXISTING ROAD FOR ACCESS TO ANGEL RANCH SWD 2

#### REDWOOD OPERATING, LLC

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 14, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO DECEMBER 1, 2022

#### DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 14, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SE/4 NE/4 OF SAID SECTION 14, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE EAST QUARTER CORNER OF SAID SECTION 14, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS S45'42'33"E, A DISTANCE OF 860.75 FEET; THENCE N02'45'45"E A DISTANCE OF 244.93 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N13'10'30"W A DISTANCE OF 53.54 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N13 10 30 W A DISTANCE OF 53.34 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N28°58'26"W A DISTANCE OF 154.08 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N18°37'38"W A DISTANCE OF 50.33 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N04°56'53"W A DISTANCE OF 52.65 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE NO4"36"51"E A DISTANCE OF 205.91 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE NO5"40'10"W A DISTANCE OF 51.29 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N19°36'59"W A DISTANCE OF 52.47 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N30°05'15"W A DISTANCE OF 261.12 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N35°17'39"W A DISTANCE OF 366.06 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N35\*17 39 W A DISTANCE OF 366.06 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N41\*04'00"W A DISTANCE OF 207.84 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N50\*57'22"W A DISTANCE OF 250.66 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N57'21'29"W A DISTANCE OF 259.66 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N50'39'05"W A DISTANCE OF 416.50 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N45°40'40"W A DISTANCE OF 108.69 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTH QUARTER CORNER OF SAID SECTION 14, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N88°14'09"W, A DISTANCE OF 753.54 FEET;

SAID STRIP OF LAND BEING 2639.12 FEET OR 159.95 RODS IN LENGTH, CONTAINING 1.818 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SE/4 NE/4 758.75 L.F. 45.98 RODS 0.523 ACRES NE/4 NE/4 1142.12 L.F. 69.22 RODS 0.787 ACRES NW/4 NE/4 738.25 L.F. 44.74 RODS 0.508 ACRES

#### SURVEYOR CERTIFICATE

NEW M

#### GENERAL NOTES

- THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 2-4

MADRON SURVEYING, INC. (575) 234 527 65 A (N

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

MET/AMS CERTIFICATE IS EXECUTED AT CARLSBAD,

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3327


*NEW MEXICO* 

SURVEY NO. 9580

EXISTING ROAD FOR ACCESS TO ANGEL RANCH SWD 2

#### REDWOOD OPERATING, LLC

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO DECEMBER 1, 2022



000 0 1000 Scale: 1" = 1000'

#### GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

*SHEET: 3−4* 

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN MICES WIED OF THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MIXION, HIS WIEL AND SECRET 2022

MADRON SURVEYING, INC.

301 SOUTH CANAL

CARLSBAD, NEW MEXICO 88220

Phone (575) 234-3327

SURVEY NO. 9580

MADRON SURVEYING, INC. 301 SOUR SURVEYING, INC

EXISTING ROAD FOR ACCESS TO ANGEL RANCH SWD 2

#### REDWOOD OPERATING, LLC

CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO DECEMBER 1, 2022

#### DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SW/4 SE/4 OF SAID SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE SOUTH QUARTER CORNER OF SAID SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N88\*14'09"W, A DISTANCE OF 753.54 FEET; THENCE N45\*40'40"W A DISTANCE OF 257.75 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N53'18'50"W A DISTANCE OF 159.05 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N46'05'44"W A DISTANCE OF 103.97 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N35'56'07"W A DISTANCE OF 106.29 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N30'13'04"W A DISTANCE OF 157.52 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N30'30'4"W A DISTANCE OF 157.52 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N16'59'39"W A DISTANCE OF 1039.33 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N12'32'21"W A DISTANCE OF 255.26 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N15°38'40"W A DISTANCE OF 265.27 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N06°55'11"W A DISTANCE OF 155.89 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N04°27'55"W A DISTANCE OF 317.09 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE NO1'18'15"W A DISTANCE OF 574.70 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE NO3'58'32"W A DISTANCE OF 624.52 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE NO5'35'04"W A DISTANCE OF 428.66 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE NO3°07'43"E A DISTANCE OF 108.89 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N15°02'09"E A DISTANCE OF 104.60 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE N25°16'55"E A DISTANCE OF 510.81 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTH QUARTER CORNER OF SAID SECTION 11, TOWNSHIP 19 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N22°19'57"E, A DISTANCE OF 537.03 FEET;

SAID STRIP OF LAND BEING 5169.58 FEET OR 313.31 RODS IN LENGTH, CONTAINING 3.560 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SW/4 SE/4	1469.88 L <i>.</i> F.	89.08 RODS	1.012 ACRES
SE/4 SW/4	132.63 L.F.	8.04 RODS	0.091 ACRES
NÉ/4 SW/4	1363.19 L.F.	82.62 RODS	0.939 ACRES
SE/4 NW/4	1333.17 L <i>.</i> F.	80.80 RODS	0.918 ACRES
NE/4 NW/4	870.71 L <i>.</i> F.	52.77 RODS	0.600 ACRES

#### SURVEYOR CERTIFICATE

#### GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 4-4

MADRON SURVEYING, INC. 301 SOURCE AND SURVEY NO.


NEW M

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

MERICAL CERTIFICATE IS EXECUTED AT CARLSBAD.

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 8822D Phone (575) 234-3327

SURVEY NO. 9580



₹\ffidavit	of Publication
leas	No. 26398
State of New Mexico	
County of Eddy:	) /
Danny Scott	em So
b g duly sworn sayes th	nat he is the Publisher
of the Artesia Daily Press	s, a daily newspaper of General
ciscilation, published in I	English at Artesia, said county
and that the her	reto attached
Legal	l Ad
	ar and entire issue of the said
	lly newspaper duly qualified
4	the meaning of Chapter 167 of
	of the state of New Mexico for
	weeks/day on the same
day as follows:	Dagambar 22, 2022
Second Publication	December 22, 2022
-	
Third Publication	
Fourth Publication	
Fifth Publication	
Sixth Publication	
Seventh Publication	
Subscribed and sworn bet	
22nd day of	December 2022
NOTAR Latish	NEW MEXICO BY PUBLIC a Romine Number 1076338 Expires May 12, 2023

Latisha Romine

Notary Public, Eddy County, New Mexico


#### **Copy of Publication:**

Legal Notice
Redwood Operating LLC, Post Office Box 1370, Artesia, NM 88211-1370, has filed an Application with the New Mexico Oil Conservation Division seeking authorization to inject produced water into the Angel Ranch SWD #2 588 FNL 2157 FEL of Section 11, T19S, R27E, NMPM, Eddy County, New Mexico. The water will be injected into the Cisco at a disposal depth of 8,450-8,975'. Water will be injected at a maximum surface pressure of 4,042# and a maximum injection rate of 15,000-20,000 BWPD. Any interest party with questions or comments may contact Deana Weaver at Redwood Operating LLC, Post Office Box 1370, Artesia, NM 88211-1370 or call 575-748-1288. Objections to this application or requests for hearing must be filed with the Oil Conservation Division, 1220 South Saint Francis Drive, Santa Fe, New Mexico 87505, within fifteen days of the date of publication of this notice.

Published in the Artesia Daily Press, Artesia, N.M., Dec. 22, 2022 Legal No. 26398.

Name	Address	City	State	Zip	Certified Mail Id
New Mexico State Land Office	310 Old Santa Fe Trail	Santa Fe	NM	87501	7021 1970 0000 5914 6109
Bureau Of Land Management	620 E. Greene St	Carlsbad	NM	88220-6292	7015 3430 0000 2217 2272
Concho Oil & Gas LLC	One Concho Center	Midland	TX	79701	7015 3430 0000 2217 2289
COG Operating LLC	600 W. Illinois Ave	Midland	TX	79701	7015 3430 0000 2217 2296
EOG Resources Inc	1111 Bagby St Lbby 2	Houston	TX	77002-2589	7015 3430 0000 2217 3583
OXY Y-1 CO	5 Greenway Plz Ste 110	Houston	TX	77046-0521	7015 3430 0000 2209 5922
Colgate Operating LLC	300 N. Marienfeld St Suite 1000	Midland	TX	79701	7015 3430 0000 2217 2258
ZPZ Delaware LLC Attn: Peggy Clark	2000 Post Oak Blvd Suite 100	Houston	TX	77056	7015 3430 0000 2217 2265
Chevron USA INC	6301 Deauville Blvd	Midland	TX	79706	7015 0640 0006 7024 4745
Devon Energy Production Company LP	333 W. Sheridan Ave	Oklahoma City	OK	73102	7015 3430 0000 2217 2456
Occidental Permian LTD	P.O. Box 4294	Houston	TX	77210-4294	7015 3430 0000 2217 2463
MRC Delaware Resources, LLC	108 South Fourth St	Artesia	NM	88210	7015 3430 0000 2217 2470
WPX Energy Permian LLC	333 W. Sheridan Ave	Oklahoma City	OK	73102	7015 3430 0000 2217 2487
V-F Petroleum Inc	P.O. Box 1889	Midland	TX	79702	7015 3430 0000 2217 2494

## **OCD Well Locations**





Via Certified Mail 7021 1970 0000 5914 6109 Return Receipt Requested

New Mexico State Land Office 310 Old Santa Fe Trail Santa Fe, NM 87501

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

na Weaver

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 2272 Return Receipt Requested

Bureau of Land Management 620 E. Greene St Carlsbad, NM 88220-6292

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

Redwood Operating LLC

reana Weaver

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 2289 Return Receipt Requested

Concho Oil & Gas LLC One Concho Center Midland, TX 79701

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 558 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

xana Weaver

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 2296 Return Receipt Requested

COG Operating LLC 600 W. Illinois Ave. Midland, TX 79701

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 3583
Return Receipt Requested

EOG Resources Inc. 1111 Bagby St Lbby 2 Houston, TX 77002-2589

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

Redwood Operating LLC

seana Weaver

Deana Weaver

Regulatory Technician II

DW/



<u>Via Certified Mail 7015 3430 0000 2209 5922</u> Return Receipt Requested

OXY Y-1 Co 5 Greenway Plz Ste 110 Houston, TX 77046-0521

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

ana Weaver

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 2258
Return Receipt Requested

Colgate Operating LLC 300 N Marienfeld St Suite 1000 Midland, TX 79701

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 2265 Return Receipt Requested

ZPZ Delaware LLC Attn: Peggy Clark 2000 Post Oak Blvd Suite 100 Houston, TX 77056

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

pana Weaver

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 0640 0006 7024 4745
Return Receipt Requested

Chevron USA Inc 6301 Deauville Blvd Midland, TX 79706

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

ana Weaver

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 2456 Return Receipt Requested

Devon Energy Production Company LP 333 W. Sheridan Ave Oklahoma City, OK 73102

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

eana Weaver

Deana Weaver

Regulatory Technician II

DW/



<u>Via Certified Mail 7015 3430 0000 2217 2463</u> Return Receipt Requested

Occidental Permian LTD P.O Box 4294 Houston, TX 77210-4294

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

ina Weaver

Deana Weaver

Regulatory Technician II

DW/



Via Certified Mail 7015 3430 0000 2217 2470
Return Receipt Requested

MRC Delaware Resources, LLC 108 South Fourth St Artesia, NM 88210

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

eana Weaver

Deana Weaver

Regulatory Technician II

DW/



December 14, 2022

<u>Via Certified Mail 7015 3430 0000 2217 2487</u> Return Receipt Requested

WPX Energy Permian LLC 333 W. Sheridan Ave Oklahoma City, OK 73102

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

seana Weaver

Deana Weaver

Regulatory Technician II

DW/

**Attachments** 



December 14, 2022

Via Certified Mail 7015 3430 0000 2217 2494 Return Receipt Requested

V-F Petroleum Inc P.O Box 1889 Midland, TX 79702

To all Interest Owners:

Enclosed for your review is a copy of Redwood Operating LLC's application for a Cisco SWD well. Produced water will be injected at a proposed depth of 8,450-8,975'. The Angel Ranch SWD #2 located 588 FNL & 2157 FEL, Sec. 11 T19S R27E, Eddy County.

The letter will serve as a notice that Redwood Operating LLC has requested administrative approval from the NMOCD to drill this well as a water disposal. If you have any objections, you must notify the Oil Conservation Division in Santa Fe in writing at 1220 South St. Francis Drive, Santa Fe, NM 87505 within fifteen (15) days of receiving this letter.

Sincerely,

**Redwood Operating LLC** 

xana Weaver

Deana Weaver

Regulatory Technician II

DW/


**Attachments** 

Received by OCD: 1/4/2023 8:23:13 AM

Angel Ranch SWD #2 C-108 Well Tabulation Penetrating Injection Zone in Review Area Redwood Operating LLC Proposed Disposal Well


Operator	Well Name	API#	County	Footage	Sec	TWN	RNG	Type	Status	Spud Date Comp Date	TD	PBTD	Comp Zone	Comp Interval	Hole Size	Casing Prog	Cement
Redwood Operating LLC	Angel Ranch SWD #2		Eddy	588 FNL & 2157 FEL	11	19S	27E	SWD	New Drill		9175'		SWD; Cisco	8450-8975'	17 1/2"	13 3/8" 48# J-55	550sx Circ
-			-												12 1/4"	9 5/8" 36# J-55	925sx, Circ
															8 3/4"	8 3/4", 26#, L-80	975sx, Circ
															6 1/8"	6 1/8", 11.60#, L-80	100sx, Circ
													Angel Ranch;	7600-7624',8320-8356', 9920-			
Southland Royalty Co	Williams State Com #1	30-015-23805	Eddy	1780 FSL 1980 FWL	2	19S	27E	Gas	P&A	10/3/1981 12/10/1981	10,565'	10,136'	Atoka Morrow	10,097', 10,190-10197'	15 1/2"	11 3/4" 42#, H-40 @ 252'	400sx, circ
															11"	8 5/8", 24#, K-55 @2003'	600sx, circ
															7 7/8"	4 1/2", 11.6#, N-80 @10565'	1100sx, TOC @ 7330'
													Angel Ranch;				
Apache Corporation	Eagle Claw State Com #1	30-015-33886	Eddy	990 FSL 1350 FEL	2	198	27E	Gas	Producing	3/8/2005 5/2/2005	10,700'	10.350'	Morrow	10,253-10,546'	17 1/2"	13 3/8", 54.5#, J-55 @ 313'	375sx, circ
			1											.,	12 1/4"	9 5/8", 36#, J-55 @ 1975'	550sx, circ
															8 3/4"	5 1/2", 17#, P-110 @ 10,700'	1910sx, TOC @ 1750'
													Artesia; Queen				
													Grayburg-San	1652-1879', 6246-6266, 9958-			
EOG Y Resources Inc	Amoco State HE #1	30-015-22953	Eddy	1980 FSL 1980 FWL	11	19S	27E	Gas	P&A	7/19/1979 6/29/1980	10,570'	10,527'	Andres	10,280'	17 1/2"	13 3/8", 48# @514'	1160sx Circ
															12 1/4"	9 5/8", 36# @3300'	2380sx, circ
															8 3/4"	7", 23# @8848'	2200sx, circ
															6 1/8"	4 1/2", Liner @ 8627-10570'	310sx

			William	s State Com #1	API# 3	0-015-238	05
				or: Southland Royalty Co			
				n: Sec. 2 T19S R27E			
				SL 1980' FWL			
				ve: Angel Ranch Bone S	pring		
	Hole Size &	I	GL Elev	vation: 3531'			
Depth	Cement						Casing Detail
	15 1/2" hole						44 2/4"
					1		11 3/4" H-40, 42#
	400sx CMT						252'
	Circ to Surface						202
252'							
	11" hole						8 5/8"
							K-55 24#
							2003'
	600sx CMT Circ to Surface						
	Circ to Surface						4 1/2"
2003'							N-80 11.6#
							10565'
	7.7/011111						
	7 7/8" Hole				-		
					i l		
					1		
10,565'	1100sx CMT TOC @ 7330'						25sx cmt plug to 100-0'
10,303	100 @ 1000						30sx cmt plug @ 302'
							30sx cmt plug @ 2048'
							30sx cmt plug @ 2055'
							30sx cmt plug @ 3215'
							30sx cmt plug @ 5330'
							0 5
				VVVV VVVV VVVV	1		Stub Plug @ 6930'
				VVVV VVVV VVVV			Cut 4 1/2" csg @ 7000' 35' cmt plug @ 7050'
					-		50 Sint plug to 1000
			XXXX	1	XXXX		
			XXXX		XXXX		CIBP @ 7750'
							35sx Top
	CIBP @ 8290'						
	35'cmt cap			~~~~~~~~~~			
	CIBP @ 9890'		XXXX		XXXX		Perfs
	35' cmt cap						7600-7624'
	Cmt Ret @10,136		XXXX		XXXX		8320-8356'
	Squ 81sx						9920-10027'
	Cap w/ 4sx						10190-10197'
				TD- 10,565'			
1	<u> </u>	<u> </u>	<u> </u>	10-10,000			<u>.                                    </u>



		 Amoco State	: HE #1	API# 30-0	15-22953	
			OG Y Resources In c.11 T19S R27E	<u> </u>		
		1980 FSL 19	80' FWL			
		Objective: A GL Elevation	rtesia; Queen Gray ı: 3481.2'	burg- San Andre	es	
Depth	Hole Size & Cement					Casing Detail
	17 1/2" hole					13 3/8"
						48#
	1160sx, circ					514'
514'	40.4/48					0.5/01
	12 1/4"	xxxxx		XXXXX		9 5/8" 36#
	2380sx, circ				l F	3300'
					l L	
3300'						7" 23#
0000	8 3/4"					8848'
	2200sx, circ	XXXX	-	XXXX		
						4 1/2" Liner
8848'	6 1/8"	~~~	~~ ~~~~ ~~~~		-	8627-10570'
	310sx				_	
10570'						
		~~	~~ ~~~~~ ~~~	-		
		XXXX		xxxx		25sx cmt plug
		~~~	~~ ~~~~ ~~~	-		150' to Surface 25sx Cmt plug
						414-554'
						40sx Cmt Plug 1552-1702'
						CIBP @ 3050' 10' Cmt Cap
						CIBP @ 7934" 50' Class H Cmt
						CIBP @ 8300'
						50' Class H Cmt CIBP @ 10,310'
						Perfs
						1652-1879 2988-2999
						6246-6266
		XX	XX XXXX			9958-10280'
	<u> </u>		TD- 10,570'			

# **OCD Well Locations**



Oil, Plugged **PLSS Townships** 

Gas, Plugged

Gas, Active

0 0.28 0.55 1.1 km

> Esri, NASA, NGA, USGS, FEMA, Oil Conservation Division of the New Mexico Energy, Minerals and Natural Resources Department., Esri Community Maps Contributors, New Mexico State University, Texas Parks & Wildlife, CONANP,



Catalyst Oilfield Services 11999 E Hwy 158 Gardendale, TX 79758 (432) 563-0727 Fax: (432) 224-1038

# **Water Analysis Report**

Customer:	Redwood Operating LLC		Sample #:	225586
Area:	Permian Basin		Analysis ID #:	175700
Lease:	Angel Ranch			
Location:	1	0		
Sample Point:	Wellhead			

O	40/44/0000	A	mg/l	meq/l	0-4		/
Sampling Date:	12/14/2022	Anions	9/.		Cations	mg/l	meq/l
Analysis Date:	12/19/2022	Chloride:	1840.7	51.92	Sodium:	528.4	22.98
Analyst:	Catalyst	Bicarbonate:	268.4	4.4	Magnesium:	345.3	28.41
TDC (	4024.4	Carbonate:			Calcium:	635.0	31.69
TDS (mg/l or g/m3):	4934.1	Sulfate:	1300.0	27.07	Potassium:	4.4	0.11
Density (g/cm3):	1.005	Borate*:	2.0	0.01	Strontium:	9.9	0.23
		Phosphate*			Barium:	0.0	0.
		-			Iron:	0.0	0.
Hydrogen Sulfide:		*Calculated ba	sed on measured		Manganese:	0.002	0.
Carbon Dioxide:		elemental bord	on and phosphorus		Ü		
		pH at time of sampli	ing:	7.65			
Comments:		pH at time of analys	is:				
CP00502		,					
		pH used in Calcula	ition:	7.65	Conductivity (mic	ro-mhos/cm):	6931
		Temperature @ lab	conditions (F):	75	Conductivity (mic	•	1.4428

		Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl													
Гетр		Calcite CaCO <sub>3</sub>		Gypsum CaSO <sub>4</sub> *2H <sub>2</sub> 0		Anhydrite CaSO <sub>4</sub>		Celestite SrSO <sub>4</sub>		rite ISO <sub>4</sub>					
°F	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount					
80	0.94	22.32	-0.24	0.00	-0.31	0.00	-0.35	0.00	0.00	0.00					
100	1.02	26.16	-0.25	0.00	-0.25	0.00	-0.34	0.00	0.00	0.00					
120	1.12	30.34	-0.24	0.00	-0.17	0.00	-0.32	0.00	0.00	0.00					
140	1.22	35.23	-0.23	0.00	-0.06	0.00	-0.29	0.00	0.00	0.00					
160	1.33	39.76	-0.21	0.00	0.07	64.18	-0.25	0.00	0.00	0.00					
180	1.45	44.64	-0.18	0.00	0.21	180.67	-0.20	0.00	0.00	0.00					
200	1.57	49.18	-0.14	0.00	0.36	280.77	-0.15	0.00	0.00	0.00					
220	1.70	53.36	-0.11	0.00	0.53	363.78	-0.10	0.00	0.00	0.00					



Catalyst Oilfield Services 11999 E Hwy 158 Gardendale, TX 79758 (432) 563-0727 Fax: (432) 224-1038

# **Water Analysis Report**

Customer:	Redwood Operating LLC		Sample #:	225587
Area:	Permian Basin		Analysis ID #:	175701
Lease:	Angel Ranch			
Location:	SWD 1 2	0		
Sample Point:	Wellhead			

Sampling Date:	12/14/2022	Anions	mg/l	meq/l	Cations	mg/l	meq/l
Analysis Date:	12/19/2022	Chloride:	684.4	19.3	Sodium:	98.4	4.28
Analyst:	Catalyst	Bicarbonate:	85.4	1.4	Magnesium:	115.4	9.49
TDC (	0004.0	Carbonate:			Calcium:	593.2	29.6
TDS (mg/l or g/m3):	2694.8	Sulfate:	1100.0	22.9	Potassium:	4.8	0.12
Density (g/cm3):	1.004	Borate*:	5.3	0.03	Strontium:	7.9	0.18
		Phosphate*			Barium:	0.0	0.
Hydrogen Sulfide:					Iron:	0.0	0.
Carbon Dioxide:			sed on measured on and phosphorus.		Manganese:	0.002	0.
•		pH at time of sampl	ing:	8.01			
Comments:		pH at time of analys	sis:				
RA08929		pH used in Calcula	ation:	8.01			
		Temperature @ lat	conditions (F):	75	Conductivity (mic Resistivity (ohm n	•	3869 2.5846

		Values Calculated at the Given Conditions - Amounts of Scale in lb/1000 bbl													
emp		Calcite CaCO <sub>3</sub>		Gypsum CaSO <sub>4</sub> *2H <sub>2</sub> 0		Anhydrite CaSO <sub>4</sub>		Celestite SrSO <sub>4</sub>		rite ISO <sub>4</sub>					
°F	Index	Amount	Index	Amount	Index	Amount	Index	Amount	Index	Amount					
80	0.85	4.89	-0.20	0.00	-0.27	0.00	-0.40	0.00	0.00	0.00					
100	0.90	5.94	-0.21	0.00	-0.21	0.00	-0.39	0.00	0.00	0.00					
120	0.96	6.99	-0.20	0.00	-0.12	0.00	-0.36	0.00	0.00	0.00					
140	1.04	8.39	-0.18	0.00	-0.01	0.00	-0.33	0.00	0.00	0.00					
160	1.12	9.79	-0.15	0.00	0.12	104.52	-0.29	0.00	0.00	0.00					
180	1.21	11.54	-0.12	0.00	0.26	206.94	-0.25	0.00	0.00	0.00					
200	1.31	12.93	-0.08	0.00	0.42	291.89	-0.20	0.00	0.00	0.00					
220	1.41	14.68	-0.04	0.00	0.59	359.70	-0.14	0.00	0.00	0.00					

Received by OCD: 1/4/2023 8:23:13 AM

Page 46 of 68



# New Mexico Office of the State Engineer

# **Currently Active Points of Diversion**

(with Ownership Information)

					(quarters are 1=NW 2=NE 3=SW 4=SE	·)
	(acre ft pe	er annum)			(quarters are smallest to largest)	(NAD83 UTM in meters)
	Sub			Well	q q q	
WR File Nbr	basin Use Divers	sion Owner	County POD Number	Tag Grant	Source 64 16 4 Sec Tws Rng	X Y
RA 02385	RA DOM	0 JEFF C. FLOYD	ED <u>RA 02385</u>		1 3 27 19S 27E	568171 3610454*
RA 05367	RA SAN	0 YATES DRILLING COMPANY	ED <u>RA 05367</u>		4 1 28 19S 27E	566971 3610857*
RA 05475	RA STK	3 RAYMOND NETHERLIN	ED <u>RA 05475</u>		Shallow 3 1 16 19S 27E	566555 3614078*
RA 06123	RA PRO	0 PHILLIPS PETROLEUM COMPANY	CH RA 06123		4 2 4 15 19S 27E	569486 3613610*
RA 06705	RA PRO	0 GULF OIL CORP.	ED <u>RA 06705</u>		Shallow 4 2 4 30 19S 27E	564608 3610358*
RA 07559	RA PRO	0 HARVARD PETROLEUM CORPORATION	N ED <u>RA 07559</u>		4 4 4 14 19S 27E	571101 3613197*
RA 07672	RA PRO	0 YATES PETROLEUM	ED <u>RA 07672</u>		Shallow 1 1 3 08 19S 27E	564836 3615376*
RA 08645	RA PRO	3 STEVEN V. MCCUTCHEON	ED <u>RA 08645</u>		Shallow 3 3 3 34 19S 27E	567919 3608365*
RA 08929	RA DOM	3 BILL NETHERLIN	ED <u>RA 08929</u>		Shallow 3 3 1 13 19S 27E	571282 3613992*

**Record Count:** 9

PLSS Search:

Township: 19S Range: 27E

Sorted by: File Number

#### \*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# **Water Right Summary**

WR File Number: RA 02385 Subbasin: RA Cross Reference: -

Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD

Primary Status: EXP EXPIRED

Total Acres: Subfile: - Header: -

Total Diversion: 0 Cause/Case: -

Owner: JEFF C. FLOYD

**Documents on File** 

atus From/

Trn# Doc File/Act 1 2 Transaction Desc. To Acres Diversion Consumptive

<u>200207 72121 1948-03-11</u> EXP EXP RA 02385 T 3

**Current Points of Diversion** 

(NAD83 UTM in meters)

POD Number Well Tag Source 64Q16Q4Sec Tws Rng X Y Other Location Desc RA 02385 1 3 27 19S 27E 568171 3610454\*

<u>RA 02385</u>

1 3 27 19S 27E 568171 3610454<sup>a</sup>

\*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:07 AM WATER RIGHT SUMMARY



# **Water Right Summary**

WR File Number: RA 05367

Subbasin: RA

Cross Reference: -

Primary Purpose: SAN

72-12-1 SANITARY IN CONJUNCTION WITH A COMMERCIAL USE

**Primary Status:** 

PERMIT

**Total Acres:** 

Subfile:

Header: -

**Total Diversion:** 

Cause/Case:

YATES DRILLING COMPANY

**Documents on File** 

Status

Transaction Desc.

From/ To

Acres Diversion Consumptive

Doc 1967-06-14 254337 72121

PMT APR RA 05367

1 2

T

3

**Current Points of Diversion** 

(NAD83 UTM in meters)

POD Number

Trn#

File/Act

Well Tag Source 64Q16Q4Sec Tws Rng

Other Location Desc

RA 05367 4 1 28 19S 27E 566971 3610857\* \*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:08 AM



# **Water Right Summary**

WR File Number: RA 05475

Subbasin: RA

Cross Reference:

Primary Purpose: STK

72-12-1 LIVESTOCK WATERING

**Primary Status:** 

PERMIT

**Total Acres:** 

Subfile:

Header: -

**Total Diversion:** 

Cause/Case:

Transaction Desc.

Owner: RAYMOND NETHERLIN

Documents on File

Status

1

From/

Doc 1969-01-14

2 PMT LOG RA 05475 To

Acres Diversion Consumptive

**Current Points of Diversion** 

Trn#

(NAD83 UTM in meters)

POD Number RA 05475

Well Tag

File/Act

Source 64Q16Q4Sec Tws Rng Shallow 3 1 16 19S 27E

X 566555 3614078\*

Other Location Desc

\*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:09 AM



# **Water Right Summary**

WR File Number: RA 06123

Subbasin: RA

Cross Reference: -

Primary Purpose: PRO 72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE

**Primary Status:** PERMIT

File/Act

Total Acres:

Subfile:

Header: -

**Total Diversion:** 0

Cause/Case:

Transaction Desc.

Owner: PHILLIPS PETROLEUM COMPANY

Documents on File

Status 1 2 From/

Doc 243744 72121 1977-02-24

PMT LOG RA 06123

To

Acres Diversion Consumptive

T

**Current Points of Diversion** 

Trn#

(NAD83 UTM in meters)

**POD Number** 

Well Tag Source 64Q16Q4Sec Tws Rng

Other Location Desc

4 2 4 15 19S 27E RA 06123 569486 3613610\*

\*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:09 AM



# **Water Right Summary**

WR File Number: RA 06705

Subbasin: RA

Cross Reference: -

Primary Purpose: PRO 72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE

**Primary Status:** 

PMT PERMIT

Total Acres:

Subfile:

Header: -

Total Diversion:

Cause/Case: -

Owner: GULF OIL CORP.

**Documents on File** 

			St	atus		From/			
Trn#	Doc	File/Act	1	2	Transaction Desc.	To	Acres	Diversion	Consumptive
111874	72121	1980-08-04	PMT	APR	CONVERSION RA 06705	T		3	
256656	72121	1980-08-01	PMT	LOG	RA 06705	Т		3	

--For more infomation on Conversion Transactions, please see Help---

**Current Points of Diversion** 

(NAD83 UTM in meters)

POD Number RA 06705

Well Tag Source 64Q16Q4Sec Tws Rng Shallow 4 2 4 30 19S 27E X Y 564608 3610358\*

Other Location Desc

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:10 AM

<sup>\*</sup>An (\*) after northing value indicates UTM location was derived from PLSS - see Help



# **Water Right Summary**

WR File Number: RA 07559

Subbasin: RA

Cross Reference: -

Primary Purpose: PRO

72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE

**Primary Status:** 

**Total Acres:** 

Subfile:

Transaction Desc.

Header: -

**Total Diversion:** 

Cause/Case:

Owner:

HARVARD PETROLEUM CORPORATION

Documents on File

Status 1 2

**EXPIRED** 

From/

Acres Diversion Consumptive

Doc 246889 72121 1986-09-22

To

EXP EXP RA 07559

Т

0

**Current Points of Diversion** 

Trn#

(NAD83 UTM in meters)

**POD Number** 

File/Act

Well Tag Source 64Q16Q4Sec Tws Rng

Other Location Desc

RA 07559 4 4 4 14 19S 27E 571101 3613197\* \*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

0

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:18 AM



# **Water Right Summary**

WR File Number: RA 07672 Subbasin: RA Cross Reference: -

Primary Purpose: PRO 72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE

Primary Status: PMT PERMIT

Total Acres: Subfile: - Header: -

Total Diversion: 0 Cause/Case: -

Owner: YATES PETROLEUM

**Documents on File** 

tatus From/

Trn # Doc File/Act 1 2 Transaction Desc. To Acres Diversion Consumptive

<u>247852 72121 1988-06-23</u> PMT LOG RA 07672 T 0

**Current Points of Diversion** 

(NAD83 UTM in meters)

\*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:22 AM WATER RIGHT SUMMARY



# **Water Right Summary**



WR File Number:

RA 08645

Subbasin: RA

Cross Reference:

Primary Purpose:

PRO

72-12-1 PROSPECTING OR DEVELOPMENT OF NATURAL RESOURCE

**Primary Status:** 

DCL DECLARATION

**Total Acres:** 

Subfile:

Header: -

**Total Diversion:** 

Owner:

Cause/Case:

STEVEN V. MCCUTCHEON

Documents on File

File/Act

Status 2 1 Transaction Desc. EXP EXP RA 08645

From/ To T

Diversion Consumptive Acres

3

246622 DCL 1993-11-10 DCL PRC RA 08645

T

3

**Current Points of Diversion** 

0

(NAD83 UTM in meters)

POD Number RA 08645

Well Tag

2005-01-25

Source 64Q16Q4Sec Tws Rng Shallow 3 3 3 34 19S 27E

567919 3608365\*

Other Location Desc

0

\*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

**Priority Summary** 

Priority 12/31/1942 Status DCL

Acres Diversion Pod Number 0 3 RA 08645

Shallow

Place of Use

256 64 Q16 Q4Sec Tws Rng

Diversion

CU Use Priority STK

Status Other Location Desc

DCL NO PLACE OF USE GIVEN

Source

Acres Diversion 0 3 Use Priority STK

Source Description 12/31/1942 GW SHALLOW

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the data.

11/9/22 9:23 AM



# **Water Right Summary**

WR File Number: RA 08929

Subbasin: RA

Cross Reference: -

Primary Purpose: DOM 72-12-1 DOMESTIC ONE HOUSEHOLD

PMT PERMIT

**Primary Status: Total Acres:** 

Subfile:

Transaction Desc.

Header: -

**Total Diversion:** 

Cause/Case:

Owner: BILL NETHERLIN

**Documents on File** 

Frem/

To

Acres Diversion Consumptive

250712 72121 1995-01-13

Doc

PMT LOG RA 08929

2

T

3

**Current Points of Diversion** 

Trn#

(NAD83 UTM in meters)

POD Number

File/Act

Well Tag Source 64Q16Q4Sec Tws Rng

X 571282 3613992\* Other Location Desc

RA 08929 Shallow 3 3 1 13 19S 27E \*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/9/22 9:24 AM

# DownHole SAT<sup>TM</sup> Water Analysis Report



#### SYSTEM IDENTIFICATION

Supreme Technologies Redwood Leavitt 13 #2H WH Glorieta-Yeso

Sample ID#:

ID

2021-06-04-39

Sample Date: Report Date:

06-02-2021 at 2216

06-09-2021


#### WATER CHEMISTRY


CATIONS		ANIONS	
Calcium(as Ca)	4593	Chloride(as CI)	121021
Magnesium(as Mg)	984.00	Sulfate(as SO <sub>4</sub> )	2179
Barium(as Ba)	0.00	Dissolved CO <sub>2</sub> (as CO <sub>2</sub> )	225.06
Strontium(as Sr)	88.00	Bicarbonate(as HCO <sub>3</sub> )	427.00
Sodium(as Na)	71855	H <sub>2</sub> S (as H <sub>2</sub> S)	30.00
Potassium(as K)	978.00	Boron(as B)	12.00
Lithium(as Li)	24.00		
Iron(as Fe)	0.00		
Manganese(as Mn)	0.100		
Zinc(as Zn)	0.00		
PARAMETERS			
Temperature(OF)	77.00	Sample pH	6.00
Conductivity	233708	Sp.Gr.(g/mL)	1.130
Resistivity	4.28	T.D.S.	217105


#### SCALE AND CORROSION POTENTIAL

Temp.	Press.		Calcite		An	hydrite	Gy	psum	8	arite	Ce	lestite		Siderite		Mack	kinawite
(OF)	(psia)		CaCO <sub>3</sub>		C	aSO <sub>4</sub>	CaSC	4*2H2O	В	aSO <sub>4</sub>	S	rSO <sub>4</sub>		FeCO <sub>3</sub>		1	FeS
60.00	14.70	1.58	0.00963	178.84	1.05	17.58	1.38	108.98	0.00	-0.0736	0.411	-79.55	0.00	-0.395	0.00	0.00	-0.460
70.00	15.00	1.67	0.0104	184.07	1.01	3.67	1.28	83.70	0.00	-0.0991	0.388	-86.07	0.00	-0.366	0.00	0.00	-0.549
85.00	38.50	1.75	0.0106	174.23	0.989	-3.45	1.16	50.30	0.00	-0.148	0.367	-91.83	0.00	-0.329	0.00	0.00	-0.378
100.00	62.00	1.83	0.0106	170.85	1.01	4.28	1.07	23.34	0.00	-0.211	0.357	-94.32	0.00	-0.299	0.00	0.00	-0.33€
115.00	85.50	1.87	0.0103	168.46	1.09	22.87	1.11	32.79	0.00	-0.289	0.350	-95.57	0.00	-0.274	0.00	0.00	-0.33
130.00	109.00	1.86	0.00952	167.78	1.21	47.80	1.18	47.41	0.00	-0.392	0.342	-97.40	0.00	-0.253	0.00	0.00	-0.349
145.00	132.50	1.81	0.00841	168.21	1.39	75.32	1.24	58.25	0.00	-0.526	0.333	-99.84	0.00	-0.236	0.00	0.00	-0.384
160.00	156.00	1.71	0.00706	169.31	1.65	102.76	1.29	66.46	0.00	-0.700	0.323	-102.76	0.00	-0.221	0.00	0.00	-0.437
175.00	179.50	1.59	0.00556	170.82	2.01	127.90	1.34	72.41	0.00	-0.923	0.312	-106.28	0.00	-0.209	0.00	0.00	-0.508
190.00	203.00	1.44	0.00403	169.62	2.51	149.92	1.38	76.85	0.00	-1.21	0.300	-110.31	0.00	-0.199	0.00	0.00	-0.60:
205.00	226.50	1.28	0.00252	168.50	3.20	168.52	1.42	80.17	0.00	-1.57	0.289	-114.86	0.00	-0.190	0.00	0.00	-0.719
220.00	250.00	1.10	< 0.001	165.97	4.12	186.86	1.43	81.83	0.00	-2.05	0.273	-122.64	0.00	-0.186	0.00	0.00	-0.892
			Lbs per	PP		Lbs per	• 4.000	Lbs per		Lbs per		Lbs per		Lbs per	PP		Lbs pe
		xSAT	1000	到为是此种	xSAT	1000	xSAT	1000	xSAT	1000	xSAT	1000	xSAT	1000		xSAT	1000
			Barrels			Barrels		Barrels		Barrels		Barrels		Barrels	to the second		Barrels

Saturation Ratios (xSAT) are the ratio of ion activity to solubility, e.g. {Ca}{CO<sub>3</sub>}/K<sub>Sp</sub>. pCO<sub>2</sub> (atm) is the partial pressure of CO<sub>2</sub> in the gas phase. Lbs/1000 Barrels scale is the quantity of precipitation (or dissolution) required to instantaneously bring the water to equilibrium.









#### DownHole SAT(tm)

#### SURFACE WATER CHEMISTRY INPUT

Supreme Technologies Leavitt 13 #2H WH Glorieta-Yeso Redwood

Report Date: Sample #: 06-09-2021

Sampled: 06-02-2021 at 2216

Sample ID: 2021-06-04-39

		CO <sub>2</sub> - H <sub>2</sub> S Rate(mpy)	DICITON	0.327
pH	0.00	CORROSION RATE PRE	DICTION	
Temperature ( <sup>O</sup> F)	6.00			
Pressure(psia)	15.00 77.00	Sulfate	2462	696.30
Sp.Gr.(g/mL)	1.130	Phosphate	0.00	0.00
Resistivity	4.28	Carbonate	20.07	0.0439
Molar Conductivity	233708	Barium	0.00	0.00
Calculated T.D.S.	217105	Calcium	5190	4753
PARAMETERS		BOUND IONS	TOTAL	FREE
Zinc (as Zn)	0.00			
Manganese (as Mn)	0.100			
Iron (as Fe)	0.00			
Lithium (as Li)	24.00			
Potassium (as K)	978.00	Boron (as B)		12.00
Sodium (as Na)	71855	H <sub>2</sub> S (as H <sub>2</sub> S)		30.00
Strontium (as Sr)	88.00	Bicarbonate (as HCO <sub>3</sub> )		427.00
Barium (as Ba)	0.00	Dissolved CO <sub>2</sub> (as CO <sub>2</sub> )		225.06
Magnesium (as Mg)	984.00	Sulfate (as SO <sub>4</sub> )		2179
Calcium (as Ca)	4593	Chloride (as CI)		121021
CATIONS		ANIONS		

FRENCH CREEK SOFTWARE, INC. 1220 VALLEY FORGE ROAD, SUITE 21, VALLEY FORGE, PA 19460



#### DownHole SAT(tm)

#### **SURFACE WATER DEPOSITION POTENTIAL INDICATORS**

Supreme Technologies Leavitt 13 #2H WH Glorieta-Yeso

Redwood

Report Date:

06-09-2021

Sampled:

06-02-2021 at 2216

Sample #:

Sample ID: 2021-06-04-39

SATURATION RATIO as IAP/Ks	A COLUMN TO THE PARTY OF THE PA	FREE ION MOMENTARY EXCES	
Calcite (CaCO <sub>3</sub> )	1.73	Calcite (CaCO <sub>3</sub> )	0.0108
Aragonite (CaCO <sub>3</sub> )	1.60	Aragonite (CaCO <sub>3</sub> )	0.00959
Witherite (BaCO <sub>3</sub> )	0.00	Witherite (BaCO <sub>3</sub> )	-27.73
Strontianite (SrCO <sub>3</sub> )	0.03	Strontianite (SrCO <sub>3</sub> )	-1.28
Calcium oxalate (CaC <sub>2</sub> O <sub>4</sub> )	0.00	Calcium oxalate (CaC <sub>2</sub> O <sub>4</sub> )	-0.00752
Magnesite (MgCO <sub>3</sub> )	0.44	Magnesite (MgCO <sub>3</sub> )	-0.0271
Anhydrite (CaSO <sub>4</sub> )	1.00	Anhydrite (CaSO <sub>4</sub> )	-1.15
Gypsum (CaSO <sub>4</sub> *2H <sub>2</sub> O)	1.22	Gypsum (CaSO <sub>4</sub> *2H <sub>2</sub> O)	67.84
Barite (BaSO <sub>4</sub> )	0.00	Barite (BaSO <sub>4</sub> )	-0.120
Celestite (SrSO <sub>4</sub> )	0.38	Celestite (SrSO <sub>4</sub> )	-89.07
Fluorite (CaF <sub>2</sub> )	0.00	Fluorite (CaF <sub>2</sub> )	-2.78
Calcium phosphate	0.00	Calcium phosphate	>-0.001
Hydroxyapatite	0.00	Hydroxyapatite	-263.20
Silica (SiO <sub>2</sub> )	0.00	Silica (SiO <sub>2</sub> )	-27.99
Brucite (Mg(OH) <sub>2</sub> )	< 0.001	Brucite (Mg(OH) <sub>2</sub> )	-0.233
Magnesium silicate	0.00	Magnesium silicate	-87.51
Iron hydroxide (Fe(OH) <sub>3</sub> )	0.00	Iron hydroxide (Fe(OH) <sub>3</sub> )	-0.211
Strengite (FePO <sub>4</sub> *2H <sub>2</sub> O)	0.00	Strengite (FePO <sub>4</sub> *2H <sub>2</sub> O)	>-0.001
Siderite (FeCO <sub>3</sub> )	0.00	Siderite (FeCO <sub>3</sub> )	-0.347
Halite (NaCl)	0.24	Halite (NaCl)	-73627
Thenardite (Na2SO <sub>4</sub> )	0.00	Thenardite (Na2SO <sub>4</sub> )	-84955
Iron sulfide (FeS)	0.00	Iron sulfide (FeS)	-0.570
SIMPLE INDICES		CARBONATE PRECIPITATION	POTENTIAL (Lbs/1000 Barrels)
Langelier	0.876	Calcite (CaCO <sub>3</sub> )	187.56
Ryznar	4.25	Aragonite (CaCO <sub>3</sub> )	185.27

#### 301.16 Strontianite (SrCO<sub>3</sub>) -18.23 0.732 Magnesite (MgCO<sub>3</sub>) 135.47

0.00

Witherite (BaCO<sub>3</sub>)

Stiff Davis Index Oddo-Tomson -0.237 Siderite (FeCO<sub>3</sub>) 0.00

1.66

#### **OPERATING CONDITIONS**

Temperature (OF) 77.00 Time(mins) 3.00

FRENCH CREEK SOFTWARE, INC. 1220 VALLEY FORGE ROAD, SUITE 21, VALLEY FORGE, PA 19460

**Puckorius** 

Larson-Skold Index

111832

1796

180.00

329.00

136.00

13.00

# DownHole SAT<sup>TM</sup> Water Analysis Report



#### SYSTEM IDENTIFICATION

Supreme Technologies Redwood Leavitt 14 A #2 WH Glorieta-Yeso

Sample ID#:

0

ID:

2021-06-03-28

Sample Date: Report Date: 05-31-2021 at 1553

06-06-2021

#### WATER CHEMISTRY

CATIONS		ANIONS
Calcium(as Ca)	4646	Chloride(as CI)
Magnesium(as Mg)	964.00	Sulfate(as SO <sub>4</sub> )
Barium(as Ba)	0.00	Dissolved CO <sub>2</sub> (as CO <sub>2</sub> )
Strontium(as Sr)	87.00	Bicarbonate(as HCO <sub>3</sub> )
Sodium(as Na)	66750	H <sub>2</sub> S (as H <sub>2</sub> S)
Potassium(as K)	863.00	Boron(as B)
Lithium(as Li)	23.00	
Iron(as Fe)	0.100	
Manganese(as Mn)	0.00	PARAMETERS
		Temperature(OF)
		Sample pH
		Conductivity

 Temperature(OF)
 77.00

 Sample pH
 6.00

 Conductivity
 286589

 T.D.S.
 180517

 Resistivity
 3.49


 Sp.Gr.(g/mL)
 1.13


Zinc(as Zn) 0.00

#### SCALE AND CORROSION POTENTIAL

Temp.	Press. (psig)		alcite aCO <sub>3</sub>		hydrite aSO <sub>4</sub>		psum 0 <sub>4</sub> *2H <sub>2</sub> O		arite		lestite rSO <sub>4</sub>		lerite CO <sub>3</sub>		awenité FeS	CO <sub>2</sub> (mpy)	pCO <sub>2</sub> (atm)
60.00	0.00	0.557	-0.0110	0.677	-140.34	0.950	-18.16	0.00	-0.0765	0.345	-89.18	0.00676	-0.368	0.0566	-0.139	0.239	0.0870
70.00	0.30	0.610	-0.00898	0.652	-151.80	0.885	-42.84	0.00	-0.103	0.326	-95.07	0.00796	-0.338	0.0456	-0.171	0.367	0.0888
85.00	23.80	0.547	-0.00941	0.641	-151.98	0.806	-75.10	0.00	-0.153	0.310	-100.05	0.00794	-0.303	0.0660	-0.115	0.966	0.228
100.00	47.30	0.519	-0.00912	0.661	-133.98	0.748	-100.40	0.00	-0.216	0.303	-101.79	0.00832	-0.273	0.0683	-0.109	1.75	0.367
115.00	70.80	0.503	-0.00871	0.710	-102.98	0.777	-82.25	0.00	-0.295	0.299	-102.38	0.00886	-0.247	0.0651	-0.113	2.25	0.506
130.00	94.30	0.487	-0.00837	0.791	-64.36	0.826	-58.49	0.00	-0.398	0.293	-103.55	0.00940	-0.226	0.0591	-0.122	2.52	0.645
145.00	117.80	0.469	-0.00816	0.912	-22.83	0.870	-40.00	0.00	-0.533	0.287	-105.29	0.00986	-0.208	0.0521	-0.135	2.74	0.784
160.00	141.30	0.447	-0.00809	1.08	17.91	0.911	-25.62	0.00	-0.706	0.279	-107.59	0.0102	-0.193	0.0450	-0.154	2.99	0.923
175.00	164.80	0.419	-0.00814	1.32	55.27	0.946	-14.54	0.00	-0.927	0.271	-110.46	0.0104	-0.180	0.0382	-0.177	3.19	1.06
190.00	188.30	0.388	-0.00831	1.66	87.92	0.976	-6.06	0.00	-1.21	0.261	-113.86	0.0103	-0.169	0.0319	-0.206	1.48	1.20
205.00	211.80	0.355	-0.00857	2.12	115.46	1.00	0.432	0.00	-1.56	0.252	-117.80	0.0102	-0.160	0.0262	-0.244	0.706	1.34
220.00	235.30	0.313	-0.00929	2.72	139.62	1.01	2.06	0.00	-2.04	0.239	-124.90	0.00961	-0.156	0.0205	-0.298	0.273	1.48
			Lbs per		Lbs per		Lbs per		Lbs per		Lbs per	72	Lbs per		Lbs per	4	19.50
		xSAT	1000	xSAT	1000	xSAT	1000	xSAT	1000	xSAT	1000	xSAT	1000	xSAT	1000		No. 1
			Barrels		Barrels		Barrels		Barrels		Barrels		Barrels		Barrels		THE REAL PROPERTY.

Saturation Levels (xSAT) are the ratio of ion activity to solubility, e.g. {Ca}{CO<sub>3</sub>}/K<sub>sp</sub>. pCO<sub>2</sub> (atm) is the partial pressure of CO<sub>2</sub> in the gas phase. Lbs/1000 Barrels scale is the quantity of precipitation (or dissolution) required to instantaneously bring the water to equilibrium.







Zinc (as Zn)

#### DownHole SAT(tm)

#### SURFACE WATER CHEMISTRY INPUT

Supreme Technologies Leavitt 14 A #2 WH Glorieta-Yeso

Redwood

Report Date:

06-06-2021

Sampled: 05-31-2021 at 1553

Sample ID:

2021-06-03-28 Sample ID: 2021-06-03-28

CATIONS		ANIONS	
Calcium (as Ca)	4646	Chloride (as Cl)	111832
Magnesium (as Mg)	964.00	Sulfate (as SO <sub>4</sub> )	1796
Barium (as Ba)	0.00	Dissolved CO <sub>2</sub> (as CO <sub>2</sub> )	180.00
Strontium (as Sr)	87.00	Bicarbonate (as HCO <sub>3</sub> )	329.00
Sodium (as Na)	66750	H <sub>2</sub> S (as H <sub>2</sub> S)	136.00
Potassium (as K)	863.00	Boron (as B)	13.00
Lithium (as Li)	23.00		
Iron (as Fe)	0.100		
Manganese (as Mn)	0.00		

#### **PARAMETERS**

0.00

Calculated T.D.S.	180517
Molar Conductivity	286589
Resistivity	3.49
Sp.Gr.(g/mL)	1.13
Pressure(psia)	15.00
Temperature ( <sup>O</sup> F)	77.00
pH	6.00

#### **CORROSION RATE PREDICTION**

CO<sub>2</sub> - H<sub>2</sub>S Rate(mpy)

0.452

FRENCH CREEK SOFTWARE, INC. 1220 VALLEY FORGE ROAD, SUITE 21, VALLEY FORGE, PA 19460



#### DownHole SAT(tm)

# SURFACE WATER DEPOSITION POTENTIAL INDICATORS

Supreme Technologies Leavitt 14 A #2 WH Glorieta-Yeso Redwood

Report Date: 06-06-2021 Sampled: 05-31-2021 at 1553 Sample ID: 2021-06-03-28 Sample ID: 2021-06-03-28

SATURATION LEVEL		MOMENTARY EXCESS (LI	bs/1000 Ba	rrels)
Calcite (CaCO <sub>3</sub> )	0.561	Calcite (CaCO <sub>3</sub> )		-0.00958
Aragonite (CaCO <sub>3</sub> )	0.519	Aragonite (CaCO <sub>3</sub> )		-0.0114
Witherite (BaCO <sub>3</sub> )	0.00	Witherite (BaCO <sub>3</sub> )		-27.60
Strontianite (SrCO <sub>3</sub> )	0.0118	Strontianite (SrCO <sub>3</sub> )		-1.47
Calcium oxalate (CaC <sub>2</sub> O <sub>4</sub> )	0.00	Calcium oxalate (CaC2O4)		-0.0111
Magnesite (MgCO <sub>3</sub> )	0.132	Magnesite (MgCO <sub>3</sub> )		-0.0681
Anhydrite (CaSO <sub>4</sub> )	0.644	Anhydrite (CaSO <sub>4</sub> )		-153.56
Gypsum (CaSO <sub>4</sub> *2H <sub>2</sub> O)	0.847	Gypsum (CaSO <sub>4</sub> *2H <sub>2</sub> O)		-58.02
Barite (BaSO <sub>4</sub> )	0.00	Barite (BaSO <sub>4</sub> )		-0.124
Celestite (SrSO <sub>4</sub> )	0.318	Celestite (SrSO <sub>4</sub> )		-97.77
Fluorite (CaF <sub>2</sub> )	0.00	Fluorite (CaF <sub>2</sub> )		-3.47
Calcium phosphate	0.00	Calcium phosphate		>-0.001
Hydroxyapatite	0.00	Hydroxyapatite		-304.59
Silica (SiO <sub>2</sub> )	0.00	Silica (SiO <sub>2</sub> )		-31.47
Brucite (Mg(OH) <sub>2</sub> )	< 0.001	Brucite (Mg(OH) <sub>2</sub> )		< 0.001
Magnesium silicate	0.00	Magnesium silicate		-96.47
Iron hydroxide (Fe(OH) <sub>3</sub> )	< 0.001	Iron hydroxide (Fe(OH) <sub>3</sub> )		< 0.001
Strengite (FePO <sub>4</sub> *2H <sub>2</sub> O)	0.00	Strengite (FePO <sub>4</sub> *2H <sub>2</sub> O)		>-0.001
Siderite (FeCO <sub>3</sub> )	0.00769	Siderite (FeCO <sub>3</sub> )		-0.321
Halite (NaCl)	0.133	Halite (NaCl)		-102986
Thenardite (Na2SO <sub>4</sub> )	< 0.001	Thenardite (Na2SO <sub>4</sub> )		-85717
Iron sulfide (FeS)	0.0429	Iron sulfide (FeS)		-0.181
SIMPLE INDICES		BOUND IONS	TOTAL	FREE
Langelier	0.246	Calcium	4646	4389
Ryznar	5.51	Barium	0.00	0.00
Puckorius	3.56	Carbonate	4.12	0.0211
Larson-Skold Index	660.02	Phosphate	0.00	0.00
Stiff Davis Index	-0.0648	Sulfate	1796	612.62
Oddo-Tomson	-0.901			

#### **OPERATING CONDITIONS**

Temperature (°F) 77.00 Time(mins) 3.00

FRENCH CREEK SOFTWARE, INC. 1220 VALLEY FORGE ROAD, SUITE 21, VALLEY FORGE, PA 19460

# DownHole SAT™ Water Analysis Report

# rench Cree Software

_	
5	
$\simeq$	
-	
et.	
9	
正	
-	
=	
1	
0	
=	
5	
w	
-	
S	
?=	
v,	

	Supreme Technologies	Sedwood	Kaiser B #1 WH	Queen-Grayburg-	San Andres
1		Redwood	46	Oneen-C	San And

	6-03-9
	0 2021-06-03-9
Kaiser B #1 WH Queen-Grayburg- San Andres	Sample ID#: ID:

05-31-2021 at 1553 06-06-2021

Sample Date: Report Date:

# WATER CHEMISTRY


Received by OCD: 1/4/2023 8:23:13 AM

Calcium(as Ca)
0.00
29.00
88835
50.00
22.00

# SCALE AND CORROSION POTENTIAL

	0.383	0.347	0.311	0.275	0.239	0.203	0.167	0.131	0.0951	0.0590	0.0230	0.0225	(atm)	p002
	0.414	0.307	0.339	0.677	0.489	0.307	0.179	0.0641	0.167	0.102	0.0447	0.0458	(mpy)	89
Lbs per xSAT 1000	-0.484	0.353	-0.264	-0.195	-0.143	-0.103	-0.0744	-0.0535	-0.0391	-0.0303	-0.0323	-0.0184	es	awenite
XSAT	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1	Macke
Lbs per xSAT 1000	-0.190	0.194	-0.202	-0.211	-0.222	-0.234	-0.248	-0.264	-0.282	-0.299	-0.315	-0.326	203	erite
XSAT	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Fe	Sid
Lbs per xSAT 1000														
XSAT	0.337	0.356	0.368	0.380	0.390	0.399	0.406	0.412	0.416	0.424	0.443	0.467	SS	Cele
Lbs per xSAT 1000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Ba	Ba
Lbs per xSAT 1000	1.78	1.76	1.70	1.64	1.57	1.49	1.40	1.31	1.25	1.34	1.47	1.57	CaSO <sub>4</sub>	6
Lbs per xSAT 1000														
XSAT	5.17	4.00	3.11	2.47	2.01	1.68	1.45	1.29	1.19	1.15	1.17	1.21	Ö	Anh
Lbs per xSAT 1000	-0.00713	-0.00480	-0.00248	< 0.001	0.00440	0.00963	0.0168	0.0271	0.0423	0.0667	0.110	0.146	8	cite
XSAT	0.541	0.686	0.842	1.03	1.26	1.54	1.89	2.33	2.92	3.77	5.12	80.9	2	S
	1000	211.80			-									
	550.00	205.00	00.061	175.00	160.00	145.00	130.00	115.00	100.00	85.00	70.00	00.09	(P)	Temp.

Saturation Levels (xSAT) are the ratio of ion activity to solubility, e.g. {Ca}{CO<sub>2</sub>}/K<sub>Sp</sub>. pCO<sub>2</sub> (atm) is the partial pressure of CO<sub>2</sub> in the gas phase. Lbs/1000 Berrels scale is the quantity of precipitation (or dissolution) required to instantaneously bring the water to equilibrium.



at pH 7.26

Page 62 of 68

at pH 7.26



## DownHole SAT(tm)

#### SURFACE WATER CHEMISTRY INPUT

Supreme Technologies

Redwood

Kaiser B #1 WH

Queen-Grayburg-San Andres

Report Date: 06-06-2021

Sampled: 05-31-2021 at 1553

Sample ID: 2021-06-03-9 Sample ID: 2021-06-03-9

CATIONS		ANIONS	
Calcium (as Ca)	3262	Chloride (as CI)	139429
Magnesium (as Mg)	556.00	Sulfate (as SO <sub>4</sub> )	3973
Barium (as Ba)	0.00	Dissolved CO <sub>2</sub> (as CO <sub>2</sub> )	250.00
Strontium (as Sr)	59.00	Bicarbonate (as HCO <sub>3</sub> )	390.00
Sodium (as Na)	88835	H <sub>2</sub> S (as H <sub>2</sub> S)	17.00
Potassium (as K)	50.00	Boron (as B)	8.90
Lithium (as Li)	22.00		
Iron (as Fe)	0.00		
Manganese (as Mn)	0.00		
Zinc (as Zn)	0.00		

#### **PARAMETERS**

Calculated T.D.S.	223486
Molar Conductivity	396368
Resistivity	2.52
Sp.Gr.(g/mL)	1.15
Pressure(psia)	15.00
Temperature ( <sup>O</sup> F)	77.00
pH	7.00

#### **CORROSION RATE PREDICTION**

CO2 - H2S Rate(mpy)

0.0528

FRENCH CREEK SOFTWARE, INC. 1220 VALLEY FORGE ROAD, SUITE 21, VALLEY FORGE, PA 19460



#### DownHole SAT(tm)

#### **SURFACE WATER DEPOSITION POTENTIAL INDICATORS**

Supreme Technologies Kaiser B #1 WH Queen-Grayburg-San Andres Redwood

Report Date: Sample ID:

06-06-2021

Sampled:

05-31-2021 at 1553

2021-06-03-9 Sample ID: 2021-06-03-9


SATURATION LEVEL		MOMENTARY EXCESS (LI	bs/1000 Ba	rrels)
Calcite (CaCO <sub>3</sub> )	3.94	Calcite (CaCO <sub>3</sub> )		0.0745
Aragonite (CaCO <sub>3</sub> )	3.65	Aragonite (CaCO <sub>3</sub> )		0.0724
Witherite (BaCO <sub>3</sub> )	0.00	Witherite (BaCO <sub>3</sub> )		-28.05
Strontianite (SrCO <sub>3</sub> )	ontianite (SrCO <sub>3</sub> ) 0.0629			-2.06
Calcium oxalate (CaC <sub>2</sub> O <sub>4</sub> )	0.00	Calcium oxalate (CaC2O4)		-0.0129
Magnesite (MgCO <sub>3</sub> )	0.793	Magnesite (MgCO <sub>3</sub> )		-0.0219
Anhydrite (CaSO <sub>4</sub> )	1.16	Anhydrite (CaSO <sub>4</sub> )		78.07
Gypsum (CaSO <sub>4</sub> *2H <sub>2</sub> O)	1.41	Gypsum (CaSO <sub>4</sub> *2H <sub>2</sub> O)		194.92
Barite (BaSO <sub>4</sub> )	0.00	Barite (BaSO <sub>4</sub> )		-0.0621
Celestite (SrSO <sub>4</sub> )	0.433	Celestite (SrSO <sub>4</sub> )		-51.26
Fluorite (CaF <sub>2</sub> )	0.00	Fluorite (CaF <sub>2</sub> )		-3.67
Calcium phosphate	0.00	Calcium phosphate	>-0.001	
Hydroxyapatite	0.00	Hydroxyapatite	-267.07	
Silica (SiO <sub>2</sub> )	0.00	Silica (SiO <sub>2</sub> )		-28.17
Brucite (Mg(OH) <sub>2</sub> )	< 0.001	Brucite (Mg(OH) <sub>2</sub> )		0.00303
Magnesium silicate	0.00	Magnesium silicate		-89.14
Iron hydroxide (Fe(OH) <sub>3</sub> )	0.00	Iron hydroxide (Fe(OH) <sub>3</sub> )		-0.214
Strengite (FePO <sub>4</sub> *2H <sub>2</sub> O)	0.00	Strengite (FePO <sub>4</sub> *2H <sub>2</sub> O)		>-0.001
Siderite (FeCO <sub>3</sub> )	0.00	Siderite (FeCO <sub>3</sub> )		-0.314
Halite (NaCl)	0.259	Halite (NaCl)		-72069
Thenardite (Na2SO <sub>4</sub> )	< 0.001	Thenardite (Na2SO <sub>4</sub> )		-86536
Iron sulfide (FeS)	0.00	Iron sulfide (FeS)		-0.0416
SIMPLE INDICES		BOUND IONS	TOTAL	FREE
Langelier	1.39	Calcium	3262	2858
Ryznar	4.21	Barium	0.00	0.00
Puckorius	3.03	Carbonate	88.17	0.172
Larson-Skold Index	570.61	Phosphate	0.00	0.00
Stiff Davis Index	1.25	Sulfate	3973	1385
Oddo-Tomson	0.281			

#### **OPERATING CONDITIONS**

Temperature (OF) 77.00 Time(mins) 3.00

FRENCH CREEK SOFTWARE, INC. 1220 VALLEY FORGE ROAD, SUITE 21, VALLEY FORGE, PA 19460

# Seismicity Map





# C-108 APPLICATION FOR AUTHORIZATION TO INJECT ADMINISTRATIVE COMPLETENESS FORM

Well Name:	
Applicant:	
Action ID:	
Admin. App. No:	

C-108 Item	Description of Required Content	Yes	No
I. PURPOSE	Selection of proper application type.		
II. OPERATOR	Name; address; contact information.		
	Well name and number; STR location; footage location within section.		
	Each casing string to be used, including size, setting depth, sacks of cement, hole size, top of cement, and basis for determining top of cement.		
III MELL DATA	Description of tubing to be used including size, lining material, and setting depth.		
III. WELL DATA	Name, model, and setting depth of packer to be used, or description of other seal system or assembly to be used.		
	Well diagram: Existing (if applicable).		
	Well diagram: Proposed (either Applicant's template or Division's Injection Well Data Sheet).		
IV. EXISTING PROJECT	For an expansion of existing well, Division order number authorizing existing well (if applicable).		
V. LEASE AND WELL MAP	AOR map identifying all wells and leases within 2 mile radius of proposed well, and depicting a 1/2 mile radius circle around any another projected injection well and a 1 mile radius circle around any other projected injection well in the Devonian formation.		
VI. AOR WELLS	Tabulation of data for all wells of public record within AOR which penetrate the proposed injection zone, including well type, construction, date drilled, location, depth, and record of completion.		
	Schematic of each plugged well within AOR showing all plugging detail.		
	Proposed average and maximum daily rate and volume of fluids to be injected.		
	Statement that the system is open or closed.		
	Proposed average and maximum injection pressure.		
VII. PROPOSED OPERATION	Sources and analysis of injection fluid, and compatibility with receiving formation if injection fluid is not produced water.		
	A chemical analysis of the disposal zone formation water if the injection is for disposal and oil or gas is not produced or cannot be produced from the formation within 1 mile of proposed well. Chemical analysis may be based on sample, existing literature, studies, or nearby well.		
	Proposed injection interval, including appropriate lithologic detail, geologic name, thickness, and depth.		
VIII. GEOLOGIC DATA	USDW of all aquifers <u>overlying</u> the proposed injection interval, including the geologic name and depth to bottom.		
	USDW of all aquifers <u>underlying</u> the proposed injection interval, including the geologic name and depth to bottom.		



# C-108 (SWD) APPLICATION FOR AUTHORIZATION TO INJECT ADMINISTRATIVE COMPLETENESS FORM

Well Name:	
Applicant	
Action ID	:
Admin. App. No	

C-108 Item	Description of Required Content	Yes	No
IX. PROPOSED STIMULATION	Description of stimulation process or statement that none will be conducted.		
X. LOGS/WELL TESTS	Appropriate logging and test data on the proposed well or identification of well logs already filed with OCD.		
XI. FRESH WATER	Chemical analysis of fresh water from two or more fresh water wells (if available and producing) within 1 mile of the proposed well, including location and sampling date(s).		
XII. AFFIRMATION STATEMENT	Statement of qualified person endorsing the application, including name, title, and qualifications.		
	Identify of all "affected persons" identified on AOR map in Section V, including all affected persons within 1/2 mile radius circle around any another projected injection well and a 1 mile radius circle around any other projected injection well in the Devonian formation.		
	Identification and notification of all surface owners.		
	BLM and/or NMSLO notified per 19.15.2.7(A)(8)(d) NMAC.		
XIII. PROOF OF NOTICE	Notice of publication in local newspaper in county where proposed well is located with the following specific content:		
	Name, address, phone number, and contact party for Applicant;		
	<ul> <li>Intended purpose of proposed injection wel, including exact location of a single well, or the section, township, and range location of multiple wells;</li> </ul>		
	<ul> <li>Formation name and depth, and expected maximum injection rates and pressures; and</li> </ul>		
	Notation that interested parties shall file objections or requests for hearing with OCD no later than 15 days after the admin completeness determination.		
XIV. CERTIFICATION	Signature by operator or designated agent, including date and contact information.		

Review Date*:	Reviewer:
○ Administratively COMPLETE	

NOTES:

<sup>\*</sup> The Review Date is the date of administrative completeness determination that commences the 15 day protest period in 19.15.26.8 (C)(2) NMAC.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 172098

#### **CONDITIONS**

Operator:	OGRID:
Redwood Operating LLC	330211
PO Box 1370	Action Number:
Artesia, NM 88210	172098
	Action Type:
	[C-108] Fluid Injection Well (C-108)

#### CONDITIONS

Created By	Condition	Condition Date
drose	Pending protest resolution	1/26/2023