ID NO. 176741	NSL - 8527
12 1 (0 (1 / 0 / 1)	

10.1/0/11		1,02	
RECEIVED:	REVIEWER:	TYPE:	APP NO: pLEL2301858538

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION



- Geological & Eng 1220 South St. Francis Driv	
ADMINISTRATIVE AD	PLICATION CHECKLIST
THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRA	TIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND
REGULATIONS WHICH REQUIRE PROCES	ssing at the division level in Santa Fe
Applicant: OXY USA INC. (16696)	OGRID Number: 16696
Well Name: NIMITZ MDP1 13 1 FEDERAL COM #171H	API: 30-015-48578
Pool: PURPLE SAGE WOLFCAMP (GAS)	Pool Code: 98220
	N REQUIRED TO PROCESS THE TYPE OF APPLICATION TED BELOW
1) TYPE OF APPLICATION: Check those which app	oly for [A]
A. Location – Spacing Unit – Simultaneous Dominical NSP (PROJECT AREA)	
B. Check one only for [1] or [1] [1] Commingling – Storage – Measuremed DHC DHC DTB PLC PORTION PROBLEM DESTRUCTION PROBLEM DESTRUCTION PROBLEM DESTRUCTION PROBLEM DESTRUCTION REQUIRED TO: Check those which A. Offset operators or lease holders B. Royalty, overriding royalty owners, revected Application requires published notice D. Notification and/or concurrent approx E. Notification and/or concurrent approx F. Surface owner G. For all of the above, proof of notification H. No notice required 3) CERTIFICATION: I hereby certify that the inform administrative approval is accurate and compunderstand that no action will be taken on this notifications are submitted to the Division.	C OLS OLM se - Enhanced Oil Recovery T EOR PPR Chapply. enue owners val by SLO val by BLM fon or publication is attached, and/or, set - Enhanced Oil Recovery FOR OCD ONLY Notice Complete Application Content Complete
Note: Statement must be completed by an ind	lividual with managerial and/or supervisory capacity.
	01/17/2023
LESLIE REEVES	Date
Print or Type Name	713-497-2492 Phone Number
Leslie T. Reeves	
zesue v. veeves	LESLIE_REEVES@OXY.COM
Signature	e-mail Address

Released to Imaging: 2/10/2023 8:43:49 AM



OXY USA Inc

5 Greenway Plaza, Suite 110 Houston, TX 77046-0521

January 17, 2023

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

Re:

Application for Administrative Approval of Non-Standard Location Nimitz MDP1 13-1 Federal Com 171H – Purple Sage Wolfcamp Surface – 800' FSL 870' FWL Unit M Sec 13 T24S R30E First Take Point – 100' FSL 330' FWL Unit M Sec 13 T24S R30E Last Take Point – 100' FNL 330' FWL Unit D Sec 1 T24S R30E Bottom Hole – 20' FNL 330' FWL Unit D Sec 1 T24S R30E Eddy County, New Mexico

To Whom it May Concern:

Enclosed is a copy of an application, filed with the New Mexico Oil Conservation Division by OXY USA Inc., requesting administrative approval for a non-standard location. As an affected party, notice is being provided to you pursuant to Rule 19.15.4.12(A)(2)(a), 19.15.15.9(A) and 19.15.16.15(B). The well is located as follows:

Surface – 800' FSL 870' FWL Unit M Sec 13 T24S R30E First Take Point – 100' FSL 330' FWL Unit M Sec 13 T24S R30E Last Take Point – 100' FNL 330' FWL Unit D Sec 1 T24S R30E Bottom Hole – 20' FNL 330' FWL Unit D Sec 1 T24S R30E

If you object to the well's location, you must notify the Division in writing no later than 20 days from the date the application is received by the NMOCD (1220 South St. Francis Drive, Santa Fe, NM 87505; Attention: Leonard Lowe).

If you need any additional information, you can contact Matt Cole at 713-366-5928 or myself at 713-497-2492.

Thank you,

Leslie Reeves Regulatory Advisor OXY USA Inc.



OXY USA Inc

5 Greenway Plaza, Suite 110 Houston, TX 77046-0521

January 17, 2023

New Mexico Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Attention: Leonard Lowe

Re:

Application for Administrative Approval of Non-Standard Location Nimitz MDP1 13-1 Federal Com 171H – Purple Sage Wolfcamp Surface – 800' FSL 870' FWL Unit M Sec 13 T24S R30E First Take Point – 100' FSL 330' FWL Unit M Sec 13 T24S R30E Last Take Point – 100' FNL 330' FWL Unit D Sec 1 T24S R30E Bottom Hole – 20' FNL 330' FWL Unit D Sec 1 T24S R30E Eddy County, New Mexico

Dear Mr. Lowe:

OXY USA Inc. respectfully requests administrative approval of a non-standard location on the Nimitz MDP1 13-1 Federal Com 171H well, API Number-30-015-48578, Property Code 331061. The #171H well is proposed to be completed in the Purple Sage Wolfcamp pool, Pool Code 98220 which has special pool rules specifying the completed interval must be located 330 feet from the exterior boundary of the applicable spacing unit. The proposed completed interval is projected as follows:

Surface – 800' FSL 870' FWL Unit M Sec 13 T24S R30E First Take Point – 100' FSL 330' FWL Unit M Sec 13 T24S R30E Last Take Point – 100' FNL 330' FWL Unit D Sec 1 T24S R30E Bottom Hole – 20' FNL 330' FWL Unit D Sec 1 T24S R30E

The planned Horizontal Spacing Unit will be 479.91-acres including the West $\frac{1}{2}$ of the West $\frac{1}{2}$ of sections 1, 12 and 13, T24S R30E.

- The adjoining units which the unorthodox location encroaches are located to the North in T23S R30E, Section 36 Unit M, N, K, L which show XTO Energy, Inc as the interest owners.
- To the South the adjoining units which the unorthodox location encroaches are in T24S R30E, Section 24 & 25 (West ½ Wolfcamp HSU) Units D, C, E, F, L, K, M, N. which is operated by XTO Energy, Inc.

Approval of the unorthodox, completed interval will allow for efficient spacing of horizontal wells and thereby prevent waste.

To support this request, the following information has been submitted for your review:

- 1. C-102 Plat for the proposed well and additional plats with offsetting well and affected spacing units.
- 2. List of affected offset parties in each adjoining spacing unit in the same pool or formation located closer to the unorthodox well location than the minimum distance prescribed by applicable rule or order, copies of the signed certified return receipts will be furnished upon request.
- 3. Statement from Oxy Development Area Reservoir Engineer.

If you need any additional information, please call me at 713-497-2492.

Sincerely,

Leslie Reeves Regulatory Advisor Leslie Reeves@oxy.com

Released to Imaging: 2/10/2023 8:43:49 AM

District I

1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

WELL LOCATION AND ACREAGE DEDICATION PLAT


¹ API Numbe	er	² Pool Code				
30-015-48578		98220	PURPLE SAGE WOLFCAMP			
⁴ Property Code				⁶ Well Number		
331061		NIMITZ MDP1 13_1 FED COM				
⁷ OGRID No.		8 O	perator Name	⁹ Elevation		
16696		OXY	3452'			

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	13	24S	30E		800	SOUTH	870	WEST	EDDY
¹¹ Bottom Hole Location If Different From Surface									

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L 4	1	24S	30E		20	NORTH	330	WEST	EDDY
12 Dedicated Acres	13 Joint or	Infill 14 (Consolidation	Code 15 Or	der No.				
479.91									

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977392 Convergence Angle: 00°15'56.81002"

Inten	t X	As Dril	led											
API #	015-48	8578												
	rator Nai					Property	Name	:					Well Number	
OX	Y USA I	NC.				NIMITZ	MDP	1 13	1 FEI	DER	AL C	MO	171H	
Kick (Off Point	(KOP)												
UL M	Section 13	Township 24S	Range 30E	Lot	Feet 50	From		Feet 330		From	E/W	County	,	
Latitu			002		Longitu			1			<u> </u>	NAD NAD		
					1							1		
First ⁻	Гаке Poir	nt (FTP)												
UL M	Section 13	Township 24S	Range 30E	Lot	Feet 100	From	•	Feet 330		From	E/W L	County EDDY	,	
Latitu 32.	ude 21091	1230			Longitu -103							NAD NAD	83	
					1							l		
Last T	ake Poin	t (LTP)												
^Ы D	Section 1	Township 24S	Range 30E	Lot	Feet 20	From N/S FNL	330		From E FWL		Count	•		
132.	^{ide} 2541(0097			Longitu -103	3.84187663 NAD83					D83			
							-		-					
Is this	well the	defining v	vell for th	e Hori:	zontal Sp	oacing Unit	t? [Y						
Ic thic	a llow	infill well?			7									
15 (1113	wen an	mini wen:												
	ll is yes p ng Unit.	lease prov	ide API if a	availak	ole, Opei	rator Name	e and v	well ni	umber	for [Definir	ng well fo	or Horizontal	
API#														
Ope	rator Nai	me:				Property	Name	:					Well Number	

KZ 06/29/2018

Nimitz MDP1 13-1 Federal Com 171H Section 13 Township 24 South, Range 30 East, N.M.P.M. Eddy County, New Mexico

NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L1	NENW	23S 31E NWNE	NENE
	3415 ft							3352 ft	(c)	(B)	(A)
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	L2	SENW (F)	SWNE (G)	SENE (H)
NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	L 3	NESW (K)	DW Wels Rd NWSE (J)	NESE (1)
SWSW (M)	SESW (N)	SWSE (O)	SESE (P)	SWSW (M)	SESW (N)	SWSE (O)	SESE (P)	L4	SESW (N)	SWSE (O)	SESE (P)
L4	L3	L2	L1	L 4	L3	L2	L1	L 4 3414 ft	L3	L2	LI
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	sww (E)	SENW (F)	SWNE (G)	SENE (H)	L 5	SENW (F)	SWNE (G)	SENE (H)
NWSW (L)	NESW (K)	(1) LT H	NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	L 6	NESW (K)	NWSE (J)	NESE (1)
SWSW (M)	SESW (N) Cén	NMNE (B) NMNE (B) NMNE (B) 13-1 Federal Com 171 MOD 17	SESE (P)	SWSW (M)	SESW (N)	SWSE (0)	SESE (P)	L7	SESW (N)	24S 31E SWSE (0) Mellond	SESE (P)
NWNW (D)	NENW (C)	(B)	NENE (A)	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L1	NENW (C)	NWNE (B)	NENE (A)
SWNW (E)	3501 ft (F)	101	S 305 O'SENE (H)	swnw (E)	SENW (F)	SWNE (G)	354SENE	L2	SENW (F)	SWNE (G)	SENE (H)
NWSW (L)	NESW (K)	(1) NM2E	NESE (1)	NWSW (L)	NESW (K)	(1) NWSE	NESE (1)	L3	NESW (K)	NWSE (J)	NESE (I)
swsw (M)	SESW (N)	SWSE (O)	SESE (P)	swsw (M)	SESW (N)	SWSE (O)	sese sese (P)	L4	SESW (N)	SWSE (O)	SESE (P)
(D) NWNW	NENW (C)	NWNE (B) 245	NENE (A) \$ 30E	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L 1 24S 31E	NENW (C)	NWNE (B)	NENE (A)
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	SWNW (E)	SENW (F)	(G)	TP SENE (H)	Poker Lake2	SENW (F)	SWNE (G)	SENE (H)
NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	3504 R NESE Wells and NESE (1)	L3	1 3516 ft NESW 1 (K)	NWSE (J)	NESE (1)
swsw (M)	SESW (N)	SWSE (0)	SESE (P)	swsw (A)	SESW (N)	SWSE (0)	SESE (P)	L4	SESW (N)	swse (0)	SESE (P)
NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L1	NENW (C)	NWNE (B)	NENE (A)
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	L2	SENW (F)	SWNE (G) 24\$ 3	SENE (H)
NWSW (L)	NESW (K) Wells Rd	NWSE (J)	NESE A	NWSW (L) HSU W ½-	NESW (K)	NWSE HSU E1	NESE	L3	NESW 3481 (K) *	R NWSE	NESE (1)
SWSW (M)	SESW (N)	SWSE (O)	SESE (P)	SWSW (M)	SESW (N)	SWSE (O)	SESE (P)	L4	SESW (N)	SWSE (O)	SESE (P)



Occidental Oil and Gas Corporation
ATTN: Marshall McQueen
5 Greenway Plaza, Suite 110
Houston, TX 77046
713-366-5799
Marshall McQueen@oxy.com

January 17, 2023

Mr. Leonard Lowe New Mexico Oil Conservation Division 1220 South Francis Drive Santa Fe, New Mexico 87505

RE: Application for Nonstandard Location—Engineering Justification

OXY USA Inc.

Nimitz MDP 13-1 Federal Com 1H, 171H, 172H, 173H, 311H & 312H

T24S R30E, Section 13, 12 & 1 – Eddy County

Dear Mr. Lowe:

Oxy USA Inc. respectfully seeks approval for a non-standard location, decreasing the first and last take point for Nimitz MDP 13-1 Federal Com 1H, Nimitz MDP 13-1 Federal Com 171H, Nimitz MDP 13-1 Federal Com 172H, Nimitz MDP 13-1 Federal Com 173H, Nimitz MDP 13-1 Federal Com 311H and the Nimitz MDP 13-1 Federal Com 312H in the Wolfcamp formation of the Purple Sage Pool from 330 feet to 100 feet. It is Oxy's responsibility as a prudent operator to maximize lateral length and minimize reserves left in the ground. Decreasing the first and last take point will increase this well's effective lateral length by 460 feet and increase the estimated ultimate recovery of the well by approximately 3%. Any increase in first or last take point would result in untapped reserves left in the reservoir, and waste of a resource that would otherwise go undeveloped.

Sincerely,

Marshall McQueen Development Manager

All Me

Application Non-Standard Location - Service List OXY USA Inc.
Nimitz MDP1 13-1 Federal Com 171H

Online Submission

New Mexico Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Certified Mail # 7014 1820 0000 0732 6825 Bureau of Land Management Carlsbad

620 E. Greene Street Carlsbad, NM 88220-6292

Offset Tracts Section 36 (T23S-R30E) - Units L, K, J, I, M, N, O, P, - No Existing WC HSU Certified Mail # 7014 1820 0000 0732 6771 Offset Operator/Interest Owner

XTO Energy Inc. 22777 Springwoods Village Parkway Spring, TX 77389

Existing WC Horizontal Spacing Unit Section 24 & 25 (T24S-R30E - Units C, D, E, F, K, L, M, N - W 1/2 HSU) Certified Mail # 7014 1820 0000 0732 6771 Operator:

XTO Energy Inc. 22777 Springwoods Village Parkway Spring, TX 77389

Copies of this application were mailed to the following individuals, companies and organizations on or before January 17, 2023 $\,$

Leslie Reeves, Regulatory Advisor OXY USA Inc.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 176741

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	176741
	Action Type:
	[UF-NSL] Non-Standard Location (NSL)

CONDITIONS

Created	Condition	Condition
Ву		Date
llowe	NSL-8527 is approved!	2/10/2023