Received by OCD: 1/17/2023 2:52:05 PM

ID NO. 176815		NSL - 8529	Revised March 23, 2017
RECEIVED:	REVIEWER:	TYPE:	APP NO: pLEL2302049335
	- Geologi 1220 South St. Fr	CO OIL CONSERVATI cal & Engineering B ancis Drive, Santa F	ION DIVISION Fureau – Fe, NM 87505
THIS CI	IECKLIST IS MANDATORY FOR A		INS FOR EXCEPTIONS TO DIVISION RULES AND
Applicant: OXY USA			OGRID Number: 16696
	MDP1 13 1 FEDERAL COM #1	173H	API : <u>30-015-48589</u>
Pool: <u>PURPLE SAGE WO</u>	OLFCAMP (GAS)		Pool Code: <u>98220</u>
1) TYPE OF APPLIC	CATION: Check those - Spacing Unit – Simul	INDICATED BELOW which apply for [A]	
[I] Comn [] [II] Inject	e only for [1] or [1] hingling – Storage – M DHC □CTB □P ion – Disposal – Pressu WFX □PMX □S	LC PC OLS	ced Oil Recovery
A. Offset of B. Royalty C. Applic D. Notifica E. Notifica F. Surface G. For all of	ation requires publish ation and/or concurre ation and/or concurre e owner	lders wners, revenue owne ed notice ent approval by SLO ent approval by BLM	Notice Complete
administrative	approval is accurate	and complete to the	hitted with this application for best of my knowledge. I also on until the required information and

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

LESLIE REEVES

Print or Type Name

Leslie T. Reeves

notifications are submitted to the Division.

Signature

01/17/2023 Date

713-497-2492

Phone Number

LESLIE_REEVES@OXY.COM e-mail Address

Released to Imaging: 2/10/2023 8:56:57 AM





5 Greenway Plaza, Suite 110 Houston, TX 77046-0521

January 17, 2023

New Mexico Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Attention: Leonard Lowe

Re: Application for Administrative Approval of Non-Standard Location Nimitz MDP1 13-1 Federal Com 173H – Purple Sage Wolfcamp Surface – 195' FSL 2444' FEL Unit O Sec 13 T24S R30E First Take Point – 100' FSL 2336' FEL Unit O Sec 13 T24S R30E Last Take Point – 100' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E Bottom Hole – 20' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E Eddy County, New Mexico

Dear Mr. Lowe:

OXY USA Inc. respectfully requests administrative approval of a non-standard location on the Nimitz MDP1 13-1 Federal Com 173H well, API Number-30-015-48589, Property Code 331061. The #173H well is proposed to be completed in the Purple Sage Wolfcamp pool, Pool Code 98220 which has special pool rules specifying the completed interval must be located 330 feet from the exterior boundary of the applicable spacing unit. The proposed completed interval is projected as follows:

Surface – 195' FSL 2444' FEL Unit O Sec 13 T24S R30E First Take Point – 100' FSL 2336' FEL Unit O Sec 13 T24S R30E Last Take Point – 100' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E Bottom Hole – 20' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E

The planned Horizontal Spacing Unit will be 959.9-acres including the West $\frac{1}{2}$ of the East $\frac{1}{2}$ and the East $\frac{1}{2}$ of the West $\frac{1}{2}$ of sections 1, 12 and 13, T24S R30E.

- The adjoining units which the unorthodox location encroaches are located to the North in T23S R30E, Section 36 Units N and O, which show XTO Energy, Inc as the interest owners.
- To the South the adjoining units which the unorthodox location encroaches are in T24S R30E, Section 24 & 25 – (West ½ Wolfcamp HSU) Units D, C, E, F, L, K, M, N. which is operated by XTO Energy, Inc. and also (East ½ Wolfcamp HSU) Units A, B, G, H, I, J, O, P which is operated by XTO Energy, Inc.

Approval of the unorthodox, completed interval will allow for efficient spacing of horizontal wells and thereby prevent waste.

To support this request, the following information has been submitted for your review:

- 1. C-102 Plat for the proposed well and additional plats with offsetting well and affected spacing units.
- 2. List of affected offset parties in each adjoining spacing unit in the same pool or formation located closer to the unorthodox well location than the minimum distance prescribed by applicable rule or order, copies of the signed certified return receipts will be furnished upon request.
- 3. Statement from Oxy Development Area Reservoir Engineer.

If you need any additional information, please call me at 713-497-2492.

Sincerely,

Leslie Reeves Regulatory Advisor Leslie_Reeves@oxy.com





5 Greenway Plaza, Suite 110 Houston, TX 77046-0521

January 17, 2023

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Re: Application for Administrative Approval of Non-Standard Location Nimitz MDP1 13-1 Federal Com 173H – Purple Sage Wolfcamp Surface – 195' FSL 2444' FEL Unit O Sec 13 T24S R30E First Take Point – 100' FSL 2336' FEL Unit O Sec 13 T24S R30E Last Take Point – 100' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E Bottom Hole – 20' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E Eddy County, New Mexico

To Whom it May Concern:

Enclosed is a copy of an application, filed with the New Mexico Oil Conservation Division by OXY USA Inc., requesting administrative approval for a non-standard location. As an affected party, notice is being provided to you pursuant to Rule 19.15.4.12(A)(2)(a), 19.15.15.9(A) and 19.15.16.15(B). The well is located as follows:

Surface – 195' FSL 2444' FEL Unit O Sec 13 T24S R30E First Take Point – 100' FSL 2336' FEL Unit O Sec 13 T24S R30E Last Take Point – 100' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E Bottom Hole – 20' FNL 2336' FEL Unit B (Lot 2) Sec 1 T24S R30E

If you object to the well's location, you must notify the Division in writing no later than 20 days from the date the application is received by the NMOCD (1220 South St. Francis Drive, Santa Fe, NM 87505; Attention: Leonard Lowe).

If you need any additional information, you can contact Matt Cole at 713-366-5928 or myself at 713-497-2492.

Thank you,

Leslie Reeves Regulatory Advisor OXY USA Inc.

1625 N. French Dr., Hobbs, NM 88240

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

Phone: (575) 393-6161 Fax: (575) 393-0720

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

District I

District II

District III

District IV


State of New Mexico	
Energy, Minerals & Natural Resources Department	-
OIL CONSERVATION DIVISION	S
1220 South St. Francis Dr.	
Santa Fe, NM 87505	

Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

AMENDED REPORT

			WEL	LL LC)CAT	ION AND	ACR	EAGE DEDIC	CATION PL	AT		
¹ API Number ² Pool Code ³ Pool Name												
30-015-48589 98220 PURPLE SAGE WOLFCAMF										MP		
⁴ Property Code ⁵ Property Name										⁶ V	Vell Number	
331061					NI	MITZ MD	P1 13	L1 FED COM	1			173H
⁷ OGRID N	No.					⁸ O _I	erator N	Name				⁹ Elevation
16696	5					OXY	USA	A INC.				3475'
						10 Sur	face L	Location				
UL or lot no.	Section	Township)	Range	Lot	Idn Feet fi	om the	North/South line	Feet from th	e Eas	t/West line	County
0	13	24S	3	30E		195	i	SOUTH	2444	EA	ST	EDDY
				пBo	ttom I	Hole Locati	on If	Different From	m Surface			
UL or lot no.	Section	Township)	Range	Lot	Idn Feet fi	om the	North/South line	Feet from th	e Eas	t/West line	County
L 2	1	24S	3	30E		20		NORTH	2336	EA	ST	EDDY
¹² Dedicated Acres	¹³ Joint of	r Infill	¹⁴ Conso	olidation	Code	¹⁵ Order No.			•			
959.90												

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99977392 Convergence Angle: 00°15'56.81002"

Intent X As Drilled		
API # 30-015-48589		
Operator Name:	Property Name:	Well Number
OXY USA INC.	NIMITZ MDP1 13 1 FEDERAL COM	173H

Kick Off Point (KOP)

UL O	Section 13	Township 24S	Range 30E	Lot	Feet 50	From N/S	Feet 2336	From E/W	County EDDY
Latitu 32.	^{de} 21076	6359			Longitude -103.83	323053	1		NAD NAD83

First Take Point (FTP)

UL O	Section 13	Township 24S	Range 30E	Lot	Feet 100	From N/S	Feet 2336	From E/W	County EDDY
Latitu 32	^{de} .2109	0103			Longitude -103.83	323046	1		NAD NAD83

Last Take Point (LTP)

UL B	Section 1	Township 24S	Range 30E	Lot	Feet 100	From N/S	Feet 2336	From E/W	County EDDY
Latitu 32.	^{de} 2539(0205			Longitud	.83319	819		NAD NAD83

Is this well the defining well for the Horizontal Spacing Unit? Y

Is this well an infill well?

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

Operator Name: Property Name: Well Numbe	API #		
	Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Received by OCD: 1/17/2023 2:52:05 PM OXY USA Inc.

Nimitz MDP1 13-1 Federal Com 173H Section 13 Township 24 South, Range 30 East, N.M.P.M. Eddy County, New Mexico

NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L 1 	NENW (C)	23S 31E NWNE (B)	NENE (A)
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	SWNW (E)	SENW (F)		SENE (H)	L2	SENW (F)	SWNE (G)	SENE (H)
NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	L 3	3 NESW (К)	Par sila Muse	NESE (1)
SWSW (M) ,3473	SESW (N)	SWSE (0)	SESE (P)	SWSW (M)	SESW (N)	SWSE (0)	SESE (P)	L4	SESW (N)	SWSE (O)	SESE (P)
19ft L4	L3	L2	L1	L 4 3450 ft	L3	L2	11	L 4 3414 jt	L3	L2	11
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	SWNW (E)	SENW (F)	SWNE (G) 01	SENE (H)	L5	SENW (F)	SWINE (G)	SENE (H)
NWSW (L)	NESW (K)	NWSE (J)	NES (I) 173H	NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	L6	NESW (K)	06 NWSE (J)	NESE (1)
SWSW (M)	SESW (N) Ce	24S 3 SWSE (O) ntinela	Mascular Mascular Max Max Max Max Max Max Max Max	SWSW (M) 3543 ft	SESW (N)	SWSE (0)	SESE (P)	L7	SESW (N)	24S 31E SWSE (O)	SESE (P)
514ft NWNW (D)	NENW (C)	NWNE (B)	NEN A) A) A) A) A) A) A) A) A) A) A) A) A) A	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L1	NENW (C)	NWNE (B) 245	NENE (A) 31E
SWNW (E) ³	SENW 501 /t (F)	SWNE (G) 0 ⁹		SWNW (E)	SENW (F)	SWNE (G) 12	,354 SENE (H)	L2	SENW (F)	SWIVE (G)	SENE (H)
NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	L 3	NESW (K) 3556 ft	NWSE (J)	NESE (1)
SWSW (M)	SESW (N) W ^R D ^{18^W}	SWSE (0)	SESE (P)	swsw (M)	SESW (N)	SWSE (0)	SESE (P)	L4	SESW (N)	SWSE (0)	SESE (P)
NWNW (D)	NENW (C)	NWNE (B) 245	NENE (A) \$ 30E	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L 1 24S 31E	NENW (C)	NWNE (B)	NENE (A)
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	SWNW (E)	SENW (F)	swne L (G) 13 Bl	(H)	Poker Laitez	SENW (F)	SWNE (G)	SENE (H)
NWSW (L)	NESW (K)	NWSE (J)	346: NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	3504 /t NESE (1)	L3		18 NWSE (J)	NESE (1)
swsw (M)	SESW (N)	SWSE (0)	SESE (P)	SWSW (M)	SESW (N)	SWSE (0)	SESE (P)	L4	SESW (N)	SWSE (0)	SESE (P)
NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L1	NENW (C)	NWNE (B)	NENE (A)
SWNW (E)	SENW (F)	SWNE (G)	SENE (H)	SWNW (E)	SENW (F)		SENE (H)	L2	SENW (F)	SWNE (G) 24S 3	SENE (H) ME
NWSW (L)	NESW (K) Twin wells	ð NWSE (J)	NESE2/r ¢17	NWSW	NESW (K) -XTO	-	NESE /2-XTO	L3	NESW 348 (K)*	19 1 jt NWSE (J)	NESE (1)
SWSW (M)	SESW (N)	SWSE (O)	SESE (P)	SWSW (M)	SESW (N)	SWSE (O)	SESE (P)	L4	SESW (N)	SWSE (0)	SESE (P)

.



Occidental Oil and Gas Corporation ATTN: Marshall McQueen 5 Greenway Plaza, Suite 110 Houston, TX 77046 713-366-5799 Marshall_McQueen@oxy.com

January 17, 2023

Mr. Leonard Lowe New Mexico Oil Conservation Division 1220 South Francis Drive Santa Fe, New Mexico 87505

RE: Application for Nonstandard Location—Engineering Justification OXY USA Inc. Nimitz MDP 13-1 Federal Com 1H, 171H, 172H, 173H, 311H & 312H T24S R30E, Section 13, 12 & 1 – Eddy County

Dear Mr. Lowe:

Oxy USA Inc. respectfully seeks approval for a non-standard location, decreasing the first and last take point for Nimitz MDP 13-1 Federal Com 1H, Nimitz MDP 13-1 Federal Com 171H, Nimitz MDP 13-1 Federal Com 172H, Nimitz MDP 13-1 Federal Com 173H, Nimitz MDP 13-1 Federal Com 311H and the Nimitz MDP 13-1 Federal Com 312H in the Wolfcamp formation of the Purple Sage Pool from 330 feet to 100 feet. It is Oxy's responsibility as a prudent operator to maximize lateral length and minimize reserves left in the ground. Decreasing the first and last take point will increase this well's effective lateral length by 460 feet and increase the estimated ultimate recovery of the well by approximately 3%. Any increase in first or last take point would result in untapped reserves left in the reservoir, and waste of a resource that would otherwise go undeveloped.

Sincerely,

All al

Marshall McQueen Development Manager

Application Non-Standard Location - Service List OXY USA Inc. Nimitz MDP1 13-1 Federal Com 173H

Online Submission

Certified Mail #7014 1820 0000 0732 6801

New Mexico Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Bureau of Land Management Carlsbad 620 E. Greene Street Carlsbad, NM 88220-6292

Offset Tracts Section 36 (T23S-R30E) - Units L, K, J, I, M, N, O, P, - No Existing WC HSU Certified Mail #7014 1820 0000 0732 6757 Offset Operator/Interest Owner XTO Energy Inc. 22777 Springwoods Village Parkway Spring, TX 77389

Existing WC Horizontal Spacing Unit Section 24 & 25 (T24S-R30E - Units C, D, E, F, K, L, M, N - W 1/2 HSU) Existing WC Horizontal Spacing Unit Section 24 & 25 (T24S-R30E - Units A, B, G, H, I, J, O, P - E 1/2 HSU) Certified Mail #7014 1820 0000 0732 6757 Operator: XTO Energy Inc. 22777 Springwoods Village Parkway Spring, TX 77389

Copies of this application were mailed to the following individuals, companies and organizations on or before January 17, 2023

Leslie Reeves, Regulatory Advisor OXY USA Inc.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	176815
	Action Type:
	[UF-NSL] Non-Standard Location (NSL)

CONDITIONS

Created By		Condition Date
llowe	NSL - 8529 is approved!	2/10/2023

Page 9 of 9

.

Action 176815