<u>District I</u> 1625 N. French Drive, Hobbs, NM 88240

<u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

APPLICATION TYPE Single Well
Establish Pre-Approved Pools
EXISTING WELLBORE X Yes \_\_\_No

Form C-107A

Revised August 1, 2011

#### APPLICATION FOR DOWNHOLE COMMINGLING

Hilcorp Energy Company Operator	382 Road 3100, Azte Addre		
<b>Lindsey</b> Lease		c 11, T30N, R09W ection-Township-Range	San Juan County
OGRID No. <u>372171</u> Property Code <u>3</u>		1 0	•
DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE
D. IN	Basin Fruitland Coal		Blanco Mesaverde
Pool Name Pool Code	71629		72319
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	~2380' – 2680'		3839' – 5042'
Method of Production (Flowing or Artificial Lift)	Artificial Lift		Artificial Lift
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	104 psi		123 psi
Oil Gravity or Gas BTU (Degree API or Gas BTU)	1131 BTU		1256 BTU
Producing, Shut-In or New Zone	New Zone		Producing
Date and Oil/Gas/Water Rates of Last Production. (Note: For new zones with no production history, applicant shall be required to attach production	Date:	Date:	Date: 5/1/2023  Rates:
estimates and supporting data.)	Rates:	Rates:	Oil: 0 bbls Gas: 771 mcf Water: 0 bbls
Fixed Allocation Percentage (Note: If allocation is based upon something other than current or past production, supporting data or explanation will be required.)	Oil Gas %	Oil Gas %	Oil Gas %
explanation will be required.)	ADDITION	AL DATA	
Are all working, royalty and overriding ro	oyalty interests identical in all com	mingled zones?	YesXNo
f not, have all working, royalty and over			Yes No
Are all produced fluids from all comming	•	ner?	Yes_X_No
Vill commingling decrease the value of p f this well is on, or communitized with, s		Commissioner of Public Lands	Yes NoX
or the United States Bureau of Land Man			Yes X No
NMOCD Reference Case No. applicable	to this well:		_
Attachments:  C-102 for each zone to be commingle Production curve for each zone for at For zones with no production history, Data to support allocation method or Notification list of working, royalty a Any additional statements, data or do	least one year. (If not available, at estimated production rates and sup formula. nd overriding royalty interests for t	tach explanation.) pporting data. uncommon interest cases.	
	PRE-APPROV	VED POOLS	
If application is to	establish Pre-Approved Pools, the	following additional information will	be required:
List of other orders approving downhole clist of all operators within the proposed I Proof that all operators within the proposed Bottomhole pressure data.	Pre-Approved Pools		
hereby certify that the information a	above is true and complete to the	e best of my knowledge and belief.	
SIGNATURE AWARE	TITLE_Ope	erations/Regulatory Technician D	ATE <u>8/9/2023</u>
TYPE OR PRINT NAME Amanda V	Valker	TELEPHONE NO. <u>346-237-</u>	<u>2177</u>

E-MAIL ADDRESS <u>mwalker@hilcorp.com</u>

RECEIVED:	REVIEWER:	TYPE:	APP NO:	
	- Geolog	ABOVE THIS TABLE FOR OCC CO OIL CONSERV ical & Engineerin rancis Drive, San	<b>/ATION DIVISION</b> g Bureau –	
		RATIVE APPLICAT		
		REQUIRE PROCESSING AT TH	e division level in sant	AFE
Applicant:				RID Number:
veli Name:			API: POO	Code:
			IIRED TO PROCESS	THE TYPE OF APPLICATION
A. Location	ICATION: Check those n – Spacing Unit – Simu NSL □ NSP(		on	]sd
[   ] Con [ [    ] Inje	one only for [1] or [11]  mmingling - Storage - N  DHC	ure Increase – Enh	anced Oil Recov	very FOR OCD ONLY
A. Offse B. Roya C. Appl D. Notifi E. Notifi F. Surfa G. For a	N REQUIRED TO: Check t operators or lease ho lty, overriding royalty of ication requires publish cation and/or concurr cation and/or concurr ce owner Il of the above, proof of otice required	olders owners, revenue o ned notice rent approval by B rent approval by B	wners LO LM	Notice Complete  Application Content Complete
administrative understand t	N: I hereby certify that a approval is accurate hat no action will be taking submitted to the D	and <b>complete</b> to aken on this applic	the best of my kr	
N	lote: Statement must be comp	leted by an individual wit	h managerial and/or su	upervisory capacity.
			Date	
Print or Type Name				
Moutler			Phone Numbe	er
Signature			e-mail Address	<u> </u>

 $\frac{District\ I}{1625\ N.\ French\ Drive,\ Hobbs,\ NM\ 88240}$ 

<u>District II</u> 811 S. First St., Artesia, NM 88210

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 District IV

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-107A Revised August 1, 2011

APPLICATION TYPE

\_Single Well \_Establish Pre-Approved Pools EXISTING WELLBORE

1220 S. St. Francis Dr., Santa Fe, NM 87505	APPLICATION FOR DO	OWNHOLE COMMINGLING	X_YesNo
Hilcorp Energy Company	382 Road 3100, Azt		
Operator	Addr	ress	
Lindsey Lease		ec 11, T30N, R09W ection-Township-Range	San Juan County
OGRID No. <u>372171</u> Property Code <u>3</u>			•
DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE
Pool Name	Basin Fruitland Coal		Blanco Mesaverde
Pool Code	71629	72319	
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	~2094' – 2608'		3839' – 5042'
Method of Production (Flowing or Artificial Lift)	Artificial Lift		Artificial Lift
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	104 psi		123 psi
Oil Gravity or Gas BTU (Degree API or Gas BTU)	1131 BTU		1256 BTU
Producing, Shut-In or New Zone	New Zone		Producing
Date and Oil/Gas/Water Rates of Last Production. (Note: For new zones with no production history, applicant shall be required to attach production	Date:	Date:	Date: 5/1/2023 Rates:
estimates and supporting data.)	Rates:	Rates:	Oil: 0 bbls Gas: 771 mcf Water: 0 bbls
Fixed Allocation Percentage (Note: If allocation is based upon something other than current or past production, supporting data or	Oil Gas %	Oil Gas %	Oil Gas %
explanation will be required.)	ADDITION	AI DATA	
Are all working, royalty and overriding ro			YesX No
If not, have all working, royalty and over	riding royalty interest owners been	notified by certified mail?	Yes No
Are all produced fluids from all comming Will commingling decrease the value of p		her?	Yes No Yes NoX
If this well is on, or communitized with, sor the United States Bureau of Land Man	state or federal lands, has either the		Yes X No
NMOCD Reference Case No. applicable	to this well:		_
Attachments: C-102 for each zone to be commingle Production curve for each zone for at For zones with no production history, Data to support allocation method or Notification list of working, royalty a Any additional statements, data or do	t least one year. (If not available, a c, estimated production rates and su- formula. and overriding royalty interests for	ttach explanation.) pporting data. uncommon interest cases.	
	PRE-APPRO		
If application is to List of other orders approving downhole		e following additional information will  Pre-Approved Pools	be required:
List of all operators within the proposed I Proof that all operators within the propose Bottomhole pressure data.	Pre-Approved Pools		
I hereby certify that the information a		ne best of my knowledge and belief	
SIGNATURE AWakke	TITLE Operat	ions/Regulatory Technician Sr. DA	ATE <u>8/9/2023</u>

TELEPHONE NO. <u>346-237-2177</u>

TYPE OR PRINT NAME Amanda Walker E-MAIL ADDRESS <u>mwalker@hilcorp.com</u>

SIGNATURE\_\_

DISTRICT I Received 1990 19 by 9/202324.313.46 AM

State of New Mexico Energy, Minerals & Natural Resources Department Form C-102

Revised February Palse 199/435

Instructions on back

State Lease — 4 Copies Fee Lease - 3 Copies

Submit to Appropriate District Office

OIL CONSERVATION DIVISION
P.O. Box 2088 Sonta Fe. NM 87504-2088

☐ AMENDED REPORT

DISTRICT IV PO Box 2088, Santa Fe, NM 87504-2088

DISTRICT II P.O. Drower DD. Artesia, N.M. 88211-0719

1000 Rio Brozos Rd., Aziec, N.M. 87410

DISTRICT III


WELL LOCATION AND ACREAGE DEDICATION PLAT

	The second secon
<sup>8</sup> Property Name LINDSEY	• Well Number 2B
<sup>a</sup> Operator Name	* Elevation
BURLINGTON RESOURCES OIL & GAS INC.	5882
_	LINDSEY Operator Name

Township Ronge UL or lot no. Section Lot Ida Feet from the North/South line Feet from the East/West line County 9-W SAN JUAN 30-N 11 1245 SOUTH 660 **EAST** P

11 Bottom Hole Location If Different From Surface North/South line UL or lot no. Section Township Ronge Feet from the feet from the East/West line County 13 Joint or Infill 12 Dedicated Acres <sup>14</sup> Consolidation Code 18 Order No. E/320

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-045-31748	71629	BASIN FRUITLAND COAL (GAS)
4. Property Code 319319	5. Property Name LINDSEY	6. Well No. 002B
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 5882

#### 10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
F	11	30N	09W		1245	S	660	E	SAN JUAN

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A 320		1	13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By:

Title: Operations Regulatory Tech Sr.

Date: 6/27/2023

#### **SURVEYOR CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Johnson

Date of Survey:

3/10/2003

Certificate Number:


14827

Page 5-0f<sub>2</sub>35 August 1, 2011

Permit 343666

The near wellbore shut-in bottom hole pressures of the above reservoirs are much lower than the calculated far-field stabilized reservoir pressured due to the low permeability of the reservoirs. Based on pressure transient analysis performed in the San Juan Basin, it would take 7-25 years for shut-in bottom hole pressures to build up to the calculated far-field reservoir pressure. Our observation is that even for areas of high static reservoir pressures, the low permeability of the reservoir rock results in rapid depletion of the near-fracture region, quickly enough that the wells are unable to produce without the aid of a plunger. Given low permeabilities and low wellbore flowing pressures in the above reservoirs, loss of reserves due to cross-flow is not an issue during producing or shut-in periods. Given low shut-in bottom hole pressures, commingling the above reservoirs in this well will not result in shut-in or flowing wellbore pressures in excess of any commingled pool's fracture parting pressure. The pressures provided in the C-107A are based on shut-in bottom hole pressures of offset standalone wells which match expected near-wellbore shut-in bottom hole pressures of this proposed commingled completion.

Note: BTU Data taken from standalone completions in the zone of interest within a 2 mile radius of the well.



#### **HEC Comments**

These zones are proposed to be commingled because the application of dual completions impedes the ability to produce the shallow zone without artificial lift and the deeper zones with reduced artificial lift efficiency. All horizons will require artificial lift due to low bottomhole pressure (BHP) and permeability.


The BHPs of all zones, producing and non-producing, were estimated based upon basinwide Moving-Domain Material Balance models that have proven to approximate the pressure in the given reservoirs well in this portion of the basin. These models were constructed incorporating reservoir dynamics and physics, historic production, and observed pressure data. Historic commingling operations have proven reservoir fluids are compatible.

Production Allocation Method - Subtraction

#### **Gas Allocation:**

Production for the downhole commingle will be allocated using the subtraction method in agreement with local agencies. The base formation is the Mesaverde and the added formation to be commingled is the Fruitland Coal. The subtraction method applies an average monthly production forecast to the base formation using historic production. All production from this well exceeding the forecast will be allocated to the new formation.

After 3 years production will stabilize. A production average will be gathered during the 4<sup>th</sup> year and will be utilized to create a fixed percentage based allocation.




#### Oil Allocation:


Oil production will be allocated based on average formation yields from offset wells and will be a fixed rate for 4 years.

After 4 years oil will be reevaluated and adjust as needed based on average formation yields and new fixed gas allocation.

Formation	Yield (bbl/MM)	Remaining Reserves (MMcf)	% Oil Allocation
MV	1.77	77	100%
FRC	0	917	0%
			100%

All documentation will be submitted to NMOCD.





#### Water Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters.
- The samples below all show fresh water with low TDS.

Well Name	API			
LINDSEY 2B	3004531748			
ENTOGET ED	0001001710			
FRC Offs	et	MV Offse	t	
API	3004526897		3004534736	
Property	HOWELL K 300		RIDDLE A 2B	
CationBarium		CationBarium	2	
CationBoron	11.2	CationBoron		
CationCalcium	1/	CationCalcium	56	
CationIcalcium		CationIcalcidin	82	
CationMagnesium		CationMagnesium	9.8	
CationManganese		CationManganese	2.35	
CationPhosphorus	0.5	CationPhosphorus	2.30	
CationPotassium		CationPotassium		
CationStrontium	7.0	CationStrontium	0	
CationSodium		CationSodium	125.5	
CationSilica	773.30	CationSilica	120.0	
CationZinc	1	CationZinc	1	
CationAluminum	1	CationAluminum	1	
CationCopper	1	CationCopper		
Cation copper	<del>                                     </del>	CationLead	<del> </del>	
CationLithium		CationLithium		
CationNickel	1	CationNickel		
CationCobalt		CationCobalt		
CationChromium		CationChromium		
CationSilicon		CationSilicon		
CationMolybdenum		CationMolybdenum		
AnionChloride	400	AnionChloride	800	
AnionCarbonate		AnionCarbonate	0	
AnionBicarbonate		AnionBicarbonate	378.2	
AnionBromide		AnionBromide		
AnionFluoride		AnionFluoride		
AnionHydroxyl	0	AnionHydroxyl		
AnionNitrate		AnionNitrate		
AnionPhosphate		AnionPhosphate	81.6	
AnionSulfate	108	AnionSulfate	130	
phField	7.21	phField	8.34	
phCalculated		phCalculated	6.35	
TempField	85	TempField		
TempLab		TempLab		
OtherFieldAlkalinity		OtherFieldAlkalinity		
OtherSpecificGravity		OtherSpecificGravity		
OtherTDS	2696.16	OtherTDS	2117	
OtherCaCO3	ļ	OtherCaCO3		
OtherConductivity		OtherConductivity		
DissolvedCO2		DissolvedCO2	320	
DissolvedO2		DissolvedO2		
DissolvedH2S		DissolvedH2S	1.5	
GasPressure		GasPressure		
GasCO2		GasCO2		
GasCO2PP		GasCO2PP		
GasH2S		GasH2S	1	
GasH2SPP		GasH2SPP	1	
PitzerCaCO3_70		PitzerCaCO3_70	1	
PitzerBaSO4_70		PitzerBaSO4_70	1	
PitzerCaSO4_70		PitzerCaSO4_70	1	
PitzerSrSO4_70		PitzerSrSO4_70		
PitzerFeCO3_70		PitzerFeCO3_70		
PitzerCaCO3_220		PitzerCaCO3_220	<b> </b>	
PitzerBaSO4_220		PitzerBaSO4_220	<b> </b>	
PitzerCaSO4_220		PitzerCaSO4_220	<b> </b>	
PitzerSrSO4_220 PitzerFeCO3_220	-0.84	PitzerSrSO4_220 PitzerFeCO3_220	<del>                                     </del>	
1 112611 6003_220		11120110003_220		1

#### Gas Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters or gas composition.
- The samples below all show offset gas analysis varibality by formation is low.

Well Name	API
LINDSEY 2B	3004531748

FRC	Offset	MV Offset		
AssetCode	3004527080		3004560190	
AssetName	HOWELL E 301		HOWELL G 2	
CO2	0.01		0.02	
N2	0	N2	0	
C1	0.89		0.84	
C2	0.05		0.07	
C3	0.03	C3	0.03	
ISOC4	0	ISOC4	0.01	
NC4	0	NC4	0.01	
ISOC5	0	ISOC5	0	
NC5	0	NC5	0	
NEOC5		NEOC5		
C6	0.01	C6		
C6_PLUS		C6_PLUS	0.01	
C7		C7		
C8		C8		
C9		C9		
C10		C10		
AR		AR		
CO		CO		
H2		H2		
02		O2		
H20		H20		
H2S	0	H2S	0	
HE		HE		
C_O_S		C_O_S		
CH3SH		CH3SH		
C2H5SH		C2H5SH		
CH2S3_2CH3S		CH2S3_2CH3S		
CH2S		CH2S		
C6HV		C6HV		
CO2GPM		CO2GPM	0	
N2GPM		N2GPM	0	
C1GPM		C1GPM	0	
C2GPM		C2GPM	1.97	
C3GPM		C3GPM	0.84	
ISOC4GPM		ISOC4GPM	0.19	
NC4GPM		NC4GPM	0.28	
ISOC5GPM		ISOC5GPM	0.13	
NC5GPM		NC5GPM	0.1	
C6_PLUSGPM		C6_PLUSGPM	0.37	





New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

Re: Application for Downhole Commingling

Well: LINDSEY #002B API: 3004531748

T30N - R09W - Section 11, Unit Letter: P

San Juan County, NM

#### Ladies and Gentlemen:

Concerning Hilcorp Energy Company's application to downhole commingle production in the subject well, this letter serves to confirm the following:

All working, royalty and overriding royalty interests are <u>identical</u> between the **Blanco Mesaverde (72319)** and **Basin Fruitland Coal (71629)** as such relates to the prescribed E/2 spacing unit as follows:

11-30N-09W Units: A B G H I J O P

Pursuant to Subsection C.(1)(c) of 19.15.12.11, if the spacing unit(s) contains state, federal or tribal lands, Hilcorp will have provided notice via mail or sundry to the State Land Office and/or BLM as of the date of this letter.

If you have any questions or concerns regarding this matter, please do not hesitate to contact me at the email or number provided below.

Regards,

Hilcorp Energy Company

Robert T. Carlson Sr. Landman (832) 839-4596

rcarlson@hilcorp.com



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Lease Number: NMSF078336C

Sundry Print Reports
07/06/2023

Well Name: LINDSEY Well Location: T30N / R9W / SEC 11 / County or Parish/State: SAN

SESE / 36.821756 / -107.743514 JUAN / NM

Well Number: 2B Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

ELL

Unit or CA Name: LINDSAY Unit or CA Number:

NMNM73236

US Well Number: 3004531748 Well Status: Producing Gas Well Operator: HILCORP ENERGY

COMPANY

#### **Notice of Intent**

**Sundry ID: 2738908** 

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 06/30/2023 Time Sundry Submitted: 08:42

Date proposed operation will begin: 09/01/2023

**Procedure Description:** Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and downhole commingle with the existing Mesaverde. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. A pre-reclamation site visit was held on 6/21/2023 with Roger Herrera/BLM. The reclamation plan is attached.

#### **Surface Disturbance**

Is any additional surface disturbance proposed?: No

#### **NOI Attachments**

#### **Procedure Description**

Lindsey\_2B\_RC\_NOI\_20230630084209.pdf

eceived by OCD: 8/9/2023 7:33:46 AM Well Location: T30N / R9W / SEC 11 / County or I

SESE / 36.821756 / -107.743514

County or Parish/State: SAN

07.743514 JUAN / NM

Well Number: 2B Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMSF078336C Unit or CA Name: LINDSAY Unit or CA Number:

NMNM73236

**US Well Number:** 3004531748 **Well Status:** Producing Gas Well **Operator:** HILCORP ENERGY

COMPANY

#### **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER Signed on: JUN 30, 2023 08:42 AM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST.

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: mwalker@hilcorp.com

#### **Field**

**Representative Name:** 

**Street Address:** 

City: State: Zip:

Phone:

Email address:

#### **BLM Point of Contact**

**BLM POC Name:** MATTHEW H KADE **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

**Disposition:** Approved **Disposition Date:** 06/30/2023

Signature: Matthew Kade



Prepared by:	Scott Anderson
Preparation Date:	June 22, 2023

WELL INFORMATION						
Well Name:	Lindsey 2B	State:	NM			
API #:	3004531748	County:	SAN JUAN			
Area:	4	Location:	1245' FSL & 660' FEL - Unit P - Section 11 - T 030N - R 009W			
Route:	0409	Latitude:	36.82168 N			
Spud Date:	10/22/2003	Longitude:	-107.74271 W			

#### PROJECT DESCRIPTION

Isolate the Mesaverde, perforate and stimulate the UPE Fruitland Coal in 1-2 stages via frac string. Commingle the Fruitland Coal production with the existing Mesa Verde production. Strip facilities if necessary; repair production eqmt as needed


CONTACTS							
Title	Name	Office Phone #	Cell Phone #				
Engineer	Scott Anderson		248-761-3965				
Area Foreman	Colter Faverino		326-9758				
Lead	Ramon Florez		599-3479				
Artificial Lift Tech	Jesse McDowell		386-8062				
Operator	Nicholas Weyrauch		427-0119				




#### JOB PROCEDURES

- ✓ NMOCD Contact OCD 24 hrs prior to MIRU. Record and document all casing pressures daily, including BH, IC (if present) and
   ✓ BLM PC. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.
- 1. MIRU service rig and associated equipment; NU and test BOP per HEC, State, and Federal guidelines.
- 2. TOOH with 2-3/8" tubing
- 3. Set a 4-1/2" bridge plug at 3,789' to isolate the Mesa Verde formation.
- 4. Load wellbore with fluid. RU wireline and run a CBL from the BP at 3,789' to surface
- 5. RU pressure test truck. Perform a Mechanical Integrity Test on the wellbore above the plug at 3,789'. Chart record the MIT test (Notify BLM and NMOCD +24hr before actual test).
- RU E-line crew. Perforate the Fruitland Coal. (Top perforation @ 2,094', Bottom perforation @ 2,608').
   NOTE: perforation interval subject to change based on the results of the CBL run above
- 7. RIH with frac string and packer, land packer ~50' above the top perf.
- 8. N/D BOP, N/U 10K frac stack and test frac stack to frac pressure. PT frac string to 8000-9000 psi, PT backside to 1500 psi
- 9. RU stimulation crew. Frac the Fruitland Coal in one or two stages.
- 10. MIRU service rig. Nipple down frac stack, nipple up BOP and test. Kill well with fluid, if necessary
- 11. POOH w/ frac string and packer.
- 12. Drill out the Base of Frac plug and Mesaverde Isolation plug. Clean out to PBTD at 5,274'
- 13. TIH and land 2-3/8" production tubing.
- 14. Flowback well thru flowback separator and sand trap. Get a commingled Fruitland Coal / Mesa Verde flow rate.









Received by OCD: 8/9/2023 7:33:46 AM

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II** 

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

Pagen 26 - 95 235 August 1, 2011

Permit 343666

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-045-31748	71629	BASIN FRUITLAND COAL (GAS)
4. Property Code 319319	5. Property Name LINDSEY	6. Well No. 002B
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 5882


#### 10. Surface Location

UL - Lot		Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County	
	Р	11	30N	09W		1245	S	660	Е		SAN JUAN

#### 11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A 320		1	13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

#### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By:

Title: Operations Regulatory Tech Sr.

Date: 6/27/2023

#### **SURVEYOR CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By:

David Johnson

Date of Survey:

3/10/2003

Certificate Number:

14827

Hilcorp Energy
Interim Reclamation Plan
Lindsey 2B
API: 30-045-31748
Unit P – Sec 11-T30N-R9W
Lat:36.82168, Long: -107.74271
Footage: 1245' FSL & 660' FEL

San Juan County, NM

#### 1. PRE-INTERIM RECLAMATION SITE INSPECTION

- 1.1) A pre-interim reclamation onsite inspection was conducted on June 21, 2023, with BLM Environmental Protection Specialist Roger Herrera and Bobby Spearman Construction Foreman for Hilcorp Energy.
- 1.2) Location surface will be brush hogged or mulched and bladed as required within original disturbance to acquire additional working surface for well recompletion activities. Drainage to be re-established on South edge of location if existing to be disturbed.

#### 2. LOCATION INTERIM RECLAMATION PROCEDURE

- 2.1) Interim reclamation work will be completed after well recompletion.
- 2.2) Location tear drop will be re-defined as applicable during interim reclamation.
- 2.3) All disturbed areas will be seeded, any disturbed areas that are compacted will be ripped before seeding.
- 2.4) All trash and debris will be removed within 50' buffer outside of the location disturbance during reclamation.

#### 3. ACCESS ROAD RECLAMATION PROCEDURE:

3.1) Lease access road to be bladed and drainage re-established pre and post recompletion activities.

#### 4. SEEDING PROCDURE

- 4.1) A Pinion/Juniper seed mix will be used for all reclaimed and disturbed areas of the location.
- 4.2) Drill seeding will be done where applicable and all other disturbed areas will be broadcast seeded and harrowed, broadcast seeding will be applied at a double the rate of seed.
- 4.3) Timing of the seeding will take place when the ground is not frozen or saturated.

#### 5. WEED MANAGEMENT

5.1) No action is required at this time for weed management, no noxious weeds were identified during the onsite.

#### State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

#### NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

#### Section 1 – Plan Description <u>Effective May 25, 2021</u>

I. Operator: Hilcorp Energy Company					0	<b>GRID:</b> 372171	Dat	e: <u>6/27/2023</u>	_
II. Type: ⊠	Original □	] Amendment	due to □	19.15.27.	9.D(6)(a) NMA	C □ 19.15.27.9.D(	(6)(b) NMA	AC □ Other.	
If Other, pleas	se describe:	:	·						
					new or recomplet entral delivery po		wells propo	osed to be dri	lled or proposed to
Well Name	API	ULS	TR F		Footages	Anticipated Oil BBL/D	Anticipa Gas MC		Anticipated roduced Water BBL/D
Lindsey 2B	30045317	748 P, 11, 30	N, 09W	1245' F	SL & 660' FEL	0.25	150	1	
V. Anticipated Schedule: Provide the following is proposed to be recompleted from a single well pad Well Name API Spud I			ad or com			. In	f wells propo nitial Flow Back Date	sed to be drilled or First Production Date	
Lindsey 2B		3004531748							
VI. Separation Equipment:   Attach a complete description of how Operator will size separation equipment to optimize gas capture.  VII. Operational Practices:   Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC.  VIII. Best Management Practices:   Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.									

#### Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

☑ Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

#### IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

#### X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. $\square$ Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system [	☐ will ☐ will not h	nave capacity to	gather 1	100% of the	anticipated	natural gas
production volume from the well	prior to the date of first	production.					

<b>XIII. Line Pressure.</b> Operator $\square$ does $\square$ does not anticipate that its existing well(s) connected to the same segment, or portion	on, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new	well(s).

	Attach (	Operator	's nlan to	manage	production	in response	to the	increased	line	precent
ш	Attach	Oberator	- S Dian to	ппапаче	Droduction	in response	io me	mcreased	me	Dressure

XIV. Confidentiality: $\Box$ Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided	d in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific informa	ıtion
for which confidentiality is asserted and the basis for such assertion.	

(i)

## Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan. 

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

#### **Section 4 - Notices**

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Allasker
Printed Name: Amanda Walker
Title: Operations Regulatory Tech Sr.
E-mail Address: mwalker@hilcorp.com
Date: 6/27/2023
Phone: 346.237.2177
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

#### VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

#### VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
  - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
  - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
  - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
  - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
  - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
  - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
  - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
  - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
  - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
  - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

#### VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

From: McClure, Dean, EMNRD on behalf of Engineer, OCD, EMNRD

To: <u>Mandi Walker</u>; <u>Cheryl Weston</u>

Cc: McClure, Dean, EMNRD; Rikala, Ward, EMNRD; Wrinkle, Justin, EMNRD; Powell, Brandon, EMNRD; Paradis, Kyle

<u>O</u>

Subject: Approved Administrative Order DHC-5317

Date: Friday, August 25, 2023 4:58:48 PM

Attachments: DHC5317 Order.pdf

NMOCD has issued Administrative Order DHC-5317 which authorizes Hilcorp Energy Company (372171) to downhole commingle production within the following well:

Well Name: Lindsey #2B Well API: 30-045-31748

The administrative order is attached to this email and can also be found online at OCD Imaging.

Please review the content of the order to ensure you are familiar with the authorities granted and any conditions of approval. If you have any questions regarding this matter, please contact me.

Dean McClure
Petroleum Engineer, Oil Conservation Division
New Mexico Energy, Minerals and Natural Resources Department
(505) 469-8211

From: Mandi Walker

 To:
 McClure, Dean, EMNRD; Cheryl Weston

 Subject:
 RE: [EXTERNAL] Action ID: 249917; DHC-5317

 Date:
 Tuesday, August 22, 2023 5:59:51 AM

Good morning Dean,

Please see the attached from our Engineer.

Shut in pressures were calculated for operated offset standalone wells in each of the zones being commingled in the well in question via the following process:

- 1. Wells were shut in for 24 hours
- 2. Echometer was used to obtain a fluid level
- 3. Shut in BHP was calculated for the proposed commingled completion

#### <u>List of wells used to calculate BHPs for the Project:</u>

3004533551	Quigley 100	FRC
3004521727	Pierce A 1A	MV

I believe each of the reservoirs to be continuous and in a similar state of depletion at this well and at each of the wells from which the pressures are being derived.

**Lea Peters** | Reservoir Engineer, SJN | Hilcorp Energy

#### Mandi Walker

SJN/SJS (6,7) Regulatory Technician Sr.

Office: 346.237.2177 mwalker@hilcorp.com

From: McClure, Dean, EMNRD < Dean. McClure@emnrd.nm.gov>

**Sent:** Monday, August 21, 2023 5:17 PM

To: Mandi Walker < mwalker@hilcorp.com>; Cheryl Weston < cweston@hilcorp.com>

Subject: [EXTERNAL] Action ID: 249917; DHC-5317

**CAUTION:** External sender. DO NOT open links or attachments from UNKNOWN senders.

To whom it may concern (c/o Amanda Walker for Hilcorp Energy Company),

The Division is reviewing the following application:

Action ID	249917
Admin No.	DHC-5317

Applicant	Hilcorp Energy Company (372171)
Title	Lindsey #2B
Sub. Date	8/9/2023

Please provide the following additional supplemental documents:

•

Please provide additional information regarding the following:

• Please provide additional information regarding from where the BHPs were derived. (With the exception of FLC/PC commingles and FLC commingles approved under a reference order, the Division will require this information for all FLC commingles)

#### Additional notes:

•

All additional supplemental documents and information may be provided via email and should be done by replying to this email. The produced email chain will be uploaded to the file for this application.

Please note that failure to take steps to address each of the requests made in this email within 10 business days of receipt of this email may result in the Division rejecting the application requiring the submittal of a new application by the applicant once it is prepared to address each of the topics raised.

Dean McClure
Petroleum Engineer, Oil Conservation Division
New Mexico Energy, Minerals and Natural Resources Department
(505) 469-8211

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

# STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

### APPLICATION FOR DOWNHOLE COMMINGLING SUBMITTED BY HILCORP ENERGY COMPANY

ORDER NO. DHC-5317

#### **ORDER**

The Director of the New Mexico Oil Conservation Division ("OCD"), having considered the application and the recommendation of the Engineering Bureau, issues the following Order.

#### **FINDINGS OF FACT**

- 1. Hilcorp Energy Company ("Applicant") submitted a complete application ("Application") to downhole commingle the pools described in Exhibit A ("the Pools") within the well bore of the well identified in Exhibit A ("the Well").
- 2. Applicant proposed a method to allocate the oil and gas production from the Well to each of the Pools that is satisfactory to the OCD and protective of correlative rights.
- 3. Applicant has certified that the proposed commingling of the Pools shall not result in shutin or flowing well bore pressure in excess of the commingled pool's fracture parting pressure.
- 4. Applicant has certified that all produced fluids from all the Pools are compatible with each other.
- 5. Applicant has certified that downhole commingling the Pools will not decrease the value of the oil and gas production.
- 6. To the extent that ownership is identical, Applicant submitted a certification by a licensed attorney or qualified petroleum landman that ownership in the Pools is identical as defined by 19.15.12.7(B) NMAC.
- 7. Applicant provided notice of the Application to the Bureau of Land Management ("BLM") or New Mexico State Land Office ("NMSLO"), as applicable.

#### **CONCLUSIONS OF LAW**

- 8. OCD has jurisdiction to issue this Order pursuant to the Oil and Gas Act, NMSA 1978, Sections 70-2-6, 70-2-11, 70-2-12, 70-2-16, 70-2-17, and 19.15.12 NMAC.
- 9. The downhole commingling of the Pools is common, or Applicant has provided evidence that the fluids are compatible and will not damage the Pools in accordance with 19.15.12.11(A)(1) NMAC.
- 10. The bottom perforation of the lower zone is within one hundred fifty percent (150%) of the depth of the top perforation in the upper zone or Applicant has provided evidence that the proposed commingling of the Pools shall not result in shut-in or flowing well bore pressure

Order No. DHC-5317 Page 1 of 3

in excess of the commingled pool's fracture parting pressure in accordance with 19.15.12.11(A)(3) NMAC.

- 11. Applicant's proposed method of allocation, as modified herein, complies with 19.15.12.11(A)(8) NMAC.
- 12. By granting the Application with the conditions specified below, this Order prevents waste and protects correlative rights, public health, and the environment.

#### **ORDER**

- 1. Applicant is authorized to downhole commingle the Pools described in Exhibit A within the well bore of the well identified in Exhibit A.
- 2. Applicant shall allocate a fixed percentage of the oil production from the Well to each of the Pools until a different plan to allocate oil production is approved by OCD. Of the oil production from the Well:
  - a. zero percent (0%) shall be allocated to the BASIN FRUITLAND COAL (GAS) pool (pool ID: 71629); and
  - b. one hundred percent (100%) shall be allocated to the BLANCO-MESAVERDE (PRORATED GAS) pool (pool ID: 72319).

Applicant shall allocate gas production to the new pool(s) equal to the total gas production from the Well minus the projected gas production from the current pool(s) until a different plan to allocate gas production is approved by OCD. The new pool(s) are:

- a. the BASIN FRUITLAND COAL (GAS) pool (pool ID: 71629). The current pool(s) are:
  - a. the BLANCO-MESAVERDE (PRORATED GAS) pool (pool ID: 72319).

Applicant shall calculate the oil and gas production average during the fourth year after the commencement of commingling, which shall be used to establish a fixed percentage of the total oil and gas production that shall be allocated to each of the Pools ("fixed percentage allocation plan"). No later than ninety (90) days after the fourth year, Applicant shall submit a Form C-103 to the OCD Engineering Bureau that includes the fixed percentage allocation plan and all data used to determine it. If Applicant fails to do so, this Order shall terminate on the following day. If OCD denies the fixed percentage allocation plan, this Order shall terminate on the date of such action. If OCD approves the percentage allocation plan with or without modifications, then the approved percentage allocation plan shall be used to determine oil and gas allocation starting on the date of such action until the Well is plugged and abandoned.

3. If an alteration is made to the Well or a condition within the Well changes which may cause the allocation of production to the Pools as approved within this Order to become inaccurate, then no later than sixty (60) days after that event, Applicant shall submit Form C-103 to the OCD Engineering Bureau describing the event and include a revised allocation plan. If OCD denies the revised allocation plan, this Order shall terminate on the date of such action.

Order No. DHC-5317 Page 2 of 3

- 4. If any of the pools being commingled is prorated, or the Well's production has been restricted by an OCD order in any manner, the allocated production from each producing pool in the commingled well bore shall not exceed the top oil or gas allowable rate for a well in that pool or rate restriction applicable to the well.
- 5. If the Well is deepened, then no later than forty-five (45) days after the Well is deepened, Applicant shall conduct and provide logs to OCD that are sufficient for OCD to determine which pool(s) each new completed interval of the Well will produce from.
- 6. If the downhole commingling of the Pools reduces the value of the oil and gas production to less than if it had remained segregated, no later than sixty (60) days after the decrease in value has occurred Applicant shall submit a new downhole commingling application to OCD to amend this Order to remove the pool that caused the decrease in value. If Applicant fails to submit a new application, this Order shall terminate on the following day, and if OCD denies the application, this Order shall terminate on the date of such action.
- 7. If a completed interval of the Well is altered from what is submitted within the Application as identified in Exhibit A, then no later than sixty (60) days after the alteration, Applicant shall submit Form C-103 to the OCD Engineering Bureau detailing the alteration and completed interval.
- 8. If OCD determines that Applicant has failed to comply with any provision of this Order, OCD may take any action authorized by the Oil and Gas Act or the New Mexico Administrative Code (NMAC).
- 9. OCD retains jurisdiction of this matter and reserves the right to modify or revoke this Order as it deems necessary.

**DATE:** 8/25/23

STATE OF NEW MEXICO **OIL CONSERVATION DIVISION** 

**DIRECTOR** 

Order No. DHC-5317 Page 3 of 3

**Bottom: 2,680** 

## State of New Mexico Energy, Minerals and Natural Resources Department

#### **Exhibit A**

Order: DHC-5317

**Operator: Hilcorp Energy Company (372171)** 

Well Name: Lindsey #2B Well API: 30-045-31748

Pool Name: BASIN FRUITLAND COAL (GAS)

Upper Zone Pool ID: 71629 Current: New: X
Allocation: Oil: 0% Gas:

Interval: Perforations Top: 2,380

**Pool Name:** 

Intermediate Zone Pool ID: Current: New: Allocation: Oil: Gas:

Interval: Top: Bottom:

Bottom of Interval within 150% of Upper Zone's Top of Interval:

Pool Name: BLANCO-MESAVERDE (PRORATED GAS)

Lower Zone Pool ID: 72319 Current: X New:
Allocation: Oil: 100% Gas:

Interval: Perforations Top: 3,839 Bottom: 5,042

Bottom of Interval within 150% of Upper Zone's Top of Interval: NO

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 249917

#### **CONDITIONS**

Operator:	OGRID:		
HILCORP ENERGY COMPANY	372171		
1111 Travis Street	Action Number:		
Houston, TX 77002	249917		
	Action Type:		
	[C-107] Down Hole Commingle (C-107A)		

#### CONDITIONS

Created By		Condition Date
dmcclure	Please review the content of the order to ensure you are familiar with the authorities granted and any conditions of approval. If you have any questions regarding this matter, please contact me.	8/25/2023