Notice Complete

DHC - 5472 ID NO. 417923

2) **NOTIFICATION REQUIRED TO:** Check those which apply.

A. Offset operators or lease holders

12 1101 117720	DIIC		
01/07/25	REVIEWER:	TYPE:	APP NO: pLEL2506660377

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

ADMINISTRATIVE APPLICATION CHECKLIST

- Geological & Engineering Bureau -1220 South St. Francis Drive, Santa Fe, NM 87505



cant:	Hilcorn Energy Company	OCDID Number	37 2
	REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL	IN SANTA FE	
	THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXC	EPTIONS TO DIVISION RULES A	AND

Applicant: Hilcorp Energy Company	OGRID Number: 372171
Well Name: Pierce 1A	API: 30-045-21662
Pool: Basin Fruitland Coal	Pool Code: 71629
SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED INDICATED BELOW 1) TYPE OF APPLICATION: Check those which apply for [A] A. Location – Spacing Unit – Simultaneous Dedication NSL NSP(PROJECT AREA) NSP(PROJECT AREA)	
B. Check one only for [1] or [1] [1] Commingling – Storage – Measurement DHC CTB PC OLS [11] Injection – Disposal – Pressure Increase – Enhanc WFX PMX SWD IPI EOR	□OLM :ed Oil Recovery

В. 🗌	Royalty, overriding royalty owners, revenue owners	Application
C.	Application requires published notice	Application Content
D. 🗌	Notification and/or concurrent approval by SLO	Complete
E. 🔳	Notification and/or concurrent approval by BLM	Complete
F. 🔲	Surface owner	
G.	For all of the above, proof of notification or publication is attached	d, and/or,
H. 🔳	No notice required	

3) **CERTIFICATION**: I hereby certify that the information submitted with this application for administrative approval is accurate and complete to the best of my knowledge. I also understand that no action will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

	1/7/2025
Amanda Walker	Date
Print or Type Name	346-237-2177
	Phone Number
Allather	mwalker@hilcorp.com
Signature	e-mail Address

 $\frac{District\ I}{1625\ N.\ French}\ Drive, Hobbs, NM\ 88240$

<u>District II</u> 811 S. First St., Artesia, NM 88210

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

APPLICATION FOR DOWNHOLE COMMINGLING

Form C-107A Revised August 1, 2011

APPLICATION TYPE

___Single Well

_Establish Pre-Approved Pools EXISTING WELLBORE

_X_Yes ____No

Hilcorp Energy Company	,	382 Road 3100, Aztec, NM 87410		
Operator		Address		
_Pierce	1A	A, Sec 17, T30N, R09W	San Juan	
Lease	Well No.	Unit Letter-Section-Township-Range	County	
OGRID No. 372171	Property Code 3186858	API No. 30-045-21662 Lease Type:	X Federal State Fee	

DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE
Pool Name	Basin Fruitland Coal (Gas)		Blanco Mesaverde (Prorated Gas)
Pool Code	71629		72319
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	Est 2680' – 3045'		4679' – 5644'
Method of Production (Flowing or Artificial Lift)	Artificial Lift		Artificial Lift
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	36 psi		113 psi
Oil Gravity or Gas BTU (Degree API or Gas BTU)	1159 BTU		1264 BTU
Producing, Shut-In or New Zone	New Zone		Producing
Date and Oil/Gas/Water Rates of Last Production. (Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.)	Date: Rates: Oil: Gas: Water:	Date: Rates: Oil: Gas: Water:	Date: 10/1/2024 Rates: Oil: 0 bbl Gas: 1322 mcf Water: 0 bbl
Fixed Allocation Percentage (Note: If allocation is based upon something other than current or past production, supporting data or explanation will be required.)	Oil Gas %	Oil Gas %	Oil Gas %

ADDITIONAL DATA

Are all working, royalty and overriding royalty interests identical in all commingled zones?	Yes_X	No
If not, have all working, royalty and overriding royalty interest owners been notified by certified mail?	Yes	No_N/A
Are all produced fluids from all commingled zones compatible with each other?	YesX	No
Will commingling decrease the value of production?	Yes	NoX
If this well is on, or communitized with, state or federal lands, has either the Commissioner of Public Lands or the United States Bureau of Land Management been notified in writing of this application?	YesX_	No
NMOCD Reference Case No. applicable to this well:		
Attachments: C-102 for each zone to be commingled showing its spacing unit and acreage dedication. Production curve for each zone for at least one year. (If not available, attach explanation.) For zones with no production history, estimated production rates and supporting data. Data to support allocation method or formula. Notification list of working, royalty and overriding royalty interests for uncommon interest cases. Any additional statements, data or documents required to support commingling.		

PRE-APPROVED POOLS

If application is to establish Pre-Approved Pools, the following additional information will be required:

List of other orders approving downhole commingling within the proposed Pre-Approved Pools

List of all operators within the proposed Pre-Approved Pools

Proof that all operators within the proposed Pre-Approved Pools were provided notice of this application.

Bottomhole pressure data.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE A Water

TITLE Operations/Regulatory Technician Sr. DATE 1/7/2025

TYPE OR PRINT NAME Amanda Walker TELEPHONE NO. (346)237-2177

E-MAIL ADDRESS <u>mwalker@hilcorp.com</u>

		All distances must be fro	om the outer houndaries of	the Section.	
Operator EL PASO	NATURAL GA		PIERCE	(SF-078129)	Well No.
Unit Letter A	Section 17	30 NORTH	9 WEST	SAN JUAN	
Actual Footage Local		IORTH line and	1040 fee	t from the EAST	Hoe
Ground Level Elev. 6310.0	Producing For	SA VERDE	BLANCO		20.00 Arres
' 1. Outline th	e acreage dedica	ted to the subject we	ll by colored pencil o	r hachure marks on the pla	it below.
interest an	nd royalty). an one lease of d	ifferent ownership is d	edicated to the well,	ntify the ownership thereo	
		nitization, force-poolin			
Yes				and the second	
this form i No allowat	f necessary.) ble will be assign ling, or otherwise)	ed to the well until all or until a non-standard	interests have been c	consolidated (by communich interests, has been appr	tization, unitization,
			·	CEI	RTIFICATION
XX XX XX XX			.0411 (D) 104	tained herein is best of my know	that the information construe and complete to the wledge and belief.
X	+ ! !		SF-078129	Drilling Position	Engineer Natural Gas Co.
o′	i) . 	January Date	9. 1975
Š		Sec. 17	; ~~~~~~		
				shown on this protes of actual under my super	
	! !		. 1	Date Sungayori JAMES P	• 2)
			 	Hemateri Finding of the Property of the Proper	8. Leose
0 330 660	90 1320 1650 191	30 2310 2640 2000	1 1	Certificate (io.)	

The near wellbore shut-in bottom hole pressures of the above reservoirs are much lower than the calculated far-field stabilized reservoir pressured due to the low permeability of the reservoirs. Based on pressure transient analysis performed in the San Juan Basin, it would take 7-25 years for shut-in bottom hole pressures to build up to the calculated far-field reservoir pressure. Our observation is that even for areas of high static reservoir pressures, the low permeability of the reservoir rock results in rapid depletion of the near-fracture region, quickly enough that the wells are unable to produce without the aid of a plunger. Given low permeabilities and low wellbore flowing pressures in the above reservoirs, loss of reserves due to cross-flow is not an issue during producing or shut-in periods. Given low shut-in bottom hole pressures, commingling the above reservoirs in this well will not result in shut-in or flowing wellbore pressures in excess of any commingled pool's fracture parting pressure. The pressures provided in the C-107A are based on shut-in bottom hole pressures of offset standalone wells which match expected near-wellbore shut-in bottom hole pressures of this proposed commingled completion.


Shut in pressures were calculated for operated offset standalone wells in each of the zones being commingled in the well in question via the following process:

Wells were shut in for 24 hours
 Echometer was used to obtain a fluid level
 Shut in BHP was calculated for the proposed commingled completion

List of wells used to calculate BHPs for the Project:			
3004531798	RIDDLE 250S	FRC	
3004509501	PIERCE 1	MV	

I believe each of the reservoirs to be continuous and in a similar state of depletion at this well and at each of the wells from which the pressures are being derived.

Note: BTU Data taken from standalone completions in the zone of interest within a 2 mile radius of the well. A farther radius is used if there is not enough data for a proper statistical analysis.



HEC Comments

These zones are proposed to be commingled because the application of dual completions impedes the ability to produce the shallow zone without artificial lift and the deeper zones with reduced artificial lift efficiency. All horizons will require artificial lift due to low bottomhole pressure (BHP) and permeability.


The BHPs of all zones, producing and non-producing, were estimated based upon basinwide Moving-Domain Material Balance models that have proven to approximate the pressure in the given reservoirs well in this portion of the basin. These models were constructed incorporating reservoir dynamics and physics, historic production, and observed pressure data. Historic commingling operations have proven reservoir fluids are compatible.

Production Allocation Method - Subtraction

Gas Allocation:

Production for the downhole commingle will be allocated using the subtraction method in agreement with local agencies. The base formation is the Mesaverde and the added formation to be commingled is the Fruitland Coal. The subtraction method applies an average monthly production forecast to the base formation using historic production. All production from this well exceeding the forecast will be allocated to the new formation.

After 3 years production will stabilize. A production average will be gathered during the 4th year and will be utilized to create a fixed percentage based allocation.




Oil Allocation:


Oil production will be allocated based on average formation yields from offset wells and will be a fixed rate for 4 years.

After 4 years oil will be reevaluated and adjust as needed based on average formation yields and new fixed gas allocation.

Formation	Yield (bbl/MM)	Remaining Reserves (MMcf)	% Oil Allocation
MV	2.51	332	40%
FRC	1.15	1086	60%
			100%

All documentation will be submitted to NMOCD.





Water Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters.
- The samples below all show fresh water with low TDS.

Well Name	PIERCE 1A
API	3004521662

FRC Offset	(1.75 miles)	MV Offset (1.00) miles)	
API	3004527006	API 30045097		
Property	TURNER FEDERAL 210	Property	PIERCE 2	
CationBarium	0	CationBarium	(
CationBoron		CationBoron		
CationCalcium	9	CationCalcium	36.18	
CationIron	0.14	CationIron	50.9	
CationMagnesium	18.5	CationMagnesium	7.08	
CationManganese	0.15	CationManganese	7.08	
CationPhosphorus		CationPhosphorus		
CationPotassium		CationPotassium		
CationStrontium	2.24	CationStrontium		
CationSodium	5406.89	CationSodium	168.82	
CationSilica		CationSilica		
CationZinc		CationZinc		
CationAluminum		CationAluminum		
CationCopper		CationCopper		
CationLead		CationLead		
CationLithium		CationLithium		
CationNickel		CationNickel		
CationCobalt		CationCobalt	1	
CationChromium		CationChromium		
CationSilicon		CationSilicon		
CationMolybdenum		CationMolybdenum		
AnionChloride	6507 15	AnionChloride	98.11	
AnionCarbonate		AnionCarbonate	70.11	
AnionBicarbonate		AnionBicarbonate	329.94	
AnionBromide	077.04	AnionBromide	327.74	
AnionFluoride		AnionFluoride		
AnionHydroxyl		AnionHydroxyl		
AnionNitrate		AnionNitrate		
AnionPhosphate		AnionPhosphate		
AnionSulfate	1100	AnionSulfate	100	
phField	1100	phField	7.39	
phCalculated	7.24	phCalculated	7.35	
	7.34	<u> </u>		
TempField TempLab		TempField TempLab		
OtherFieldAlkalinity	1.01	OtherFieldAlkalinity		
OtherSpecificGravity		OtherSpecificGravity	0.41.00	
OtherTDS		OtherTDS	841.82	
OtherCaCO3	98.35	OtherCaCO3		
OtherConductivity	270	OtherConductivity	F.C	
DissolvedCO2	3/0	DissolvedCO2	50	
DissolvedO2		DissolvedO2	<u> </u>	
DissolvedH2S	0	DissolvedH2S	C	
GasPressure		GasPressure	_	
GasCO2		GasCO2	5	
GasCO2PP		GasCO2PP		
GasH2S		GasH2S	C	
GasH2SPP		GasH2SPP		
PitzerCaCO3_70		PitzerCaCO3_70		
PitzerBaSO4_70		PitzerBaSO4_70		
PitzerCaSO4_70		PitzerCaSO4_70		
PitzerSrSO4_70		PitzerSrSO4_70		
PitzerFeCO3_70		PitzerFeCO3_70		
PitzerCaCO3_220		PitzerCaCO3_220		
PitzerBaSO4_220		PitzerBaSO4_220		
PitzerCaSO4_220		PitzerCaSO4_220		
PitzerSrSO4_220		PitzerSrSO4_220		
PitzerFeCO3_220		PitzerFeCO3_220		
			-	

Gas Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters or gas composition.
- The samples below all show offset gas analysis varibality by formation is low.

Well Name	PIERCE 1A
API	3004521662

FRC Of	fset (1.75 miles)	MV Offset (1.00 miles)			
AssetCode	3004527006	AssetCode	3004509742		
AssetName	TURNER FEDERAL 210	AssetName	PIERCE 2		
CO2	0.01	CO2	0.02		
N2	0	N2	0		
C1	0.84	C1	0.8		
C2	0.08	C2	0.09		
C3	0.04	C3	0.04		
ISOC4	0.01	ISOC4	0.01		
NC4	0.01	NC4	0.01		
ISOC5	0	ISOC5	0.01		
NC5	0	NC5	0.01		
NEOC5		NEOC5			
C6		C6			
C6_PLUS	0.01	C6_PLUS	0.01		
C7		C7			
C8		C8			
C9		C9			
C10		C10			
AR		AR			
CO		CO			
H2		H2			
02		02			
H20		H20			
H2S	0	H2S	0		
HE		HE			
C_O_S		C_O_S			
CH3SH		CH3SH			
C2H5SH		C2H5SH			
CH2S3_2CH3S		CH2S3_2CH3S			
CH2S		CH2S			
C6HV		C6HV			
CO2GPM	0	CO2GPM	0		
N2GPM		N2GPM	0		
C1GPM	0	C1GPM	0		
C2GPM		C2GPM	2.33		
C3GPM		C3GPM	1.19		
ISOC4GPM		ISOC4GPM	0.27		
NC4GPM		NC4GPM	0.47		
ISOC5GPM	0.12	ISOC5GPM	0.23		
NC5GPM	0.08	NC5GPM	0.2		
C6_PLUSGPM	0.24	C6_PLUSGPM	0.59		



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Lease Number: NMSF078129

Sundry Print Reports
11/13/2024

Well Name: PIERCE Well Location: T30N / R9W / SEC 17 / Co

NENE / 36.815521 / -107.797745

County or Parish/State: SAN

JUAN / NM

Well Number: 1A Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

VV CI

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004521662 Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2821785

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 11/11/2024 Time Sundry Submitted: 09:52

Date proposed operation will begin: 03/01/2025

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and downhole commingle with the existing Mesaverde. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Pierce_1A__RC_NOI_20241111093802.pdf

Page 1 of 2

eceived by OCD: 1/7/2025 12:15:35 PM Well Name: PIERCE

Well Location: T30N / R9W / SEC 17 /

NENE / 36.815521 / -107.797745

County or Parish/State: Page 12 of

JUAN / NM

Well Number: 1A

Type of Well: CONVENTIONAL GAS

WELL

Lease Number: NMSF078129 Unit or CA Name:

Allottee or Tribe Name:

Unit or CA Number:

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA WALKER Signed on: NOV 11, 2024 09:52 AM

Name: HILCORP ENERGY COMPANY

Title: Operations/Regulatory Technician

Street Address: 1111 TRAVIS ST

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

Field

Representative Name:

Street Address:

Citv:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MATTHEW H KADE **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Approved **Disposition Date:** 11/12/2024

Signature: Matthew Kade

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BURI	EAU OF LAND MANAGEMENT	5. Lease Serial No.		
Do not use this t	IOTICES AND REPORTS ON \ form for proposals to drill or t Use Form 3160-3 (APD) for su	6. If Indian, Allottee or Tribe ?	Name	
SUBMIT IN T	TRIPLICATE - Other instructions on pa	7. If Unit of CA/Agreement, N	Jame and/or No.	
1. Type of Well Gas W	Vell Other	8. Well Name and No.		
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No	. (include area code)	10. Field and Pool or Explorat	ory Area
4. Location of Well (Footage, Sec., T.,R	R.,M., or Survey Description)		11. Country or Parish, State	
12. CHE	CK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE (OF NOTICE, REPORT OR OTH	HER DATA
TYPE OF SUBMISSION		TYPI	E OF ACTION	
Notice of Intent	Acidize Dee	-	Production (Start/Resume)	Water Shut-Off
		Iraulic Fracturing	Reclamation	Well Integrity
Subsequent Report		v Construction	Recomplete	Other
		g and Abandon	Temporarily Abandon	
Final Abandonment Notice	Convert to Injection Plus	g Back	Water Disposal	
completed. Final Abandonment Notice is ready for final inspection.)	ons. If the operation results in a multiple co tices must be filed only after all requiremen			
4. I hereby certify that the foregoing is	true and correct. Name (Printed/Typed)			
	Title			
Signature				
	THE SPACE FOR FED	ERAL OR STA	TE OFICE USE	
Approved by				
		Title	1	Date
	hed. Approval of this notice does not warra equitable title to those rights in the subject liduct operations thereon.			
Fitle 18 U.S.C Section 1001 and Title 4.	3 U.S.C Section 1212, make it a crime for a	ny person knowingly	and willfully to make to any de	epartment or agency of the United States

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ NENE \ / \ 800 \ FSL \ / \ 1670 \ FEL \ / \ TWSP: \ 30N \ / \ RANGE: \ 9W \ / \ SECTION: \ 17 \ / \ LAT: \ 36.815521 \ / \ LONG: \ -107.797745 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $BHL: \ NENE \ / \ 800 \ FSL \ / \ 1670 \ FEL \ / \ TWSP: \ 30N \ / \ SECTION: \ / \ LAT: \ 36.815521 \ / \ LONG: \ 107.797745 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$



Prepared by:	Scott Anderson
Preparation Date:	October 31, 2024

	WELL INFORMATION						
Well Name:	PIERCE 1A	State:	NM				
API#:	3004521662	County:	SAN JUAN				
Area:	04	Location:	1140' FNL & 1040' FEL - Unit A - Section 17 - T 030N - R 009W				
Route:	0410	Latitude:	36.81552 N				
Spud Date:	3/16/1975	Longitude:	-107.79774 W				

PROJECT DESCRIPTION

Isolate the Mesaverde, perforate and stimulate the UPE Fruitland Coal in 1-2 stages. Commingle the Fruitland Coal production with the existing Mesa Verde production. Strip facilities if necessary; repair production eqmt as needed, upgrade automation

CONTACTS						
Title	Name	Office Phone #	Cell Phone #			
Engineer	Scott Anderson		248-761-3965			
Area Foreman	Colter Faverino		326-9758			
Lead	Calen Wilkins		947-4844			
Artificial Lift Tech	Rivver Higgins		419-6075			
Rover	Dustin Titus		860-5059			
Compression Lead	Jon Sandoval		787-7688			
Operator	Bryan Roberds		716-8733			




JOB PROCEDURES NMOCD Contact OCD 24 hrs prior to MIRU. Record and document all casing pressures <u>daily</u>, including BH, IC (if present) and BLM PC. Comply with all NMOCD, BLM, and HEC safety and environmental regulations.


- 1. MIRU service rig and associated equipment.
- 2. Nipple down wellhead, nipple up and test BOPs per HEC, State, and Federal guidelines.
- 3. TOOH with 2-3/8" tubing
- 4. Set a 4-1/2" bridge plug at 4,629' to isolate the Mesaverde formation.
- 5. RU pressure test truck. Perform a Mechanical Integrity Test on the wellbore above the plug at 4,629'. Chart record the MIT test (notify BLM and NMOCD +24hr before actual test).
- 6. **RU wireline. Run a CBL f/ 4,629' to surface.** Pump a circulating squeeze behind pipe, if necessary, to achieve 150' of cement coverage above the uppermost perforation.
- 7. RU E-line crew. Perforate the Fruitland Coal. (Top perforation @ 2,687', Bottom perforation @ 3,045').

 NOTE: perforation interval subject to change. All changes will be communicated to the Regulatory Agencies prior to perforating.
- 8. Run frac string and packer, hydrotest the frac string to 8,000 psi and set the packer 50' above the proposed top perf
- 9. ND wellhead, NU frac stack. PT frac stack to 8,000 psi
- 10. RU stimulation crew. Frac the Fruitland Coal in one or more stages via a frac string.
- 11. MIRU service rig. Nipple down frac stack, nipple up BOP and test. Kill well with fluid, if necessary
- 12. POOH w/ frac string and packer.
- 13. Pending C107A approval, drill out the stage, Mesaverde, and Dakota isolation plugs. Clean out to PBTD at 5,660'
- 14. TIH and land 2-3/8" production tubing. Run pump and rods, install pumping unit.
- 15. Flowback well thru flowback separator and sand trap. Get a commingled Fruitland Coal / Mesa Verde flow rate.









Phone: (505) 629-6116

State of New Mexico Energy, Minerals & Natural Resources Department

Revised July 9, 2024 Submit Electronically

					OIL CONS	SERVATION DIVI	ISION			via OCD Permitting
	hone Directo	ry Visit: m.gov/ocd/cont	act-11s/						☐ Initial Sub	
1ttp3.// w	ww.cmmu.m	111.50 v/ oca/ cond	uct us/				Submittal	☐ Amended	Report	
								Type:	☐ As Drilled	•
					*********				□ 713 Dillicu	
					WELL LOCA	TION INFORMATION				
API Nu			Pool Code			Pool Name				
30-045 Propert			71629 Property N	ame		Basin Fruitland Coal			Well Numb	er
_	Property Code Property Name Well Number 318658 Pierce 1A					CI				
	GRID No. Operator Name Ground Level Elevati					el Elevation				
372171	372171 Hilcorp Energy Company 6310'									
Surface	e Owner: 🗆 S	State ☐ Fee ☐	Tribal ⊠ Fe	deral		Mineral Owner: □	State Fee	☐ Tribal 🛭	☐ Federal	
					Sur	face Location				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
A	17	30N	09W	Lot	1140' N	1040' E	36.81557		-107.7982788	San Juan
					Botton	n Hole Location				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
				T		I		1		
220.00		Definin 300452	g Well API	Overlapping Spacing Unit (Y/N) No		Consolidation Code N/A				
		_ Infi	ll	300432						
Order l	Numbers.					Well setbacks are un	nder Common	Ownership:	⊠Yes □No	
					Kick (Off Point (KOP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
	1				First T	ake Point (FTP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
	1	1		I	Last T	ake Point (LTP)		I		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude		Longitude	County
		1	1	1	'	•	,	•		
Unitize	ed Area or Ar	ea of Uniform I	nterest	Spacing	g Unit Type Hor	orizontal ⊠ Vertical Gro		ound Floor Elevation:		
OPER A	ATOR CERT	IFICATIONS				SURVEYOR CERTIF	ICATIONS			
I hereby	certify that the	e information con	tained herein is	true and co	mplete to the best of	I hereby certify that the	well location sh	own on this r	lat was plotted fro	om field notes of actual
		ief, and, if the wel ns a working inte				surveys made by me or un				
		ns a working intel l bottom hole loca				my belief.				
					or unleased mineral ng order heretofore					
	by the division		т от и сотр	sory poott	oraci neretojore					
If this w	ell is a horizon	tal well, I further	certify that this	organizatio	n has received the					
consent	of at least one	lessee or owner o	f a working inte	rest or unled	ased mineral interest he well's completed					
interval	vill 60 located	l or obtained a co	mpulsory poolii	ng order from	n the division.					
de	Cather		11/8/2024	L		James P. Leese				

1463

Certificate Number

Signature and Seal of Professional Surveyor

12/18/1974

Date of Survey

Date

Signature

Amanda Walker


mwalker@hilcorp.com

Printed Name

Email Address

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company				GRID: <u>3</u>	72171 I	Date: 11/6/2024	<u>1</u>
II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.							
If Other, please describe:							
		g information for each pad or connected to a c			set of wells pro	oposed to be dril	led or proposed to
Well Name	API	ULSTR	Foot	ages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
Pierce 1A	30-045-21662	A-17-30N-09W	1140' FNL 1	040' FEL	0	200	1
		e the following informa a single well pad or con Spud Date		ral delivery Com		Initial Flow Back Date	First Production Date
Pierce 1A	30-045-216	<u>62</u>					
	_						
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.							

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
	-		Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system	☐ will ☐ will not have	e capacity to gather	100% of the a	nticipated nati	ural gas
production volume from the well	prior to the date of first	production.				

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or port	ion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the ne	w well(s).

Attach (Operator'	e nlan t	o manage	production	in reconnec	to the i	nerpseed	line pressure
 Attach v	Oberator	s bian i	o manage	production	in response	e to the t	ncreased	ime bressure

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information
for which confidentiality is asserted and the basis for such assertion.

(i)

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: (a) power generation on lease; **(b)** power generation for grid; (c) compression on lease; (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery; fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Washer
Printed Name: Amanda Walker
Title: Operations Regulatory Tech Sr.
E-mail Address: mwalker@hilcorp.com
Date: 11/6/2024
Phone: 346-237-2177
OIL CONSERVATION DIVISION (Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.



November 18, 2024

New Mexico Oil Conservation Division 1220 South St. Francis Drive Santa Fe, NM 87505

Re: Application for Downhole Commingling

Well: PIERCE #001A API: 3004521662

T30N - R9W - Section 17, Unit Letter: A

San Juan County, NM

Ladies and Gentlemen:

Concerning Hilcorp Energy Company's application to downhole commingle production in the subject well, this letter serves to confirm the following:

• All working, royalty and overriding royalty interests are <u>identical</u> between the **Blanco Mesaverde** (72319) and **Basin Fruitland Coal** (71629) as such relates to the prescribed spacing unit(s) being the N/320 and N/320, respectively.

Pursuant to Subsection C.(1)(c) of 19.15.12.11, if the spacing unit(s) contains state, federal or tribal lands, Hilcorp will have provided notice via mail or sundry to the State Land Office and/or BLM as of the date of this letter.

If you have any questions or concerns regarding this matter, please do not hesitate to contact me at the email or number provided below.

Regards,

Hilcorp Energy Company

Robert T. Carlson

Sr. Landman (832) 839-4596

rcarlson@hilcorp.com

1111 Travis Street Houston, TX 77002 Phone: (713) 209-2400 Fax: (713) 209-2420

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION FOR DOWNHOLE COMMINGLING SUBMITTED BY HILCORP ENERGY COMPANY

ORDER NO. DHC-5472

ORDER

The Director of the New Mexico Oil Conservation Division ("OCD"), having considered the application and the recommendation of the Engineering Bureau, issues the following Order.

FINDINGS OF FACT

- 1. Hilcorp Energy Company ("Applicant") submitted a complete application ("Application") to downhole commingle the pools described in Exhibit A ("the Pools") within the well bore of the well identified in Exhibit A ("the Well").
- 2. Applicant proposed a method to allocate the oil and gas production from the Well to each of the Pools that is satisfactory to the OCD and protective of correlative rights.
- 3. Applicant has certified that all produced fluids from all the Pools are compatible with each other.
- 4. Applicant has certified that downhole commingling the Pools will not decrease the value of the oil and gas production.
- 5. To the extent that ownership is identical, Applicant submitted a certification by a licensed attorney or qualified petroleum landman that ownership in the Pools is identical as defined by 19.15.12.7(B) NMAC.
- 6. Applicant provided notice of the Application to the Bureau of Land Management ("BLM") or New Mexico State Land Office ("NMSLO"), as applicable.

CONCLUSIONS OF LAW

- 7. OCD has jurisdiction to issue this Order pursuant to the Oil and Gas Act, NMSA 1978, Sections 70-2-6, 70-2-11, 70-2-12, 70-2-16, 70-2-17, and 19.15.12 NMAC.
- 8. The downhole commingling of the Pools is common, or Applicant has provided evidence that the fluids are compatible and will not damage the Pools in accordance with 19.15.12.11(A)(1) NMAC.
- 9. The bottom perforation of the lower zone is within one hundred fifty percent (150%) of the depth of the top perforation in the upper zone or Applicant has provided evidence that the proposed commingling of the Pools shall not result in shut-in or flowing well bore pressure in excess of the commingled pool's fracture parting pressure in accordance with 19.15.12.11(A)(3) NMAC.

Order No. DHC-5472 Page 1 of 3

- 10. Applicant's proposed method of allocation, as modified herein, complies with 19.15.12.11(A)(8) NMAC.
- 11. By granting the Application with the conditions specified below, this Order prevents waste and protects correlative rights, public health, and the environment.

ORDER

- 1. Applicant is authorized to downhole commingle the Pools described in Exhibit A within the well bore of the well identified in Exhibit A.
- 2. Applicant shall allocate a fixed percentage of the oil production from the Well to each of the Pools until a different plan to allocate oil production is approved by OCD. Of the oil production from the Well:
 - a. sixty percent (60.0%) shall be allocated to the Basin Fruitland Coal pool (pool ID: 71629); and
 - b. forty percent (40.0%) shall be allocated to the Blanco Mesaverde pool (pool ID: 72319).

Applicant shall allocate gas production to the new pool(s) equal to the total gas production from the Well minus the projected gas production from the current pool(s) until a different plan to allocate gas production is approved by OCD. The new pool(s) are:

a. the Basin Fruitland Coal pool (pool ID: 71629)

The current pool(s) are:

a. the Blanco Mesaverde pool (pool ID: 72319)

Applicant shall calculate the oil and gas production average during the fourth year after the commencement of commingling, which shall be used to establish a fixed percentage of the total oil and gas production that shall be allocated to each of the Pools ("fixed percentage allocation plan"). No later than ninety (90) days after the fourth year, Applicant shall submit a Form C-103 to the OCD Engineering Bureau that includes the fixed percentage allocation plan and all data used to determine it. If Applicant fails to do so, this Order shall terminate on the following day. If OCD denies the fixed percentage allocation plan, this Order shall terminate on the date of such action. If OCD approves the percentage allocation plan with or without modifications, then the approved percentage allocation plan shall be used to determine oil and gas allocation starting on the date of such action until the Well is plugged and abandoned.

3. If an alteration is made to the Well or a condition within the Well changes which may cause the allocation of production to the Pools as approved within this Order to become inaccurate, then no later than sixty (60) days after that event, Applicant shall submit Form C-103 to the OCD Engineering Bureau describing the event and include a revised allocation plan. If OCD denies the revised allocation plan, this Order shall terminate on the date of such action.

Order No. DHC-5472 Page 2 of 3

- 4. If any of the pools being commingled is prorated, or the Well's production has been restricted by an OCD order in any manner, the allocated production from each producing pool in the commingled well bore shall not exceed the top oil or gas allowable rate for a well in that pool or rate restriction applicable to the well.
- 5. If the Well is deepened, then no later than forty-five (45) days after the Well is deepened, Applicant shall conduct and provide logs to OCD that are sufficient for OCD to determine which pool(s) each new completed interval of the Well will produce from.
- 6. If the downhole commingling of the Pools reduces the value of the oil and gas production to less than if it had remained segregated, no later than sixty (60) days after the decrease in value has occurred Applicant shall submit a new downhole commingling application to OCD to amend this Order to remove the pool that caused the decrease in value. If Applicant fails to submit a new application, this Order shall terminate on the following day, and if OCD denies the application, this Order shall terminate on the date of such action.
- 7. If a completed interval of the Well is altered from what is submitted within the Application as identified in Exhibit A, then no later than sixty (60) days after the alteration, Applicant shall submit Form C-103 to the OCD Engineering Bureau detailing the alteration and completed interval.
- 8. If OCD determines that Applicant has failed to comply with any provision of this Order, OCD may take any action authorized by the Oil and Gas Act or the New Mexico Administrative Code (NMAC).
- 9. OCD retains jurisdiction of this matter and reserves the right to modify or revoke this Order as it deems necessary.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

GERASIMOS RAZATOS DIRECTOR (ACTING)

DATE: 3/19/2025

Order No. DHC-5472 Page 3 of 3

State of New Mexico Energy, Minerals and Natural Resources Department

Exhibit A

Order: DHC - 5472

Operator: Hilcorp Operating Company

Well Name: Pierce Well No. 1A

Well API: 30-045-21662

Pool Name: Basin Fruitland Coal

Upper Zone Pool ID: 71629 Current: New: X
Allocation: Subtraction Oil: 60.0% Gas: SUBT

Top: 2,680 Bottom: 3,045

Pool Name:

Intermediate Zone Pool ID: Current: New:

Allocation: Oil: Gas: Top: Bottom:

Bottom of Interval within 150% of Upper Zone's Top of Interval:

Pool Name: Blanco-Mesaverde

Lower Zone Pool ID: 72319 Current: X New:

Allocation: Subtraction Oil: 40.0% Gas: SUBT

Top: 4,679 Bottom: 5,644

Bottom of Interval within 150% of Upper Zone's Top of Interval: NO

Top of Queen Formation:

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 417923

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	417923
	Action Type:
	[C-107] Down Hole Commingle (C-107A)

CONDITIONS

Creat By		Condition Date
llow	e None	3/7/2025