STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION FOR DOWNHOLE COMMINGLING SUBMITTED BY HILCORP ENERGY COMPANY

ORDER NO. DHC-5487

ORDER

The Director of the New Mexico Oil Conservation Division ("OCD"), having considered the application and the recommendation of the Engineering Bureau, issues the following Order.

FINDINGS OF FACT

- 1. Hilcorp Energy Company submitted a complete application ("Application") to downhole commingle the pools described in Exhibit A ("the Pools") within the well bore of the well identified in Exhibit A ("the Well").
- 2. Applicant proposed a method to allocate the oil and gas production from the Well to each of the Pools that is satisfactory to the OCD and protective of correlative rights.
- 3. Applicant has certified that all produced fluids from all the Pools are compatible with each other.
- 4. Applicant has certified that downhole commingling the Pools will not decrease the value of the oil and gas production.
- 5. An exception to the notification requirements within 19.15.12.11(C)(1)(b) NMAC was granted by the Division within Order R 11187.
- 6. Applicant provided notice of the Application to the Bureau of Land Management ("BLM") or New Mexico State Land Office ("NMSLO"), as applicable.

CONCLUSIONS OF LAW

- 7. OCD has jurisdiction to issue this Order pursuant to the Oil and Gas Act, NMSA 1978, Sections 70-2-6, 70-2-11, 70-2-12, 70-2-16, 70-2-17, and 19.15.12 NMAC.
- 8. The downhole commingling of the Pools is common, or Applicant has provided evidence that the fluids are compatible and will not damage the Pools in accordance with 19.15.12.11(A)(1) NMAC.
- 9. The bottom perforation of the lower zone is within one hundred fifty percent (150%) of the depth of the top perforation in the upper zone or Applicant has provided evidence that the proposed commingling of the Pools shall not result in shut-in or flowing well bore pressure in excess of the commingled pool's fracture parting pressure in accordance with 19.15.12.11(A)(3) NMAC.

Order No. DHC-5487 Page 1 of 3

- 10. Applicant's proposed method of allocation, as modified herein, complies with 19.15.12.11(A)(8) NMAC.
- 11. By granting the Application with the conditions specified below, this Order prevents waste and protects correlative rights, public health, and the environment.

ORDER

- 1. Applicant is authorized to downhole commingle the Pools described in Exhibit A within the well bore of the well identified in Exhibit A.
- 2. Applicant shall allocate a fixed percentage of the oil production from the Well to each of the Pools until a different plan to allocate oil production is approved by OCD. Of the oil production from the Well:
 - a. thirty eight percent (38%) shall be allocated to the Basin Fruitland pool (pool ID: 71629);
 - b. fourteen percent (14%) shall be allocated to the Blanco P.C. south pool (pool ID: 72439); and
 - c. forty eight percent (48%) shall be allocated to the Blanco Mesaverde pool (pool ID: 72319).

Applicant shall allocate gas production to the new pool(s) equal to the total gas production from the Well minus the projected gas production from the current pool(s) until a different plan to allocate gas production is approved by OCD. The new pool(s) are:

- a. the Basin Fruitland Coal pool (pool ID: 71629); and
- b. the Blanco P.C. South pool (pool ID: 72439).

The current pool(s) are:

a. the Blanco Mesaverde pool (pool ID: 72319)

Until a different plan to allocate gas production is approved by OCD, of the gas production allocated to the new pools:

- a. sixty nine percent (69%) shall be allocated to the Basin Fruitland Coal pool (pool ID: 71629); and
- b. thirty one percent (31%) shall be allocated to the Blanco P.C. South pool (pool ID: 72439).

Applicant shall calculate the oil and gas production average during the fourth year after the commencement of commingling, which shall be used to establish a fixed percentage of the total oil and gas production that shall be allocated to each of the Pools ("fixed percentage allocation plan"). No later than ninety (90) days after the fourth year, Applicant shall submit a Form C-103 to the OCD Engineering Bureau that includes the fixed percentage allocation plan and all data used to determine it. If Applicant fails to do so, this Order shall terminate on the following day. If OCD denies the fixed percentage allocation plan, this Order shall terminate on the date of such action. If OCD approves the percentage allocation plan with or without modifications, then the approved percentage allocation plan shall be used to

Order No. DHC-5487 Page 2 of 3

- determine oil and gas allocation starting on the date of such action until the Well is plugged and abandoned.
- 3. If an alteration is made to the Well or a condition within the Well changes which may cause the allocation of production to the Pools as approved within this Order to become inaccurate, then no later than sixty (60) days after that event, Applicant shall submit Form C-103 to the OCD Engineering Bureau describing the event and include a revised allocation plan. If OCD denies the revised allocation plan, this Order shall terminate on the date of such action.
- 4. If any of the pools being commingled is prorated, or the Well's production has been restricted by an OCD order in any manner, the allocated production from each producing pool in the commingled well bore shall not exceed the top oil or gas allowable rate for a well in that pool or rate restriction applicable to the well.
- 5. If the Well is deepened, then no later than forty-five (45) days after the Well is deepened, Applicant shall conduct and provide logs to OCD that are sufficient for OCD to determine which pool(s) each new completed interval of the Well will produce from.
- 6. If the downhole commingling of the Pools reduces the value of the oil and gas production to less than if it had remained segregated, no later than sixty (60) days after the decrease in value has occurred Applicant shall submit a new downhole commingling application to OCD to amend this Order to remove the pool that caused the decrease in value. If Applicant fails to submit a new application, this Order shall terminate on the following day, and if OCD denies the application, this Order shall terminate on the date of such action.
- 7. If a completed interval of the Well is altered from what is submitted within the Application as identified in Exhibit A, then no later than sixty (60) days after the alteration, Applicant shall submit Form C-103 to the OCD Engineering Bureau detailing the alteration and completed interval.
- 8. If OCD determines that Applicant has failed to comply with any provision of this Order, OCD may take any action authorized by the Oil and Gas Act or the New Mexico Administrative Code (NMAC).
- 9. OCD retains jurisdiction of this matter and reserves the right to modify or revoke this Order as it deems necessary.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

GERASIMOS RAZATOS DIRECTOR (ACTING)

Order No. DHC-5487 Page 3 of 3

DATE: 4/23/2025

State of New Mexico Energy, Minerals and Natural Resources Department

Exhibit A	۱
------------------	---

Order: DHC - 5487

Operator: Hilcorp Energy Company

Well Name: San Juan 29 6 Unit Well No. 63A

Well API: 30-039-21089

Pool Name: BASIN FRUITLAND COAL

Upper Zone Pool ID: 71629 Current: New: X
Allocation: Fixed Percent Oil: 38.0% Gas: 69.0%

Top: 2,972 Bottom: 3,222

Pool Name: BLANCO P. C. SOUTH

Intermediate Zone Pool ID: 72439 Current: New: X

Allocation: Fixed Percent Oil: 14.0% Gas: 31.0% Top: 3,222 Bottom: 3,375

Bottom of Interval within 150% of Upper Zone's Top of Interval: YES

Pool Name: BLANCO-MESAVERDE

Lower Zone Pool ID: 72319 Current: X New:

Allocation: Subtraction Oil: 48.0% Gas: Subt Top: 4,050 Bottom: 5,604

Bottom of Interval within 150% of Upper Zone's Top of Interval: NO

Top of Queen Formation:

D NO. 369425	DHC - :	5487
2 1 (0. 50) 125	DIIC ,	JTU I

	211	C 101	
08/01/24	REVIEWER:	TYPE:	APP NO:

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION

- Geological & Engineering Bureau – 1220 South St. Francis Drive, Santa Fe, NM 87505



1220 South St. Francis Drive, Sar	nta Fe, NM 87505
ADMINISTRATIVE APPLICA	TION CHECKLIST
THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPL REGULATIONS WHICH REQUIRE PROCESSING AT 1	
	272171
Applicant: Hilcorp Energy Company Well Name: San Juan 29-6 Unit 63A	OGRID Number: 372171 API: 30-039-21089
Pool: Basin Fruitland Coal / Blanco S. Pictured Cliffs / Mesaverde	Pool Code: 71629, 72439, 72319
Dustin Franciana Cour / Branco S. Fredered Chiris / Mesaverde	POOI Code. <u>/1023, 72133, 72313</u>
SUBMIT ACCURATE AND COMPLETE INFORMATION REQ INDICATED BE	
1) TYPE OF APPLICATION: Check those which apply for A. Location – Spacing Unit – Simultaneous Dedicat NSL NSP(PROJECT AREA)	
[II] Injection - Disposal - Pressure Increase - En	OLS OLM hanced Oil Recovery EOR PPR
2) NOTIFICATION REQUIRED TO: Check those which app A. Offset operators or lease holders B. Royalty, overriding royalty owners, revenue of the control of t	FOR OCD ONLY Notice Complete Application Content Complete BLM
3) CERTIFICATION: I hereby certify that the information sadministrative approval is accurate and complete to understand that no action will be taken on this applications are submitted to the Division.	the best of my knowledge. I also
Note: Statement must be completed by an individual w	vith managerial and/or supervisory capacity.
	0/1/0004
Chamber Waster	8/1/2024 Date
Cherylene Weston	
Print or Type Name	713-289-2614 Phone Number
Cherylene Weston	0.1.11
Signature	cweston@hilcorp.com e-mail Address
orginatore	C ITIGII / IGGI C33

<u>District I</u> 1625 N. French Drive, Hobbs, NM 88240

District II 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

District IV

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-107A Revised August 1, 2011

APPLICATION TYPE

_Single Well _Establish Pre-Approved Pools EXISTING WELLBORE

1220 S. St. Francis Dr., Santa Fe, NM 87505	APPLICATION FOR D	OOWNHOLE COMMINGLING	_X_YesNo					
Hilcorp Energy Company Operator		ad 3100, Aztec, NM 87410						
SAN JUAN 29-6 UNIT Lease								
OGRID No. 372171 Property Co	de_318838 API No30-0.	39-21089 Lease Type: X	FederalStateFee					
DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE					
Pool Name	Fruitland Coal	Blanco S. Pictured Cliffs	Blanco Mesaverde					
Pool Code	71629	72439	72319					
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	2972' - 3222'	3222' - 3375'	4050' - 5604'					
Method of Production (Flowing or Artificial Lift)	Artificial Lift	Artificial Lift	Artificial Lift					
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	446 psi	192 psi	290 psi					
Oil Gravity or Gas BTU (Degree API or Gas BTU)	878 BTU	1164 BTU	1217 BTU					
Producing, Shut-In or New Zone	NEW ZONE	NEW ZONE	Producing					
Date and Oil/Gas/Water Rates of Last Production. (Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.)	Date: Rates:	Date: Rates:	Date: 5/1/2024 Rates: Oil - 0 bbl Gas - 1,334 mcf Water - 0 bbl					
Fixed Allocation Percentage (Note: If allocation is based upon something other	Oil Gas	Oil Gas	Oil Gas					
than current or past production, supporting data or explanation will be required.)	% %	% %	% %					
	ADDITION	NAL DATA						
Are all working, royalty and overriding If not, have all working, royalty and over			Yes No_ X Yes No_ X					
Are all produced fluids from all commit	•	other?	Yes_X No					
Will commingling decrease the value of		C CD III I	Yes NoX					
If this well is on, or communitized with or the United States Bureau of Land Ma			Yes No					
NMOCD Reference Case No. applicable	e to this well: Per Order R-11187 SLO/BLM, where a		notice to owners (excluding					
Attachments: C-102 for each zone to be comming Production curve for each zone for For zones with no production histor Data to support allocation method of Notification list of working, royalty Any additional statements, data or or	elled showing its spacing unit and act at least one year. (If not available, ry, estimated production rates and sor formula.	reage dedication. attach explanation.) upporting data. r uncommon interest cases.						
	PRE-APPRO	OVED POOLS						
If application is	to establish Pre-Approved Pools, th	ne following additional information wil	ll be required:					
List of other orders approving downhol List of all operators within the proposed Proof that all operators within the proposed Bottomhole pressure data.	d Pre-Approved Pools							
I hereby certify that the information	above is true and complete to t	he best of my knowledge and belie	rf.					
SIGNATURE Cherylene W	<u>/eston</u>	perations/Regulatory Tech-Sr.	DATE8/1/2024					
TYPE OR PRINT NAME Chery	lene Weston	TELEPHONE NO. (7	713) 289-2615					

cweston@hilcorp.com

E-MAIL ADDRESS____

Form C-102 August 1, 2011

Permit 369135

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-21089	71629	BASIN FRUITLAND COAL (GAS)
4. Property Code	5. Property Name	6. Well No.
318838	SAN JUAN 29 6 UNIT	063A
7. OGRID No.	8. Operator Name	9. Elevation
372171	HILCORP ENERGY COMPANY	6384

10, Surface Location

UL -	- Lot	Section		Township		Range	Lot ldr	1	Feet From	N/S Line		Feet From	E/W Line	County	
	I]	30	2	29N	06	Ν		1080		S	1030	E		RIO
														ARRIBA	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston

Title: Operations/Regulatory Tech-Sr.

Date: 6/28/2024

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred B. Kerr, Jr.

Date of Survey: 4/17/1975

Certificate Number: 3950

Form C-102 August 1, 2011

Permit 369135

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-21089	72439	BLANCO P. C. SOUTH (PRORATED GAS)
4. Property Code 318838	5. Property Name SAN JUAN 29 6 UNIT	6. Well No. 063A
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6384

10, Surface Location

UL	- Lot	Т	Section	П	Township		Range	Lot Idn	Feet From	N/S Line		Feet From	E/W Line	County	
		Р		30	2	9N	06W	1	1080		S	1030	E	RI	0
														ARRIBA	

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated A			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston
Title: Operations/Regulatory Tech-Sr.

Date: 6/28/2024

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred B. Kerr, Jr.
Date of Survey: 4/17/1975
Certificate Number: 3950

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Supersed . C-128 Effectiv : ..

All distances must be from the outer boundaries of the Section. Well No. Operator Lease Northwest Pipeline Corporation San Juan 29-6 Unit 63A Township Range County Unit Letter Section P 30 29N Өл Rio Arriba Actual Footage Location of Well: 1.030 South East feet from the line and feet from the line Ground Level Cler. Preducing Formation Dedicated Acres; : 320 Blanco Mesa Verde 6384 Mesa Verde 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to well beg interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been cases 41dated by communitization, unitization, force-pooling. etc? X No If answer is "yes," type of consolidation. Yes If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) SE/4, SE/4, Sec 30, T29N, R6W. No allowable will be assigned to the well until all interests have been consolidated (by communitization, unividended). forced-pooling, or otherwise) or until a non-standard unit, climinating such interests, has been approved by the Countilsion. **CERTIFICATION** I hereby certify that the information tained herein is true and comple best of my knowledge and belief #63).B. Whitenburg Position Sr. Prod. forthwe ipeline Cor lay 5 30 USA shown on this ph 078 426 notes of actual surveys made under my supervision, and that is true and correct to the best knowledge and belief. 1050 Date Surveyed Pearl Prehn Certificate No. Released to Imaging: 4/24/2025 1:34:22 PM

2050

The near wellbore shut-in bottom hole pressures of the above reservoirs are much lower than the calculated far-field stabilized reservoir pressured due to the low permeability of the reservoirs. Based on pressure transient analysis performed in the San Juan Basin, it would take 7-25 years for shut-in bottom hole pressures to build up to the calculated far-field reservoir pressure. Our observation is that even for areas of high static reservoir pressures, the low permeability of the reservoir rock results in rapid depletion of the near-fracture region, quickly enough that the wells are unable to produce without the aid of a plunger. Given low permeabilities and low wellbore flowing pressures in the above reservoirs, loss of reserves due to cross-flow is not an issue during producing or shut-in periods. Given low shut-in bottom hole pressures, commingling the above reservoirs in this well will not result in shut-in or flowing wellbore pressures in excess of any commingled pool's fracture parting pressure. The pressures provided in the C-107A are based on shut-in bottom hole pressures of offset standalone wells which match expected near-wellbore shut-in bottom hole pressures of this proposed commingled completion.

Note: BTU Data taken from standalone completions in the zone of interest within a 2 mile radius of the well.

A farther radius is used if there is not enough data for a proper statistical analysis.

San Juan 29-6 Unit 63A Production Allocation

These zones are proposed to be commingled because the application of dual completions impedes the ability to produce the shallow zone without artificial lift and the deeper zones with reduced artificial lift efficiency. All horizons will require artificial lift due to low bottomhole pressure (BHP) and permeability.

The BHPs of all zones, producing and non-producing, were estimated based upon basin wide Moving-Domain Material Balance models that have proven to approximate the pressure in the given reservoirs well in this portion of the basin, in conjunction with shut-in pressure build-ups. These models were constructed incorporating reservoir dynamics and physics, historic production, and observed pressure data. Historic commingling operations have proven reservoir fluids are compatible.

Production Allocation Method – Subtraction


Gas Allocation:


Production for the downhole commingle will be allocated using the subtraction method in agreement with local agencies. The base formation is the Mesaverde and the added formations to be commingled are the Fruitland Coal/Pictured Cliffs. The subtraction method applies an average monthly production forecast to the base formation using historic production. All production from this well exceeding the base formation forecast will be allocated to the new formations.

New zones will be allocated using a fixed allocation. Forecasted rates for FRC/PC are based on offsets type curve. The maps show the standalone offsets that were used for type-curves. The split between FRC/PC is based on the ratio of forecasted reserves as shown in the table below.

Formation	Remaining Reserves (MMcf)	% Gas Allocation
FRC	321	69%
PC	436	31%

After 3 years production will stabilize. A production average will be gathered during the 4th year and will be utilized to create a fixed percentage-based allocation.










Oil Allocation:

Oil production will be allocated based on average formation yields from offset wells and will be a fixed rate for 4 years. After 4 years oil will be reevaluated and adjusted as needed based on average formation yields and new fixed gas allocation.

Formation	Yield (bbl/MM)	Remaining Reserves (MMcf)	% Oil Allocation
MV	3.13	311	48%
FRC	0.94	820	38%
PC	0.77	364	14%







Supplemental Information:

Shut in pressures were calculated for operated offset standalone wells in each of the zones being commingled in the well in question via the following process:

- 1) Wells were shut in for 24 hours
- 2) Echometer was used to obtain a fluid level
- 3) Shut in BHP was calculated for the proposed commingled completion

List of wells used to calculate BHPs for the Project:

3003926081	SAN JUAN 29-7 Unit 44B	MV
3003925498	SAN JUAN 29-7 UNIT 300	FC
3003927484	SAN JUAN 29-7 UNIT 185	PC

I believe each of the reservoirs to be continuous and in a similar state of depletion at this well and at each of the wells from which the pressures are being derived.

Water Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Mancos, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters.
- The samples below all show fresh water with low TDS.
- Data taken from standalone completions in the zone of interest within a 2-mile radius of the well. A farther radius is used if there is not enough data for a proper statistical analysis.

Well Name	API	I				
SAN JUAN 29-6 UN 063A			. (2 !!)	1	. (0 5 11)	
	t (0.3 mile)		set (3 miles)	MV Offset (0.5 miles)		
API	3003924581	API	3003925897	API	3003907517	
Property		Property	SAN JUAN 29-7 UNIT 166	Property	SAN JUAN 29-6 UNIT 70	
CationBarium		CationBarium		CationBarium		
CationBoron		CationBoron		CationBoron		
CationCalcium		CationCalcium		CationCalcium	:	
CationIron		CationIron		CationIron	1810	
CationMagnesium		CationMagnesium		CationMagnesium	13.0	
CationManganese		CationManganese		CationManganese	23.	
CationPhosphorus		CationPhosphorus		CationPhosphorus	(
CationPotassium		CationPotassium		CationPotassium	(
CationStrontium	-	CationStrontium	-	CationStrontium	(
CationSodium		CationSodium		CationSodium	277	
CationSilica	0	CationSilica		CationSilica		
CationZinc		CationZinc	0	CationZinc	(
CationAluminum	0	CationAluminum	0	CationAluminum	(
CationCopper	0	CationCopper	0	CationCopper		
CationLead		CationLead		CationLead		
CationLithium	0	CationLithium	0	CationLithium		
CationNickel	0	CationNickel	0	CationNickel		
CationCobalt	0	CationCobalt	0	CationCobalt	(
CationChromium	0	CationChromium	0	CationChromium	(
CationSilicon	0	CationSilicon	0	CationSilicon	(
CationMolybdenum	0	CationMolybdenum	0	CationMolybdenum	(
AnionChloride		AnionChloride		AnionChloride	2280	
AnionCarbonate	0	AnionCarbonate	0	AnionCarbonate	100	
AnionBicarbonate		AnionBicarbonate		AnionBicarbonate	2120	
AnionBromide		AnionBromide		AnionBromide	(
AnionFluoride		AnionFluoride		AnionFluoride	(
AnionHydroxyl	0	AnionHydroxyl	0	AnionHydroxyl	(
AnionNitrate		AnionNitrate		AnionNitrate	(
AnionPhosphate		AnionPhosphate		AnionPhosphate		
AnionSulfate		AnionSulfate		AnionSulfate	808	
phField		phField		phField		
phCalculated		phCalculated		phCalculated		
TempField		TempField		TempField		
TempLab		TempLab		TempLab		
OtherFieldAlkalinity		OtherFieldAlkalinity		OtherFieldAlkalinity	(
OtherSpecificGravity		OtherSpecificGravity		OtherSpecificGravity	(
OtherTDS		OtherTDS		OtherTDS	772	
OtherCaCO3		OtherCaCO3		OtherCaCO3	772	
OtherConductivity		OtherConductivity		OtherConductivity		
DissolvedCO2		DissolvedCO2		DissolvedCO2		
DissolvedO2		DissolvedO2		DissolvedO2		
DissolvedH2S		DissolvedH2S		DissolvedH2S		
GasPressure		GasPressure		GasPressure		
GasCO2		GasCO2		GasCO2		
GasCO2PP		GasCO2 GasCO2PP		GasCO2 GasCO2PP		
GasH2S		GasH2S		GasH2S	'	
GasH2SPP	_	GasH2SPP		GasH2SPP	'	
PitzerCaCO3_70		PitzerCaCO3_70		PitzerCaCO3_70	<u>'</u>	
PitzerGaCO3_70 PitzerBaSO4 70		PitzerCaCO3_70 PitzerBaSO4 70		PitzerBaSO4 70		
		PitzerCaSO4_70		PitzerCaSO4_70		
PitzerCaSO4_70		PitzerCaSO4_70		PitzerCaSO4_70 PitzerSrSO4 70		
PitzerSrSO4_70		PitzerSrSO4_70 PitzerFeCO3 70				
PitzerFeCO3_70				PitzerFeCO3_70		
PitzerCaCO3_220	-	PitzerCaCO3_220	-	PitzerCaCO3_220		
PitzerBaSO4_220		PitzerBaSO4_220		PitzerBaSO4_220		
PitzerCaSO4_220		PitzerCaSO4_220		PitzerCaSO4_220		
PitzerSrSO4_220		PitzerSrSO4_220		PitzerSrSO4_220		
PitzerFeCO3_220	0	PitzerFeCO3_220	0	PitzerFeCO3_220		

Gas Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters or gas composition.
- The samples below all show offset gas analysis varibality by formation is low.

Well Name	API				
SAN JUAN 29-6 UN 063A	3003921089				
FRC Offset	(3.3 miles)	PC	PC Offset (3 miles)		Offset (2.1 miles)
AssetCode	3003925201	AssetCode	3003921401	AssetCode	3003926186
AssetName	SAN JUAN 29-6 UNIT 249	AssetName		AssetName	SAN JUAN 29-6 UNIT 47B
CO2	0.01	CO2	0.01		0.01
N2		N2		N2	0
C1	0.87	C1	0.87	C1	0.8
C2	0.06		0.07		0.1
C3	0.03		0.03		0.05
ISOC4	0.01	ISOC4	0.01	ISOC4	0.01
NC4	0.01		0.01		0.01
ISOC5		ISOC5		ISOC5	0
NC5		NC5		NC5	0
NEOC5		NEOC5		NEOC5	0
C6		C6		C6	0.01
C6_PLUS		C6_PLUS		C6_PLUS	0
C7		C7		C7	0
C8		C8		C8	0
C9	0	C9		C9	0
C10		C10	0	C10	0
AR		AR		AR	0
CO		CO		CO	0
H2		H2		H2	0
02	0	02		02	0
H20		H20		H20	0
H2S		H2S		H2S	0
HE		HE	0	HE	0
C_O_S		C_O_S		C_O_S	0
CH3SH		CH3SH		CH3SH	0
C2H5SH		C2H5SH		C2H5SH	0
CH2S3_2CH3S	0	CH2S3_2CH3S	0	CH2S3_2CH3S	0
CH2S		CH2S	0	CH2S	0
C6HV		C6HV		C6HV	0
CO2GPM	0	CO2GPM		CO2GPM	0
N2GPM		N2GPM		N2GPM	0
C1GPM	0	C1GPM	0	C1GPM	0
C2GPM		C2GPM		C2GPM	0
C3GPM		C3GPM		C3GPM	0
ISOC4GPM		ISOC4GPM		ISOC4GPM	0
NC4GPM		NC4GPM		NC4GPM	0
ISOC5GPM		ISOC5GPM		ISOC5GPM	0
NC5GPM		NC5GPM		NC5GPM	0
C6_PLUSGPM	0	C6_PLUSGPM	0	C6_PLUSGPM	0

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (575) 393-6161 Fax: (575) 393-0720

<u>District II</u>

811 S. First St., Artesia, NM 88210

Phone: (575) 748-1283 Fax: (575) 748-9720

<u>District III</u>

1000 Rio Brazos Road, Aztec, NM 87410

Phone: (505) 334-6178 Fax: (505) 334-6170

<u>District IV</u>

1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico

Form C-101 Revised July 18, 2013

Energy Minerals and Natural Resources Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

☐AMENDED REPOR	₹.	
----------------	----	--

			•	erator Name corp Energy 382 Road Aztec, NM	Compan				:	OGRID Number 372171 3. API Number	
4. Prop	erty Code		1	Aziec, Nivi	0/410	5. Property N	lame			30-039-21089 ^{6.} Wel	l No.
31	8838					San Juan 29-	5 Unit			63	A
						7 C	- 4				
UL - Lot	Section	Township		Range	Lo	7. Surface Loc		Feet From		E/W Line	County
P	30	029N		06W	Lo	1080		1030		East	Rio Arriba
	1				8. Pr	oposed Bottom	Hole Location	·		1	
UL - Lot	Section	Township		Range Lot Idn Feet fr			om N/S Line	Feet From		E/W Line	County
	<u>I</u>		<u> </u>		I	9. Pool Inform	ation	<u> </u>			
						Pool Name					Pool Code
					Basin Fru	itland Coal / Blanco P.C	C.South C.South				71629, 72439
					Ado	ditional Well In	formation				
	ork Type mplete			Well Type ommingle		^{13.} Cab	le/Rotary	^{14.} Lease Type Fee	^{14.} Lease Type Fee		nd Level Elevation 6384' GR
16. M	Iultiple mingle		17. Pro	posed Depth		^{18.} Forma Basin FRO	tion C/ Blanco MV	^{19.} Contractor		20	Spud Date
epth to Grou				Dista	nce from	nearest fresh water v	vell	Distar	nce to n	earest surface w	ater
Type	Hole	e Size	Casi	ng Size		asing Weight/ft	Setting Depth	Sacks	of Cen	nent	Estimated TOC
				Cocine	/Como	nt Duoguoma A	 ditional Commen	<u> </u>			
				Casing	<i>y</i> Ceme	nt Frogram: At	ididonai Commen	<u>us</u>			
				22. T	Propose	ed Blowout Pres	ention Program				
	Туре					Pressure		ressure		Mar	ufacturer
									<u>I</u>		
f my knowle	edge and bel	ief.	C			omplete to the best	OI	L CONSERV	ATIO	ON DIVISIO	ON
9.15.14.9 (I	tify that I I B) NMAC [Cheryler	∖. if applic	able.	h 19.15.14.9	9 (A) NN	IAC □ and/or	Approved By:				
							Title:				
rinted name	Printed name: Cherylene Weston Title: Operations Regulatory Tech Sr.										
	ions Regulat	ory Tech Si	r				Approved Date:		Expin	ration Date:	
							Approved Date:		Expi	ration Date:	



HILCORP ENERGY COMPANY San Juan 29-6 Unit 63A RECOMPLETION SUNDRY

Prepared by:	Bennett Vaughn
Preparation Date:	July 26, 2024

	WELL INFORMATION					
Well Name:	San Juan 29-6 Unit 63A	State:	NM			
API#:	3003921089	County:	Rio Arriba			
Area:	13	Location:				
Route:	1306	Latitude:	36.692322			
Spud Date:	June 21, 1975	Longitude:	-107.498299			

PROJECT DESCRIPTION

Perforate, fracture, and commingle the Fruitland Coal and Pictured Cliffs with the existing Mesa Verde Zone

CONTACTS						
Title	Name	Office Phone #	Cell Phone #			
Engineer	Bennett Vaughn	#N/A	281-409-5066			
Area Foreman	Jeremy Brooks	#N/A	505-947-3867			
Lead	#N/A	#N/A	#N/A			
Artificial Lift Tech	#N/A	#N/A	#N/A			
Operator		NONE				




HILCORP ENERGY COMPANY San Juan 29-6 Unit 63A RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 5,574'.
- 3. Set a 4-1/2" plug at +/- 4,025' to isolate the Mesa Verde.
- 4. Load the hole and pressure test the casing.
- 5. N/D BOP, N/U frac stack and pressure test frac stack.
- 6. Perforate and frac the Pictured Cliffs from 3222'-3375' and Fruitland Coal from 2972'-3222'.
- 7. Nipple down frac stack, nipple up BOP and test.
- 8. TIH with a mill and drill out top isolation plug and Fruitland Coal/Pictured Cliffs frac plugs.
- 9. Clean out to Mesa Verde isolation plug.
- 10. Drill out Mesa Verde isolation plug and cleanout to PBTD of 5,613'. TOOH.
- 11. TIH and land production tubing. Get a commingled Fruitland Coal/Pictured Cliffs/Mesa Verde flow rate.




HILCORP ENERGY COMPANY San Juan 29-6 Unit 63A RECOMPLETION SUNDRY





San Juan 29-6 Unit 63A RECOMPLETION SUNDRY



District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

Santa Fe, NM 87505

Form C-102 August 1, 2011

Permit 369135

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-039-21089	2. Pool Code 71629	3, Pool Name BASIN FRUITLAND COAL (GAS)
4. Property Code 318838	5. Property Name SAN JUAN 29 6 UNIT	6. Well No. 063A
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6384

10, Surface Location

ı	UL - Lot	Т	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	F	기	30	i Jak	06W		1080	S	1030	E	RIO
											ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	12. Dedicated Acres 320.00				14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston
Title: Operations/Regulatory Tech-Sr.

Date: 6/28/2024

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred B. Kerr, Jr.

Date of Survey: 4/17/1975

Certificate Number: 3950

Form C-102

August 1, 2011

Permit 369135

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number	2. Pool Code	3. Pool Name
30-039-21089	72439	BLANCO P. C. SOUTH (PRORATED GAS)
4. Property Code	5. Property Name	6. Well No.
318838	SAN JUAN 29 6 UNIT	063A
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6384


10, Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	30	29N	06W		1080	s	1030	E	RIO
									ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 160.00			13. Joint or Infill		14. Consolidatio	n Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston
Title: Operations/Regulatory Tech-Sr.

Data: 4/20/2024

Date: 6/28/2024

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Fred B. Kerr, Jr.

Date of Survey: 4/17/1975

Certificate Number:

3950

SE/4 - 160 acres for PC Spacing/Density

E/2 - 320 acres for Federal Unit Agreement Drillblock Spacing

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico **Energy, Minerals and Natural** Resources **Oil Conservation Division** 1220 S. St Francis Dr.

Form C-102 August 1, 2011

Permit 369135

WELL LOCATION AND ACREAGE DEDICATION PLAT

Santa Fe, NM 87505

1. API Number	2. Pool Code	3. Pool Name
30-039-21089	72439	BLANCO P. C. SOUTH (PRORATED GAS)
4. Property Code	5. Property Name	6. Well No.
318838	SAN JUAN 29 6 UNIT	063A
7. OGRID No. 372171	8. Operator Name HILCORP ENERGY COMPANY	9. Elevation 6384


10. Surface Location

ı	UL - Lot	Т	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	F	기	30	29N	06W		1080	S	1030	E	RIO
											ARRIBA

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
	12. Dedicated Acres 320.00			13. Joint or Infill		14. Consolidation Code			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Cherylene Weston Title: Operations/Regulatory Tech-Sr.

Date: 6/28/2024

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Fred B. Kerr, Jr. Surveyed By: 4/17/1975 Date of Survey:

3950 Certificate Number:

SE/4 - 160 acres for PC Spacing/Density

E/2 - 320 acres for Federal Unit Agreement Drillblock Spacing

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

nergy Compan	У	OGRID:	372171	Date:	07 / 18 / 2024
Amendment	due to □ 19.15.2	7.9.D(6)(a) NMAC	C □ 19.15.27.9.D((6)(b) NMAC □ (Other.
:					
				wells proposed to	be drilled or proposed to
API	ULSTR	Footages	Anticipated Oil BBL/D	Anticipated Gas MCF/D	Anticipated Produced Water BBL/D
3003921089	P-30-29N-06W	1080' FSL, 1030' FE	0 bbl/d	350 mcf/d	5 bbl/d
			al delivery point. Completion	ı Initial I	Flow First Production
3003920514					<u>2024</u>
tices: Attacof 19.15.27.8	h a complete deseNMAC.	cription of the act	ions Operator wil	l take to comply	with the requirements of
	API 3003921089 oint Name: Be: Provide the sted from a single API 3003920514 API API 3003920514 API API 3003920514	API ULSTR Spud Date Spud Date	API Spud Date TD Reached Date Spud Date TD Reached Date API Spud Date TD Reached Date API Spud Date TD Reached Date API Spud Date TD Reached Date Spud Date TD Reached Date API Spud Date TD Reached Date	API ULSTR Footages Anticipated Oil BBL/D Spud Date TD Reached Commencement	API ULSTR Footages Anticipated Gas MCF/D Spud Date TD Reached Commencement Date To Manage To

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system 🗆 v	vill □ will not have	capacity to gather	100% of the anticipated	natural gas
production volume from the well p	prior to the date of first pro	oduction.			

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion, of	f the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new well	(s).

$\overline{}$	A 1 .	O 1	9 1 4		1 4.	•	4 41 .	eased line pro	
	Attach (Incrator	'c nlan to	manage	nraduction	in rechance	to the incr	eaced line nr	acciiro

XIV. Confidentiality: \Box Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information	n provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specif	ic information
for which confidentiality is asserted and the basis for such assertion.	

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; (a) power generation for grid; (b) (c) compression on lease; (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery;

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

fuel cell production; and

(h)

(i)

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature:	Cherylene Weston
Printed Name:	Cherylene Weston
Title:	Operations/Regulatory Tech-Sr.
E-mail Address:	cweston@hilcorp.com
Date:	7/18/2024
Phone:	713-289-2615
	OIL CONSERVATION DIVISION
	(Only applicable when submitted as a standalone form)
Approved By:	
Title:	
Approval Date:	
Conditions of Ap	proval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Cheryl Weston

From: Cheryl Weston

Sent: Friday, July 26, 2024 12:27 PM

To: McClure, Dean, EMNRD; Rikala, Ward, EMNRD

Subject: Action ID: 365446, San Juan 29-6 Unit 63A RC NOI Addendum

Attachments: San Juan 29-6 Unit 63A RC NOI.pdf

Dean/Ward,

The above RC C-101 was filed on 7/18/24. I didn't catch that the proposed perfs were not split out at the time. Please replace the procedure/WBDs with the attached.

The estimated NOI perf range is as follows:

API	Well Name	Team	NOI OCD ID	FRC Perfs:	PC Perfs:
3003921089	SAN JUAN 29-6 UNIT 63A	SJS	365446	2972' – 3222'	3222' - 3375'

Thanks,

Cheryl Weston
San Juan Operations/Regulatory Tech-Sr.
1111 Travis Street | Houston, TX 77002
Ofc: 713.289.2615 | cweston@hilcorp.com



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 369425

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	369425
	Action Type:
	[C-107] Down Hole Commingle (C-107A)

CONDITIONS

E		Condition	Condition Date
	llowe	None	4/22/2025