

Additional Information

Received: 7/13/2026

From: [Goetze, Phillip, EMNRD](#)
To: [Doug, Delilah, EMNRD](#)
Subject: 3 of 5 Forwarded Blackbuck - Independence SWD #1 - Updated C-108 Water Well Sampling Info & Analysis
Date: Tuesday, July 14, 2026 2:07:53 PM
Attachments: [Blackbuck - Independence SWD #1 - Updated Water Well Info & Analysis.pdf](#)

From: Nate Alleman <nate.alleman@aceadvisors.com>
Sent: Monday, July 13, 2026 5:40 AM
To: Harris, Anthony, EMNRD <Anthony.Harris@emnrd.nm.gov>
Cc: Goetze, Phillip, EMNRD <phillip.goetze@emnrd.nm.gov>; Sandoval, Stacy, EMNRD <Stacy.Sandoval@emnrd.nm.gov>
Subject: [EXTERNAL] Blackbuck - Independence SWD #1 - Updated C-108 Water Well Sampling Info & Analysis

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Tony,

Attached is updated water well sampling information associated with Blackbuck's C-108 for the Independence SWD #1 (pEG2528350873; SWD-2676) based on our continued water well owner contact efforts.

One water well sample was collected within the 1-mile sampling radius and discussions with the owner of the other candidate water well confirmed that the water well is no longer in use. The updated water well table (updated information in blue text) and map, as well as the lab report associated with the water sample are attached for your review and inclusion in the record.

Please let me know if you have any questions or need further information on the water sampling or C-108 itself.


Regards,

Nate Alleman
Regulatory Advisor
Ace Energy Advisors
C. 918.237.0559
E. nate.alleman@aceadvisors.com

Water Well Sampling Table							
Water Well ID	OSE Status	Owner	Available Contact Information	Use	Latitude	Longitude	Notes
C 02675	Active	Deborah Beard	185 Means Road Carlsbad, NM 88220	Livestock Watering	32.1473	-104.3011	Sample Collected 05/18/2026. Lab analysis attached.
SD 03787	Declared	Deborah Beard	185 Means Road Carlsbad, NM 88220	Livestock Watering	32.1446	-104.2979	Landowner confirmed water well not in use.
C 02676	Permit	Oxy Usa Inc.	#6 Desta Drive, Midland, TX 79705	Prospecting	32.1483	-104.3022	Not suitable for testing based on use

WATER WELL MAP

SECTION 9, TOWNSHIP 25 SOUTH, RANGE 26 EAST, EDDY COUNTY, NEW MEXICO

**1 Mile Buffer**

1:18,000

0 1,000 2,000 3,000 Feet

Legend

-  Proposed SWD
-  1 Mile Buffer
- NMOSE Points of Diversion
-  Active
-  Pending
-  Changed Location of Well
-  Inactive
-  Capped
-  Plugged
-  Unknown

Independence SWD #1**OPERATOR:
BLACKBUCK RESOURCES**

Project Managed By:
ACE
Energy Advisors
(918) 237-0559
nate.alleman@aceadvisors.com

Map Prepared By:
COOSA
CONSULTING
(432) 631-4738
info@coosaconsulting.com

Coordinate System:
NAD 1983 StatePlane New Mexico East FIPS 3001 Feet
Projection: Transverse Mercator
Datum: North American 1983
False Easting: 541,337.5000
False Northing: 0.0000
Central Meridian: -104.3333
Scale Factor: 0.9999
Latitude Of Origin: 31.0000
Units: Foot US





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

June 03, 2026

NATE ALLEMAN

ACE ENERGY ADVISORS

501 E. FRANK PHILLIPS BLVD. SUITE 201

BARTLESVILLE, OK 74003

RE: WHITE CITY

Enclosed are the results of analyses for samples received by the laboratory on 05/19/26 8:03.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C26-00106. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at

www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" being more prominent.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
C-04329	H262815-01	Water	18-May-26 10:20	19-May-26 08:03
C-02675	H262815-02	Water	18-May-26 10:53	19-May-26 08:03

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

C-04329**H262815-01 (Water)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Alkalinity, Bicarbonate	224		5.00	mg/L	1	6052028	AC	21-May-26	310.1	
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	6052028	AC	21-May-26	310.1	
Chloride*	376		4.00	mg/L	1	6051818	AC	19-May-26	4500-Cl-B	
Conductivity*	4440		1.00	umhos/cm @ 25°C	1	6051937	KH	19-May-26	120.1	
pH*	7.44		0.100	pH Units	1	6051937	KH	19-May-26	150.1	PH-HT
Temperature °C	20.6			pH Units	1	6051937	KH	19-May-26	150.1	PH-HT
Resistivity	2.25			Ohms/m	1	6051937	KH	19-May-26	120.1	
Sulfate*	2230		500	mg/L	50	6052114	KH	21-May-26	375.4	
TDS*	4160		10.0	mg/L	1	6052621	HM	27-May-26	160.1	R-06
Alkalinity, Total*	184		4.00	mg/L	1	6052028	AC	21-May-26	310.1	
TSS*	<2.00		2.00	mg/L	1	6052243	ED	22-May-26	160.2	TSS-NES

Green Analytical Laboratories**Total Recoverable Metals by ICP (E200.7)**

Barium*	<0.500		0.500	mg/L	10	B261680	AWG	01-Jun-26	EPA 200.7	SD2
Calcium*	549		2.00	mg/L	10	B261680	AWG	01-Jun-26	EPA 200.7	
Hardness as CaCO3	1950		9.11	mg/L	10	[CALC]	AWG	01-Jun-26	2340 B	
Iron*	<0.500		0.500	mg/L	10	B261680	AWG	01-Jun-26	EPA 200.7	B1, D2
Magnesium*	140		1.00	mg/L	10	B261680	AWG	01-Jun-26	EPA 200.7	
Potassium*	11.3		10.0	mg/L	10	B261680	AWG	01-Jun-26	EPA 200.7	
Sodium*	156		10.0	mg/L	10	B261680	AWG	01-Jun-26	EPA 200.7	
Strontium*	8.72		1.00	mg/L	10	B261680	AWG	01-Jun-26	EPA 200.7	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

C-02675**H262815-02 (Water)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Alkalinity, Bicarbonate	161		5.00	mg/L	1	6052028	AC	21-May-26	310.1	
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	6052028	AC	21-May-26	310.1	
Chloride*	16.0		4.00	mg/L	1	6051818	AC	19-May-26	4500-Cl-B	
Conductivity*	2670		1.00	umhos/cm @ 25°C	1	6051937	KH	19-May-26	120.1	
pH*	6.99		0.100	pH Units	1	6051937	KH	19-May-26	150.1	PH-HT
Temperature °C	19.7			pH Units	1	6051937	KH	19-May-26	150.1	PH-HT
Resistivity	3.74			Ohms/m	1	6051937	KH	19-May-26	120.1	
Sulfate*	1500		500	mg/L	50	6052114	KH	21-May-26	375.4	
TDS*	2820		10.0	mg/L	1	6052621	HM	27-May-26	160.1	R-06
Alkalinity, Total*	132		4.00	mg/L	1	6052028	AC	21-May-26	310.1	
TSS*	<2.00		2.00	mg/L	1	6052243	ED	22-May-26	160.2	

Green Analytical Laboratories**Total Recoverable Metals by ICP (E200.7)**

Barium*	<0.250		0.250	mg/L	5	B261680	AWG	01-Jun-26	EPA 200.7	
Calcium*	659		1.00	mg/L	5	B261680	AWG	01-Jun-26	EPA 200.7	
Hardness as CaCO3	2010		4.56	mg/L	5	[CALC]	AWG	01-Jun-26	2340 B	
Iron*	<0.250		0.250	mg/L	5	B261680	AWG	01-Jun-26	EPA 200.7	B1, D2
Magnesium*	88.3		0.500	mg/L	5	B261680	AWG	01-Jun-26	EPA 200.7	
Potassium*	<5.00		5.00	mg/L	5	B261680	AWG	01-Jun-26	EPA 200.7	
Sodium*	27.8		5.00	mg/L	5	B261680	AWG	01-Jun-26	EPA 200.7	
Strontium*	10.1		0.500	mg/L	5	B261680	AWG	01-Jun-26	EPA 200.7	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 6051818 - General Prep - Wet Chem**Blank (6051818-BLK1)**

Prepared & Analyzed: 18-May-26

Chloride	ND	4.00	mg/L
----------	----	------	------

LCS (6051818-BS1)

Prepared & Analyzed: 18-May-26

Chloride	104	4.00	mg/L	100	104	80-120
----------	-----	------	------	-----	-----	--------

LCS Dup (6051818-BSD1)

Prepared & Analyzed: 18-May-26

Chloride	104	4.00	mg/L	100	104	80-120	0.00	20
----------	-----	------	------	-----	-----	--------	------	----

Batch 6051937 - General Prep - Wet Chem**LCS (6051937-BS1)**

Prepared & Analyzed: 19-May-26

pH	7.03		pH Units	7.00	100	90-110
Conductivity	490		uS/cm	500	98.0	90-110

Duplicate (6051937-DUP1)

Source: H262806-01

Prepared & Analyzed: 19-May-26

pH	7.23	0.100	pH Units	7.27		0.552	20	PH-HT
Conductivity	2220	1.00	umhos/cm @ 25°C	2220		0.180	10	
Resistivity	4.50		Ohms/m	4.51		0.180	20	
Temperature °C	20.5		pH Units	20.5		0.00	200	PH-HT

Batch 6052028 - General Prep - Wet Chem**Blank (6052028-BLK1)**

Prepared: 20-May-26 Analyzed: 21-May-26

Alkalinity, Carbonate	ND	1.00	mg/L
Alkalinity, Bicarbonate	5.00	5.00	mg/L
Alkalinity, Total	4.00	4.00	mg/L

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6052028 - General Prep - Wet Chem**LCS (6052028-BS1)**

Prepared: 20-May-26 Analyzed: 21-May-26

Alkalinity, Carbonate	ND	2.50	mg/L				80-120			
Alkalinity, Bicarbonate	305	12.5	mg/L				80-120			
Alkalinity, Total	250	10.0	mg/L	250		100	80-120			

LCS Dup (6052028-BSD1)

Prepared: 20-May-26 Analyzed: 21-May-26

Alkalinity, Carbonate	ND	2.50	mg/L				80-120		20	
Alkalinity, Bicarbonate	305	12.5	mg/L				80-120	0.00	20	
Alkalinity, Total	250	10.0	mg/L	250		100	80-120	0.00	20	

Batch 6052114 - General Prep - Wet Chem**Blank (6052114-BLK1)**

Prepared & Analyzed: 21-May-26

Sulfate	ND	10.0	mg/L							
---------	----	------	------	--	--	--	--	--	--	--

LCS (6052114-BS1)

Prepared & Analyzed: 21-May-26

Sulfate	19.1	10.0	mg/L	20.0		95.3	80-120			
---------	------	------	------	------	--	------	--------	--	--	--

LCS Dup (6052114-BSD1)

Prepared & Analyzed: 21-May-26

Sulfate	19.4	10.0	mg/L	20.0		96.8	80-120	1.51	20	
---------	------	------	------	------	--	------	--------	------	----	--

Batch 6052243 - Filtration**Blank (6052243-BLK1)**

Prepared & Analyzed: 22-May-26

TSS	ND	2.00	mg/L							
-----	----	------	------	--	--	--	--	--	--	--

LCS (6052243-BS1)

Prepared & Analyzed: 22-May-26

TSS	85.0		mg/L	100		85.0	80-120			
-----	------	--	------	-----	--	------	--------	--	--	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 6052243 - Filtration

Duplicate (6052243-DUP1)	Source: H262815-01		Prepared & Analyzed: 22-May-26							
TSS	ND	2.00	mg/L		ND				52.7	

Batch 6052621 - Filtration

Blank (6052621-BLK1)	Prepared: 22-May-26 Analyzed: 28-May-26									
TDS	6.00	5.00	mg/L							

LCS (6052621-BS1)	Prepared: 22-May-26 Analyzed: 27-May-26									
TDS	31400		mg/L	30300		104	80-120			

Duplicate (6052621-DUP1)	Source: H262806-01		Prepared: 22-May-26 Analyzed: 27-May-26							
TDS	1910	5.00	mg/L		1910			0.00	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

Total Recoverable Metals by ICP (E200.7) - Quality Control**Green Analytical Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B261680 - Total Recoverable by ICP**Blank (B261680-BLK1)**

Prepared: 26-May-26 Analyzed: 01-Jun-26

Magnesium	ND	0.100	mg/L							
Potassium	ND	1.00	mg/L							
Strontium	ND	0.100	mg/L							
Iron	ND	0.050	mg/L							B1
Calcium	ND	0.200	mg/L							
Barium	ND	0.050	mg/L							
Sodium	ND	1.00	mg/L							

LCS (B261680-BS1)

Prepared: 26-May-26 Analyzed: 01-Jun-26

Strontium	2.00	0.100	mg/L	2.00		99.8	85-115			
Barium	0.988	0.050	mg/L	1.00		98.8	85-115			
Calcium	1.98	0.200	mg/L	2.00		99.2	85-115			
Iron	1.99	0.050	mg/L	2.00		99.3	85-115			
Sodium	1.64	1.00	mg/L	1.62		101	85-115			
Magnesium	9.71	0.100	mg/L	10.0		97.1	85-115			
Potassium	4.00	1.00	mg/L	4.00		100	85-115			

LCS Dup (B261680-BSD1)

Prepared: 26-May-26 Analyzed: 01-Jun-26

Strontium	1.99	0.100	mg/L	2.00		99.5	85-115	0.248	20	
Sodium	1.63	1.00	mg/L	1.62		100	85-115	0.903	20	
Iron	2.08	0.050	mg/L	2.00		104	85-115	4.68	20	
Barium	1.00	0.050	mg/L	1.00		100	85-115	1.41	20	
Magnesium	10.1	0.100	mg/L	10.0		101	85-115	4.39	20	
Potassium	3.99	1.00	mg/L	4.00		99.8	85-115	0.281	20	
Calcium	2.07	0.200	mg/L	2.00		103	85-115	4.16	20	

Matrix Spike (B261680-MS1)

Source: 2605243-01

Prepared: 26-May-26 Analyzed: 01-Jun-26

Strontium	3.95	0.500	mg/L	2.00	2.05	94.7	70-130			
Potassium	11.4	5.00	mg/L	4.00	6.65	120	70-130			
Sodium	264	5.00	mg/L	1.62	273	NR	70-130			M3
Magnesium	133	0.500	mg/L	10.0	130	32.3	70-130			M3
Calcium	156	1.00	mg/L	2.00	161	NR	70-130			M3
Iron	4.21	0.250	mg/L	2.00	2.09	106	70-130			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: WHITE CITY
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
03-Jun-26 09:57

Total Recoverable Metals by ICP (E200.7) - Quality Control**Green Analytical Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B261680 - Total Recoverable by ICP

Matrix Spike (B261680-MS1)		Source: 2605243-01			Prepared: 26-May-26 Analyzed: 01-Jun-26					
Barium	1.06	0.250	mg/L	1.00	0.084	97.5	70-130			
Matrix Spike (B261680-MS2)		Source: H262815-01			Prepared: 26-May-26 Analyzed: 01-Jun-26					
Strontium	10.7	1.00	mg/L	2.00	8.72	97.1	70-130			
Iron	2.12	0.500	mg/L	2.00	0.251	93.7	70-130			
Barium	1.09	0.500	mg/L	1.00	0.101	98.5	70-130			
Sodium	157	10.0	mg/L	1.62	156	34.1	70-130			M3
Magnesium	149	1.00	mg/L	10.0	140	91.3	70-130			
Potassium	14.2	10.0	mg/L	4.00	11.3	72.9	70-130			
Calcium	546	2.00	mg/L	2.00	549	NR	70-130			M3
Matrix Spike Dup (B261680-MSD1)		Source: 2605243-01			Prepared: 26-May-26 Analyzed: 01-Jun-26					
Strontium	3.87	1.00	mg/L	2.00	2.05	91.0	70-130	1.89	20	
Sodium	258	10.0	mg/L	1.62	273	NR	70-130	2.38	20	M3
Potassium	11.2	10.0	mg/L	4.00	6.65	114	70-130	2.17	20	
Magnesium	132	1.00	mg/L	10.0	130	21.9	70-130	0.777	20	M3
Barium	1.11	0.500	mg/L	1.00	0.084	103	70-130	5.02	20	
Iron	4.19	0.500	mg/L	2.00	2.09	105	70-130	0.467	20	
Calcium	151	2.00	mg/L	2.00	161	NR	70-130	3.11	20	M3
Matrix Spike Dup (B261680-MSD2)		Source: H262815-01			Prepared: 26-May-26 Analyzed: 01-Jun-26					
Magnesium	162	1.00	mg/L	10.0	140	219	70-130	8.20	20	M3
Potassium	15.3	10.0	mg/L	4.00	11.3	99.0	70-130	7.09	20	
Calcium	608	2.00	mg/L	2.00	549	NR	70-130	10.8	20	M3
Sodium	170	10.0	mg/L	1.62	156	837	70-130	7.96	20	M3
Barium	1.05	0.500	mg/L	1.00	0.101	95.2	70-130	3.02	20	
Strontium	11.5	1.00	mg/L	2.00	8.72	138	70-130	7.37	20	M3
Iron	2.12	0.500	mg/L	2.00	0.251	93.5	70-130	0.178	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

TSS-NES	Not enough sample to reach minimum residue method requirement.
SD2	Serial Dilution RPD exceeded the laboratory control limit. All other QC for analyte acceptable.
R-06	The Reporting Limit for this analyte has been raised to account for target analyte concentration in the method blank.
PH-HT	Analyzed outside the EPA recommended hold time of 15 minutes.
M3	Matrix spike recovery did not meet acceptance criteria. Accuracy of the spike is reduced since the analyte concentration in the sample is more than four times the spike level.
D2	The sample was diluted due to matrix interference.
B1	Target analyte detected in method blank at or above method reporting limit. Sample concentration found to be 10 times above the concentration found in the method blank or less than the reporting limit.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Pg _____ of _____

ANALYSIS REQUEST

BILL TO

Company Name: Ace Energy Advisors

Project Manager: Nate Allen

Address: 501 SE Frank Phillips Blvd

City: Bartlesville, OK State: OK zip: 74003

Phone #: 918-237-0559 Fax #:

Project #: Project Owner: Nate Allen

Project Name: White City

Project Location: State: OK zip: 74003
Phone #: 918-237-0559 Fax #:

Sampler Name: Nate Allen

FOR LAB USE ONLY

Lab I.D. Sample I.D.

Lab I.D. Sample I.D.

1404815

C-04329
C-02675

(G)RAB OR (C)OMP.
CONTAINERS
GROUNDWATER
WASTEWATER
SOIL
OIL
SLUDGE
OTHER :
ACID/BASE:
ICE / COOL
OTHER :

DATE TIME
5/17/26 10:26
5/18/26 10:53

Cations / anions
Resistivity / TSS / TDS
Metals - Ba, Sr, Fe, T-hardness

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the service. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Date: 5/17/26 Received By: 5/19/26

Date: 5/17/26 Time: 4:30 PM

Date: 5/19/26 Time: 0803

Relinquished By: Received By:

Date: 5/17/26 Time: 4:30 PM

Date: 5/19/26 Time: 0803

Date: 5/17/26 Time: 4:30 PM

Date: 5/19/26 Time: 0803

Date: 5/17/26 Time: 4:30 PM

Date: 5/19/26 Time: 0803

Date: 5/17/26 Time: 4:30 PM

Date: 5/19/26 Time: 0803

Date: 5/17/26 Time: 4:30 PM

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Cardinal Laboratories

FORM-006 R.3.7 01/06/26

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 605761

CONDITIONS

Operator: NEW MEXICO ENERGY MINERALS & NATURAL RESOURCE 1220 S St Francis Dr Santa Fe , NM 87504	OGRID: 264235
	Action Number: 605761
	Action Type: [IM-SD] Admin Order Support Doc (ENG) (IM-AAO)

CONDITIONS

Created By	Condition	Condition Date
delilah.dougi	None	7/17/2026