

State of New Mexico
Energy, Minerals and Natural Resources Department

Michelle Lujan-Grisham
Governor

Erin Taylor
Acting Cabinet Secretary

Ben Shelton
Deputy Secretary

Albert C.S. Chang
Division Director
Oil Conservation Division



Sarah Savino
ssavino@spurenergy.com

ADMINISTRATIVE NON-STANDARD LOCATION

Administrative Order NSL - 9430

Spur Energy Partners, LLC [OGRID 328947]
Mario 29 Federal Com Well No. 90H
API No. 30-015-58848

Reference is made to your application received on July 24th, 2026.

Proposed Location

	Footages	Unit/Lot	Sec.	Twsp	Range	County
Surface	1260 FNL & 675 FWL	D	28	17S	29E	Eddy
First Take Point	1400 FNL & 100 FEL	H	29	17S	29E	Eddy
Last Take Point	1400 FNL & 100 FWL	E	29	17S	29E	Eddy
Terminus	1400 FNL & 50 FWL	E	29	17S	29E	Eddy

Proposed Horizontal Units

Description	Acres	Pool	Pool Code
S/2 N/2 Section 29	160	Empire; Glorieta-Yeso, East	96610

You have requested to drill this horizontal well at an unorthodox well location described above in the referenced pool or formation. 19.15.16.15(B)(1)(a) NMAC governs this proposed well and provides that the operator dedicate a horizontal well at a standard horizontal spacing unit that comprises of one or more contiguous tracts that the horizontal well's completed interval penetrates, each of which consists of a governmental quarter - quarter section or equivalent.

Administrative Order NSL - 9430
Spur Energy Partners, LLC
Page 2 of 2

19.15.16.15(C)(1)(a) NMAC governs the distance in the horizontal plane from any point in the completed interval to any outer boundary of the horizontal spacing unit, measured along a line perpendicular to the completed interval or to the tangent thereof, shall be a minimum of 330 feet for an **oil** well. 19.15.16.15(C)(1)(b) NMAC governs the first and last take point of a horizontal well shall be no closer than 100 feet for a well within the horizontal plane, to any outer boundary of the horizontal spacing unit.

The request to deviate from an orthodox location has met all requirements of 19.15.16.15 (C)(5)(a) NMAC. It is understood that you are seeking this exception in order to create a non-standard location, comprised of First and Last Take Points referenced above within the described Horizontal Spacing Unit.

This well's completed interval is as close as 80 feet to the northern edge of the horizontal spacing unit. Encroachment will impact the following tracts.

Section 29, encroachment to the N/2 N/2

The Division understands you have given notice of this application to all operators or owners who are "affected persons," as defined in 19.15.2.7(A)(8) NMAC, in all adjoining units towards which the proposed location encroaches.

Division understands you are seeking this unorthodox location to allow for efficient spacing of horizontal wells, thereby preventing waste within the Glorieta – Yeso formation underlying S/2 N/2 Section 29.

Your application has been filed under 19.15.16.15(C)(6) NMAC, 19.15.15.13 NMAC and 19.15.4.12 (A)(2) NMAC.

Per 19.15.15.13 (B) NMAC, **Division approves this unorthodox location.**

Reference this NSL order number on the As Drilled C-102 submitted with the Authorization to Transport, to place this well into production.

The above approvals are subject to your following all other applicable Division rules.

Jurisdiction of this case is retained for the entry of further orders as Division deems necessary.



Albert C.S. Chang
Division Director
AC/lrl

Date: 08/21/2026

ID NO. 607795

NSL - 9430

Revised March 23, 2017

RECEIVED: 07/24/26	REVIEWER:	TYPE:	APP NO:
---------------------------	-----------	-------	---------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Geological & Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505

**ADMINISTRATIVE APPLICATION CHECKLIST**

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND
 REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Applicant: SPUR ENERGY PARTNERS LLC **OGRID Number:** 328947
Well Name: MARIO 29 FEDERAL 90H **API:** 30-015-PENDING
Pool: EMPIRE; GLORIETA-YESO, EAST **Pool Code:** 96610

**SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION
 INDICATED BELOW**

1) TYPE OF APPLICATION: Check those which apply for [A]

A. Location – Spacing Unit – Simultaneous Dedication

☒ NSL☐ NSP (PROJECT AREA)☐ NSP (PRORATION UNIT)☐ SD

B. Check one only for [I] or [II]

[I] Commingling – Storage – Measurement

☐ DHC☐ CTB☐ PLC☐ PC☐ OLS☐ OLM

[II] Injection – Disposal – Pressure Increase – Enhanced Oil Recovery

☐ WFX☐ PMX☐ SWD☐ IPI☐ EOR☐ PPR**2) NOTIFICATION REQUIRED TO:** Check those which apply.A. ☒ Offset operators or lease holdersB. ☒ Royalty, overriding royalty owners, revenue ownersC. ☐ Application requires published noticeD. ☐ Notification and/or concurrent approval by SLOE. ☒ Notification and/or concurrent approval by BLMF. ☐ Surface ownerG. ☐ For all of the above, proof of notification or publication is attached, and/or,H. ☐ No notice required**FOR OCD ONLY**☐ Notice Complete☐ Application
Content
Complete

3) CERTIFICATION: I hereby certify that the information submitted with this application for
 administrative approval is **accurate** and **complete** to the best of my knowledge. I also
 understand that **no action** will be taken on this application until the required information and
 notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

JULY 24, 2026

Date

SARAH SAVINO

Print or Type Name

832-930-8613

Phone Number

Sarah Savino

Signature

SSAVINO@SPURENERGY.COM

e-mail Address



July 24, 2026

New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Attention: Leonard Lowe

RE: ***Application for Administrative Approval of Non- Standard Location
Mario 29 Federal 90H – Empire; Glorieta-Yeso, East (96610)
Surface Hole – 1260’ FNL 675’ FWL Unit D Sec 28 T17S R29E
First Take Point – 1400’ FNL 100’ FEL Unit H Sec 29 T17S R29E
Last Take Point – 1400’ FNL 100’ FWL Unit E Sec 29 T17S R29E
Bottom Hole – 1400’ FNL 50’ FWL Unit E Sec 29 T17S R29E
Eddy County, New Mexico***

Dear Mr. Lowe:

Spur Energy Partners LLC respectfully requests administrative approval of a non-standard location on the Mario 29 Federal 90H well, API Number 30-015-Pending, Property Code Pending. The 90H well is proposed to be completed in the Empire; Glorieta-Yeso, East pool, Pool Code 96610. The proposed wellbore is to be completed within 330’ feet of the N/2 of the N/2 of Section 29. The proposed interval is projected as follows:

Surface Hole – 1260’ FNL 675’ FWL Unit D Sec 28 T17S R29E
First Take Point – 1400’ FNL 100’ FEL Unit H Sec 29 T17S R29E
Last Take Point – 1400’ FNL 100’ FWL Unit E Sec 29 T17S R29E
Bottom Hole – 1400’ FNL 50’ FWL Unit E Sec 29 T17S R29E

The adjoining units which the unorthodox location encroaches are located in Units D, C, B and A Section 29, Township 17 South, Range 29 East, Eddy County, New Mexico.

Approval of the unorthodox, completed interval will allow for efficient spacing of horizontal wells and thereby prevent waste.

To support this request, the following information has been submitted for your review:

1. Application Checklist
2. C-102 Plat for proposed well and an additional plat with offsetting affected units
3. List of affected parties in each of the units in the same pool located closer to the unorthodox well location that the minimum distance prescribed by rule or order, copies of the sign certified return copies will be furnished upon request
4. Service List

If you need any additional information, please call me at 832-930-8613.

Sincerely,

Joseph Savino

Regulatory Director

Attachments
CC: Service List

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
	Submittal Type:	☒ Initial Submittal		
		☐ Amended Report		
		☐ As Drilled		

WELL LOCATION INFORMATION

API Number 30-015-	Pool Code 96610	Pool Name EMPIRE, GLORIETA-YESO, EAST
Property Code	Property Name MARIO 29 FEDERAL	Well Number 90H
OGRID No. 328947	Operator Name SPUR ENERGY PARTNERS LLC.	Ground Level Elevation 3585'
Surface Owner: ☒ State ☐ Fee ☐ Tribal ☐ Federal		Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL D	Section 28	Township 17S	Range 29E	Lot	Ft. from N/S 1260 FNL	Ft. from E/W 675 FWL	Latitude 32.8093381°N	Longitude 104.0861843°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Bottom Hole Location

UL E	Section 29	Township 17S	Range 29E	Lot	Ft. from N/S 1400 FNL	Ft. from E/W 50 FWL	Latitude 32.8090153°N	Longitude 104.1054346°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	-------------------------------	---------------------------------	-----------------------------------	-----------------------

Dedicated Acres 160	Infill or Defining Well INFILL	Defining Well API N/A	Overlapping Spacing Unit (Y/N) Y (Spur wells)	Consolidation Code P
Order Numbers. NSL: PENDING			Well setbacks are under Common Ownership: ☐ Yes ☒ No	

Operator of KOP has been notified.

Kick Off Point (KOP)

UL E	Section 28	Township 17S	Range 29E	Lot	Ft. from N/S 1391 FNL	Ft. from E/W 850 FWL	Latitude 32.8089814°N	Longitude 104.0856147°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

First Take Point (FTP)

UL H	Section 29	Township 17S	Range 29E	Lot	Ft. from N/S 1400 FNL	Ft. from E/W 100 FEL	Latitude 32.8089415°N	Longitude 104.0887059°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Last Take Point (LTP)

UL E	Section 29	Township 17S	Range 29E	Lot	Ft. from N/S 1400 FNL	Ft. from E/W 100 FWL	Latitude 32.8090146°N	Longitude 104.1052719°W	County EDDY
----------------	----------------------	------------------------	---------------------	-----	---------------------------------	--------------------------------	---------------------------------	-----------------------------------	-----------------------

Unitized Area or Area of Uniform Interest NA	Spacing Unit Type ☒ Horizontal ☐ Vertical	Ground Floor Elevation: 3585' GL
--	--	--

OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i> Sarah Savino 04/30/2026		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision, and that the same is true and correct to the best of my belief.</i> 	
Signature _____ Date _____		Signature and Seal of Professional Surveyor _____	
SARAH SAVINO			
Printed Name SSAVINO@SPURENERGY.COM		Certificate Number 14400	Date of Survey 02/05/2026
Email Address			


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

MARIO 29 FEDERAL #90H



GEODETIC DATA

GEODETTIC DATA
NAD 83 GRID - NM EAST

SURFACE LOCATION (SL)

1260' FNL & 675' FWL SEC.28
N: 658258.5 - E: 617270.2

LAT: 32.8093381° N
LONG: 104.0861843° W

KICK OFF POINT (KOP)

1391' FNL & 850' FWL SEC.28
N: 658129.2 - E: 617445.5

LAT: 32.8089814° N
LONG: 104.0856147° W

FIRST TAKE POINT (FTP)

1400' FNL & 100' FEL SEC.29
N: 658112.4 - E: 616495.8

LAT: 32.8089415° N
LONG: 104.0887059° W

LAST TAKE POINT (LTP)

1400' FNL & 100' FWL SEC.29
N: 658127.7 - E: 611406.1

LAT: 32.8090146° N
LONG: 104.1052719° W

BOTTOM HOLE (BH)

1400' FNL & 50' FWL SEC.29
N: 658127.8 - E: 611356.1

LAT: 32.8090153° N
LONG: 104.1054346° W

CORNER DATA

CORNER DATA
NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1914"
N: 654229.0 - E: 611321.8

B: FOUND BRASS CAP "1914"
N: 656879.5 - E: 611310.1

C: FOUND BRASS CAP "1914"
N: 659527.6 - E: 611301.7

D: FOUND BRASS CAP "1914"
N: 659511.8 - E: 616591.5

E: FOUND BRASS CAP "1914"
N: 659537.0 - E: 619223.9

F: FOUND BRASS CAP "1914"
N: 659543.0 - E: 621859.9

G: FOUND BRASS CAP "1914"
N: 654252.6 - E: 621880.3

H: FOUND BRASS CAP "1914"
N: 654239.1 - E: 619240.9

I: FOUND BRASS CAP "1914"
N: 654231.5 - E: 616607.2

J: FOUND BRASS CAP "1914"
N: 654230.8 - E: 613963.3

K: FOUND BRASS CAP "1914"
N: 656871.1 - E: 616599.6



The map shows a section of Township 29S, Range 82E. The sections are labeled as follows:

- Section 1 (NENE (A))
- Section 2 (NWNE (B))
- Section 3 (NENW (C))
- Section 4 (NWN (D))
- Section 5 (SENE (H))
- Section 6 (SWNE (G))
- Section 7 (SENW (F))
- Section 8 (SNNW (E))
- Section 9 (NESE (I))
- Section 10 (NWSE (J))
- Section 11 (NESW (K))
- Section 12 (NWSW (L))
- Section 13 (SESE (P))
- Section 14 (SWSE (O))
- Section 15 (SESW (N))
- Section 16 (SWSW (M))

Key features and labels on the map include:

- Section Corners:** Marked with black dots and labeled with letters and numbers (e.g., L1, L2, L3, L4, L5, L6, L7, L8, L9, L10, L11, L12, BHL, LTP, FTP, KO, SHL, NWS, SWS).
- Highways:** Lovington Hwy, County Road 270, Arco Rd.
- Distances:** 3626 ft, 3590 ft.
- Area Calculations:** 29 (indicated by a red dashed line).

Blue Outline – Horizontal Spacing

Application of Non-Standard Location - Service List
Spur Energy Partners LLC
MARIO 29 FEDERAL 90H

New Mexico Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505
Uploaded online

Units D, C, B and A Section 29, Township 17 South, Range 29 East
Lessee of Record

SEP Permian Holding Corp
9655 Katy Freeway, Suite 500
Houston, TX 77024
No Notice Required

Units D, C, B and A Section 29, Township 17 South, Range 29 East
Working Interest Owners

Bureau of Land Management
320 E. Greene St.
Carlsbad, NM 88220
9407 1118 9876 5523 9542 55

Chase Oil Corp.
P.O. Box 1767
Artesia, NM 88211-1767
9407 1118 9876 5523 9548 97

SEP Permian Holding Corp
9655 Katy Freeway, Suite 500
Houston, TX 77024
No Notice Required

Copies of the application were mailed to the above individuals, companies and organizations
July 24, 2026

Sarah Savino

Spur Energy Partners LLC



July 24, 2026

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

RE: ***Application for Administrative Approval of Non- Standard Location
Mario 29 Federal 90H – Empire; Glorieta-Yeso, East (96610)
Surface Hole – 1260' FNL 675' FWL Unit D Sec 28 T17S R29E
First Take Point – 1400' FNL 100' FEL Unit H Sec 29 T17S R29E
Last Take Point – 1400' FNL 100' FWL Unit E Sec 29 T17S R29E
Bottom Hole – 1400' FNL 50' FWL Unit E Sec 29 T17S R29E
Eddy County, New Mexico***

To Whom It May Concern:

Enclosed is a copy of an application, filed with the New Mexico Oil Conservation Division by Spur Energy Partners LLC, requesting administrative approval for a non-standard location. As an affected party, notice is being provided to you pursuant to Rule 19.15.4.12(A)(2)(a), 19.15.15.9(A) and 19.15.16.15(B). The well is located as follows:

Surface Hole – 1260' FNL 675' FWL Unit D Sec 28 T17S R29E
First Take Point – 1400' FNL 100' FEL Unit H Sec 29 T17S R29E
Last Take Point – 1400' FNL 100' FWL Unit E Sec 29 T17S R29E
Bottom Hole – 1400' FNL 50' FWL Unit E Sec 29 T17S R29E

If you object to the well's location, you must notify the Division in writing no later than 20 days from the date the application was received by the NMOCD (1220 South St. Francis Dr., Santa Fe, NM 87505; Attention: Leonard Lowe).

If you need any additional information, you can contact myself at 832-930-8613 or at ssavino@spurenergy.com.

Thank you,

A handwritten signature in blue ink that reads "Sarah Savino".

Regulatory Director

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 607795

CONDITIONS

Operator: Spur Energy Partners LLC 9655 Katy Freeway Houston, TX 77024	OGRID: 328947
	Action Number: 607795
	Action Type: [UF-NSL] Non-Standard Location (NSL)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	7/24/2026