

9 JXK15349477150



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

December 16, 2011

MIKE STUBBLEFIELD

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: LYNX FEDERAL NO. 6 RELEASE

Enclosed are the results of analyses for samples received by the laboratory on 12/09/11 12:27.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TALON LPE
MIKE STUBBLEFIELD
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 12/09/2011
Reported: 12/16/2011
Project Name: LYNX FEDERAL NO. 6 RELEASE
Project Number: 700794.019.01
Project Location: SEC.15-T17S-R32E

Sampling Date: 12/08/2011
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-1 0' (H102644-01)

BTX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.500	0.500	12/13/2011	ND	1.95	97.6	2.00	1.06	
Toluene*	5.14	0.500	12/13/2011	ND	1.86	92.9	2.00	1.01	
Ethylbenzene*	18.9	0.500	12/13/2011	ND	2.11	106	2.00	1.40	
Total Xylenes*	43.3	1.50	12/13/2011	ND	6.04	101	6.00	1.38	

Surrogate: 4-Bromofluorobenzene (PIL) 145 % 64.4-134

Chloride, SM4500Cl-B			mg/kg				Analyzed By: AP		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	12/13/2011	ND	432	108	400	0.00	

TPH 8015M			mg/kg				Analyzed By: ZZZ		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	2670	100	12/13/2011	ND	190	95.0	200	0.365	
DRO >C10-C28	32200	100	12/13/2011	ND	184	92.2	200	5.17	

Surrogate: 1-Chlorooctane 113 % 55.5-154

Surrogate: 1-Chlorooctadecane 71.1 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 MIKE STUBBLEFIELD
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 12/09/2011
 Reported: 12/16/2011
 Project Name: LYNX FEDERAL NO. 6 RELEASE
 Project Number: 700794.019.01
 Project Location: SEC.15-T17S-R32E

 Sampling Date: 12/08/2011
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S-1 2' (H102644-02)

BTEX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.500	0.500	12/13/2011	ND	1.95	97.6	2.00	1.06	
Toluene*	12.5	0.500	12/13/2011	ND	1.86	92.9	2.00	1.01	
Ethylbenzene*	43.5	0.500	12/13/2011	ND	2.11	106	2.00	1.40	
Total Xylenes*	74.5	1.50	12/13/2011	ND	6.04	101	6.00	1.38	

Surrogate: 4-Bromofluorobenzene (PIL) 149 % 64.4-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/13/2011	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	2990	100	12/13/2011	ND	190	95.0	200	0.365	
DRO >C10-C28	16100	100	12/13/2011	ND	184	92.2	200	5.17	


Surrogate: 1-Chlorooctane 113 % 55.5-154

Surrogate: 1-Chlorooctadecane 80.4 % 57.6-158

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 MIKE STUBBLEFIELD
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 12/09/2011
 Reported: 12/16/2011
 Project Name: LYNX FEDERAL NO. 6 RELEASE
 Project Number: 700794.019.01
 Project Location: SEC.15-T17S-R32E

 Sampling Date: 12/08/2011
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S-1 4' (H102644-03)

BTX 8021B			mg/kg					Analyzed By: MS		S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
Benzene*	2.72	0.500	12/13/2011	ND	1.95	97.6	2.00	1.06			
Toluene*	30.3	0.500	12/13/2011	ND	1.86	92.9	2.00	1.01			
Ethylbenzene*	68.8	0.500	12/13/2011	ND	2.11	106	2.00	1.40			
Total Xylenes*	114	1.50	12/13/2011	ND	6.04	101	6.00	1.38			

Surrogate: 4-Bromofluorobenzene (PIL) 167 % 64.4-134

Chloride, SM4500Cl-B			mg/kg					Analyzed By: AP			
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
Chloride	112	16.0	12/13/2011	ND	464	116	400	3.51			

TPH 8015M			mg/kg					Analyzed By: ZZZ			
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier		
GRO C6-C10	5050	100	12/13/2011	ND	190	95.0	200	0.365			
DRO >C10-C28	30000	100	12/13/2011	ND	184	92.2	200	5.17			

Surrogate: 1-Chlorooctane 119 % 55.5-154

Surrogate: 1-Chlorooctadecane 75.0 % 57.6-158

Cardinal Laboratories

*==Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
MIKE STUBBLEFIELD
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 12/09/2011
Reported: 12/16/2011
Project Name: LYNX FEDERAL NO. 6 RELEASE
Project Number: 700794.019.01
Project Location: SEC.15-T17S-R32E

Sampling Date: 12/08/2011
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-1 6' (H102644-04)

BTEX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	1.12	0.500	12/13/2011	ND	1.95	97.6	2.00	1.06	
Toluene*	13.8	0.500	12/13/2011	ND	1.86	92.9	2.00	1.01	
Ethylbenzene*	30.9	0.500	12/13/2011	ND	2.11	106	2.00	1.40	
Total Xylenes*	51.2	1.50	12/13/2011	ND	6.04	101	6.00	1.38	

Surrogate: 4-Bromofluorobenzene (PIL) 143 % 64.4-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	12/13/2011	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: ZZZ					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	4370	100	12/13/2011	ND	190	95.0	200	0.365	
DRO >C10-C28	25300	100	12/13/2011	ND	184	92.2	200	5.17	

Surrogate: 1-Chlorooctane 125 % 55.5-154

Surrogate: 1-Chlorooctadecane 85.2 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 60 days (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
MIKE STUBBLEFIELD
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 12/09/2011
Reported: 12/16/2011
Project Name: LYNX FEDERAL NO. 6 RELEASE
Project Number: 700794.019.01
Project Location: SEC.15-T17S-R32E

Sampling Date: 12/08/2011
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-1 8' (H102644-05)

BTEX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	11.4	5.00	12/15/2011	ND	1.97	98.4	2.00	6.36	
Toluene*	120	5.00	12/15/2011	ND	1.94	96.9	2.00	3.54	
Ethylbenzene*	191	5.00	12/15/2011	ND	2.10	105	2.00	6.17	
Total Xylenes*	282	15.0	12/15/2011	ND	6.03	100	6.00	6.58	

Surrogate: 4-Bromofluorobenzene (PIL) 141 % 64.4-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	12/13/2011	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS				S-HI	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	5890	100	12/15/2011	ND	206	103	200	1.05	
DRO >C10-C28	19900	100	12/15/2011	ND	168	84.1	200	1.48	

Surrogate: 1-Chlorooctane 274 % 55.5-154

Surrogate: 1-Chlorooctadecane 517 % 57.6-158

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claims arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 MIKE STUBBLEFIELD
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 12/09/2011
 Reported: 12/16/2011
 Project Name: LYNX FEDERAL NO. 6 RELEASE
 Project Number: 700794.019.01
 Project Location: SEC.15-T17S-R32E

 Sampling Date: 12/08/2011
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S-1 10' (H102644-06)

BTX 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	5.77	1.00	12/15/2011	ND	1.97	98.4	2.00	6.36	
Toluene*	87.1	1.00	12/15/2011	ND	1.94	96.9	2.00	3.54	
Ethylbenzene*	128	1.00	12/15/2011	ND	2.10	105	2.00	6.17	
Total Xylenes*	184	3.00	12/15/2011	ND	6.03	100	6.00	6.58	

Surrogate: 4-Bromofluorobenzene (PIL) 154 % 64.4-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/13/2011	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS				S-HI	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	4460	100	12/15/2011	ND	206	103	200	1.05	
DRO >C10-C28	12800	100	12/15/2011	ND	168	84.1	200	1.48	

Surrogate: 1-Chlorooctane 182 % 55.5-154

Surrogate: 1-Chlorooctadecane 476 % 57.6-158

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

TALON LPE
MIKE STUBBLEFIELD
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 12/09/2011
Reported: 12/16/2011
Project Name: LYNX FEDERAL NO. 6 RELEASE
Project Number: 700794.019.01
Project Location: SEC.15-T17S-R32E

Sampling Date: 12/08/2011
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-1 12' (H102644-07)

BTEx 8021B		mg/kg		Analyzed By: MS				S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.500	0.500	12/15/2011	ND	1.97	98.4	2.00	6.36	
Toluene*	15.6	0.500	12/15/2011	ND	1.94	96.9	2.00	3.54	
Ethylbenzene*	38.2	0.500	12/15/2011	ND	2.10	105	2.00	6.17	
Total Xylenes*	64.9	1.50	12/15/2011	ND	6.03	100	6.00	6.58	

Surrogate: 4-Bromofluorobenzene (PIL) 248 % 64.4-134

Chloride, SM4500Cl-B			mg/kg				Analyzed By: AP		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	12/13/2011	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS				S-HI	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	1210	50.0	12/15/2011	ND	206	103	200	1.05	
DRO >C10-C28	3790	50.0	12/15/2011	ND	168	84.1	200	1.48	

Surrogate: 1-Chlorooctane 147 % 55.5-154

Surrogate: 1-Chlorooctadecane 295 % 57.6-158

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

S-HI	High surrogate recovery was confirmed as a matrix effect by a second analysis.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-4X	The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Maryland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Tolon / LPE Project Manager: Mike Stubblefield Address: 408 W. Texas Ave. City: Artesia State: NM Zip: 88210 Phone #: 505-441-2255 Fax #: Project #: 200204.019.01 Project Owner: Decon Facility/504 Project Name: Lynx Federal No. 6 release Project Location: Sec. 15-T105-R32E Sample Name: Mike Stubblefield		BILL TO P.O. #: Company: Tolon / LPE Attn: Address: City: State: Zip: Phone #: Fax #:		ANALYSIS REQUEST														
FOR LAB USE ONLY Lab I.D.: H1020414 Sample I.D.:		(G)RAB OR (C)OMP. C	# CONTAINERS 1	MATRIX GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER:	PRESERV. ACID/BASE: ICE / COOL OTHER:	SAMPLING DATE: 12/8/11 TIME: 9:14 AM	TPH 8015 M BTEX 8021 B Total chlorides											
1	5-1 0'	C	1			12/8/11 9:14 AM												
2	5-1 2'	C	1			12/8/11 9:13 AM												
3	5-1 4'	C	1			12/8/11 9:20 AM												
4	5-1 6'	C	1			12/8/11 9:36 AM												
5	5-1 8'	C	1			12/8/11 9:41 AM												
6	5-1 10'	C	1			12/8/11 9:42 AM												
7	5-1 12'	C	1			12/8/11 9:42 AM												

PLEAST NOTICE: Liability and Ownership: Cardinal's liability and ownership is limited to the amount stated by the client for the services. No other liability shall be assumed by Cardinal. In no event shall Cardinal be liable for indirect or consequential damages, including without limitation, business interruptions, loss of data, or loss of profits incurred by client, its subsidiaries, affiliates, or subcontractors arising out of or incident to the performance of services hereunder by Cardinal. Incumbent at the time of the analysis stated on this form.

Relinquished By: Mike Stubblefield
Date: 12/9/2011
Time: 12:23 PM
Received By: Tolon / LPE
Date: 12/9/2011
Time:

Delivered By: (Circle One)
 UPS - Bus ☒ Other ☐
Sample Condition: Cool ☒ Warm ☐ Other ☐
Checked By: (Initials)
 bc ☒ Yes ☐ No ☐

Phone Result: ☐ Yes ☐ No **Add'l Phone #:**
Fax Result: ☐ Yes ☐ No **Add'l Fax #:**

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476