STATE OF NEW MEXICO DEPARTMENT OF ENERGY, MINERALS AND NATURAL RESOURCES OIL CONSERVATION COMMISSION

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF A SALTWATER DISPOSAL WELL, LEA COUNTY, NEW MEXICO

CASE NO. 24123

APPLICATIONS OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF SALTWATER DISPOSAL WELLS LEA COUNTY, NEW MEXICO

CASE NOS. 23614-23617

APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN LLC TO AMEND ORDER NO. R-22026/SWD-2403 TO INCREASE THE APPROVED INJECTION RATE IN ITS ANDRE DAWSON SWD #1, LEA COUNTY, NEW MEXICO.

CASE NO. 23775

APPLICATIONS OF EMPIRE NEW MEXICO LLC TO REVOKE INJECTION AUTHORITY, LEA COUNTY, NEW MEXICO

CASE NOS. 24018-24020, 24025

EMPIRE NEW MEXICO LLC'S PRE-HEARING STATEMENT

In accordance with Commission Rule 19.15.4.13(B) NMAC and paragraph 5 of the Third

Amended Pre-Hearing Order issued January 31, 2025, Empire New Mexico LLC ("Empire") submits this pre-hearing statement.

INTRODUCTION

In Case Nos. **24123**, **23614-23617**, and **23775**, Goodnight Midstream Permian LLC's ("Goodnight") requests approval for an additional five saltwater disposal ("SWD") wells within the boundaries of the Eunice Monument South Unit ("EMSU"), which is operated by Empire, and an increase in the maximum allowable injection for the existing Andre Dawson #1 well located

within the EMSU. Goodnight's requests for four additional SWD wells within the EMSU will add an average of 135,000 barrels of water per day ("BWPD") and maximum of 208,000 BWPD, which would be an annual increase averaging 49,275,000 barrels or a maximum 75,920,000 barrels per year. The Andre Dawson #1 requested increase would add an additional 13,000 BWPD to its current allowable, or 4,745,000 additional barrels per year. *See* Self-Affirmed Statement of William West at 2, ¶ 3, filed as Empire Exhibit I on Aug. 26, 2024, and Exhibit I-2, attached thereto. Empire opposes Goodnight's applications.

In Case Nos. 24018, 24019, 24020, and 24025, Empire seeks to revoke Goodnight's injection authority for four existing saltwater disposal wells within the EMSU, including the Andre Dawson SWD #1, the Ernie Banks SWD #1, the Ryno SWD #001 f/k/a Snyder SWD Well No. 1, and the Sosa SA 17 SWD Well No. 2. *See* Empire's applications, attached as Exhibit 1; *see also* Self-Affirmed Statement of Sharon T. Shaheen (regarding notice), attached as Exhibit 2. As explained below, Goodnight's injection of incompatible water continues to cause harm to the correlative rights of the State of New Mexico, the United States, and Empire, among others, by impairing Empire's current waterflood operations and by causing waste in the residual oil zones in both the Grayburg and San Andres formations. Additional increases in allowable injection will exacerbate the harm Goodnight has already caused.

For all the reasons stated herein and detailed in Empire's written testimonies, Goodnight's applications in Case Nos. 24123, 23614-23617, and 23775 should be denied, and Empire's applications in Case Nos. 24018, 24019, 24020, and 24025 should be granted.

BACKGROUND

All of these cases relate to Goodnight's continuing injection of foreign and incompatible produced saltwater into the San Andres formation underlying the EMSU. The San Andres formation is included within the unitized interval for the EMSU. Goodnight's continuing injection causes waste, impairs the correlative rights of each mineral interest owner in the Unit, including the majority owners of the minerals the State of New Mexico (58.32%) and the United States (19.27%), thereby interfering with Empire's operations of the Unit.

The subject field was discovered in 1929. Within 10 years, the field produced one MMBBls of oil. In 1979, the operator at that time began studying the area for possible secondary recovery by waterflood. Empire Ex. A at pdf 10, \P 11. In 1984, when the field was unitized, the vertical limits of the unitized interval were defined as "an upper limit described as 100 feet below mean sea level or at the top of the Grayburg, whichever is higher, to a lower limit at the base of the San Andres formation; the geologic markers having been previously found to occur at 3,666 feet and 5,283 feet, respectively, in Continental Oil Company's Meyer B-4 Well No. 23." Ex. A-6 at 2-3, ¶ 8 (pdf 131-32), ¶ 8. At that time, it was estimated that an additional 64.2 MMBBIs of oil could be recovered by waterflooding the reservoir. Since that time, EMSU has produced approximately 25 MMBBls of oil. Empire Ex. A at pdf 10, ¶ 11. See generally Empire Exs. A-4, A-6 to A-8. The Unit was first operated by Gulf Oil Corporation, subsequently rebranded as Chevron U.S.A. Inc. In 2004, XTO acquired Chevron's interests, operating the Unit from 2004 to 2021. Empire acquired XTO's interests and became the successor operator in March of 2021. Empire Ex. A at pdf 13, ¶ 14. Empire acquired the EMSU from XTO because of the significant potential for enhanced oil recovery in the San Andres ROZ and the Grayburg. Empire Ex. I at 2, ¶ 3.

Goodnight first began injecting water into the San Andres unitized interval of the EMSU in July 2020 and, as of January 1, 2025 has injected approximately 63 million barrels of water therein. OCD Permitting General Information by Well. Goodnight also operates an additional five SWD wells within approximately one mile of the EMSU, *see* Exhibit C to Goodnight Scope Motion (Sosa SA 17 SWD #002, Ted 28 SWD #001, Yaz 28 SWD #001, Pedro SWD #001, and Nolan Ryan SWD #001); and another SWD well in the San Andres within 2-1/2 miles of EMSU (Scully State SWD #1). Further, Goodnight has permitted an additional two wells within approximately 1.25 miles of the EMSU, which have not been drilled. *Id.* (Rocket SWD #1 and Verlander SWD). As of January 2025 the total amount of incompatible saltwater injected by Goodnight near Empire's operations is at least 126,594,411 million barrels of water. OCD Permitting General Information by Well.¹

Empire will show at the hearing that Goodnight's injection to date and proposed injection into the future adversely impacts Empire's ability to recover hydrocarbons in the unitized interval, including both the Grayburg and the San Andres by, among other things, pressuring up the San Andres reservoir to levels above original reservoir pressure, requiring Empire to operate its carbon dioxide ("CO₂") tertiary recovery at a higher pressure than necessary, and requiring Empire to inject the produced water into another zone to make room for the CO₂ to avoid fracturing the formation. Further, re-pressurization of the San Andres increases water influx into the Grayburg formation through natural fractures, which is prematurely watering out Grayburg producers.

Although the upcoming evidentiary hearing is limited to the applications relating to wells within the boundaries of the EMSU, it is important to note the following: (1) Empire's interests, as well as those of other working interest owners, exist throughout the surrounding area and (2) no barrier or other geological feature divides the Grayburg or San Andres formations underlying the EMSU from the same formations in the surrounding area. Thus, Goodnight's disposal into the

¹ Empire Exhibit I-2 is a map of the area within which the EMSU is located, which illustrates the Unit boundaries. The Goodnight wells at issue, four drilled and five proposed to be drilled, are identified therein.

San Andres creates waste and impacts the correlative rights of interest owners throughout the area where the EMSU is located.²

COMMON ISSUES

The issues identified by the Commission for the upcoming hearing are common to all of the applications:

At said hearing, the parties shall submit all evidence, testimony, and legal argument on the issue of the existence, extent of and possible interference with a residual oil zone [underlying] the Eunice Monument South Unit ("EMSU") by produced water injection activities undertaken by Goodnight.

Joint Order on Goodnight's Motion to Limit Scope of Hearing on Cases Within the EMSU and the

Oil Conservation Division Motion Concerning the Scope of the Evidentiary Hearing Set for

September 23-27, 2024, ¶ 2.

The Commission further limited the hearing to applications and wells within the EMSU,

which includes only those cases identified in the caption above. Notably, the Commission expressly excluded Goodnight's applications in Commission Case Nos. 24277 and 24278, seeking contraction of the unit interval and related pool, from the instant proceeding. *Id.* ¶ 4 ("The following cases, previously part of this case, have been stayed by other Order of the Commission pending resolution of the cases above: ..., b. Commission Case Nos – 24277 and 24278.").

I. A RESIDUAL OIL ZONE EXISTS WITHIN THE SAN ANDRES FORMATION WITH AN ESTIMATED 900 MMBBLS OF OIL IN PLACE IN THE EUNICE MONUMENT FIELD.

Goodnight does not dispute the existence of recoverable hydrocarbons in a residual oil zone

("ROZ") within the Grayburg formation. Expert Report of William J. Knights, P.G. at 8, filed as

² Empire operates two other units near the EMSU, including a sub-unit of the EMSU, designated EMSU-B, which is adjacent to the northeast boundary of the EMSU, and the Arrowhead Grayburg Unit, the northern boundary of which is a little more than a mile from the EMSU. *See* Empire Ex. A-2.

Goodnight Exhibit E on Aug. 26, 2024. The flaw in Goodnight's analysis is that it has selected a top of the San Andres formation that is deeper than the actual top, thus excluding 150 to 200 feet of ROZ. Empire will show, through log analyses and structural interpretation, that oil saturations demonstrate the existence and extent of ROZs throughout the unitized interval, including within the San Andres formation.

Oil in a ROZ is called "residual" because it is not recoverable by primary production or secondary waterflood production. Self-Affirmed Statement of Dr. Robert S. Trentham at 3, filed as Empire Exhibit D on Aug. 26, 2024; *id.* at 6 ("The nature of an ROZ is that it will not yield oil in commercial quantities in either primary or secondary operations."). The characteristics of a ROZ include "good odor, cut, fluorescence, and gas shows in samples, calculations of 20% or much higher oil saturations from logs, 15-40% oil saturation from core analyses; predominance of dolomite over limestone; and production of sulfur water on DST's or completions." *Id.* at 6. *See generally id.* at 4-11 (explaining the history and science of ROZs). Oil in a ROZ is recoverable with the aid of an injectant that liberates the oil, such as CO₂. *Id.* This type of oil recovery is known as enhanced oil recovery or EOR. *Id.*

More than 12 CO₂ EOR projects are currently underway in ROZs in the Permian Basin. *Id.* at 4 and Exhibit D-1 attached thereto. The success of these projects shows that commercial oil can be produced from ROZs in the intervals below the main pay zones, such as the San Andres formation in the EMSU. *Id.* at 6. *See generally id.* at 12-

The existence of a ROZ within the San Andres formation underlying the EMSU and the surrounding area is confirmed by core on the EMSU-679 and RR Bell #4 wells within the EMSU and the North Monument Grayburg-San Andres Unit #522 well, operated by Amerada Hess, which is located near the EMSU-B. *See, e.g.*, Empire Exhibits B-7 to B-9, B-22, B-23, B-25, B-26, B-

32 to B-34; *see also* Self-Affirmed Statement of Laurence S. Melzer at 9, ¶ 18, filed as Empire Exhibit C on Aug. 26, 2024 ("The evidence from the cores taken at depth in the San Andres *clearly demonstrates a residual oil zone of at least 250' beneath the two EMSU units*." (emphasis added)) (filed as Empire Exhibit C on Aug. 26, 2024). Goodnight does not disagree. Goodnight Ex. E at 8 (conceding that a ROZ with a reasonable amount of oil in place exists between -350 and -500 ft subsea).

In fact, the oil/water contact in the San Andres ROZ is approximately -719' to -750' subsea and, potentially, deeper. *See* Empire Exhibit B at 7; *see also* Empire Exhibit B-6, Tables B-1 to B-10, and Plates B-1 and B-2. Core from the NMSAU #522 well, located approximately 6.5 miles north of the EMSU, reflects oil saturations down to 4399' depth (-700' subsea). Empire Exhibit I-24.

The existence of a ROZ in the San Andres is further confirmed by openhole logs and mud logs. Empire Ex. D at 23-24. For example, the EMSU-660 drilling mudlog shows good to yellow fluorescence, with regions of good cut and strong gas shows, across 150' of the San Andres. Empire Ex. G at 4, ¶ 11 & Exhibit G-4, attached thereto; *see* Empire Ex. C-3 (describing specific evidence from mud logging that indicates the presence of a ROZ, such as dull gold fluorescence, odor in samples, vertically decaying gas show, and free sulfur crystals); *see also* Empire Ex. D at 11 and Exhibits D-6 & D-7, attached thereto (discussing the well and mudlogs for the Anschutz #1 Keating well in the Tall Cotton field).

Moreover, core analysis from the Empire 679 well and the RR Bell # 4 indicates sufficient oil saturation to reach a conclusion that the San Andres has a ROZ irrespective of whether the San Andres was termed as "non-productive" in 1984. *See* Empire Ex. B at 3 and Exhibits B-7 and B- 8, attached thereto. Similarly, Empire's witness from NuTech, Galen Dillewyn, opines that there

is oil saturation in the San Andres:

The two formations analyzed at Eunice Monument were the Grayburg and the San Andres. An example of the work is in **Exhibit F-6**. For EMSU-673. The Resistivity of the Water (RW) used was 0.4 ohm @ 75 degF. This was balanced in the reservoir above the Grayburg and in the evaporite sequence above that. The San Andres and Grayburg are primarily a dolomitic rock with some interspersed limestones. Both formations show evidence of hydrocarbon saturation.

Revised Self-Affirmed Statement of Galen Dillewyn at 4-5, Track 18, filed as Revised Exhibit F

on Dec. 4, 2024. NuTech's objective analysis was based on wireline logs for ten wells. Seven of the ten wells covered substantial portions of the San Andres interval that evidenced oil saturation ranging from 65% to 1%. *Id.* at 5. Empire witness Joseph A. McShane detailed the log results of these seven wells:

Well	Logged San Andres Interval	Net Oil Interval	Estimated MMBO Oil in Place/640 acres
EMSU-658	371'	182'	30.29
EMSU-673	362'	153'	31.68
EMSU-713	125'	40'	8.02*
EMSU-660	431'	313'	48.62
EMSU-746	1223'	508'	62.18
Ryno SWD #1	1215'	220'	15.62
EMSU-628	590'	266'	40.79

*Low due to limited section of San Andres drilled and logged

Empire Ex. G at 3-4, ¶ 10; Exhibits G-3(a)-(j), attached thereto. Likewise, geochemical evidence demonstrates that a ROZ exists within the EMSU. *Id.* at 4, ¶ 12 and Exhibit G-5, attached thereto; *see* Empire Ex. I at 9, ¶ ¶ 28-29 and Exhibits I-24 & I-25, attached thereto (showing the location of five cored wells showing the presence of oil in the San Andres).

Indeed, Goodnight Exhibit B-32 (slides 2 & 3) prepared by Goodnight witness Preston McGuire illustrates that core from the EMSU-679 well shows oil going as deep as -762' subsea and oil saturations are above 20% down to -652' subsea. Using the proper San Andres top of - 548' subsea, as picked by Dr. Robert Lindsay using the core, Goodnight Exhibit B-32 would indicate that there is 104' of ROZ in the San Andres with greater than 20% oil saturation.

Notably, when Empire first explored the possibility of acquiring the EMSU and other assets from the predecessor operator, XTO/Exxon Mobil ("XTO") represented that the EMSU, EMSU B and AGU hold a combined 23,400 acres of ROZ potential and that the ROZ interval is approximately 350' thick with an average oil saturation of ~25%. See EMSU, EMSU-B and AGU Upside Potential – Infill Drilling and ROZ at 2-3 (Empire Exhibit A-5). XTO further represented that approximately 912 million barrels of oil were in a ROZ that extended from -400' to -700' within the San Andres formation that extends throughout the three units. Id. at 3; see id. at 6-7. XTO's estimates are consistent with recent experience in existing enhanced oil recovery project targeting a ROZ, such as the Seminole San Andres Unit ("SSAU"), just across the Texas state line from the Eunice Monument area. Empire Exhibit C at 3 (estimating recovery of oil from CO₂ flooding the ROZ in the SSAU to be 68 MMBbls and in the Denver Unit within the Wasson field complex north of the Seminole field to be 50MMBbls); see Empire Exs. C-5 to C-8. The Tall Cotton project may be more analogous here, as it targeted a ROZ without a main pay zone, like the ROZ in the San Andres formation in the EMSU and surrounding area. The Tall Cotton project, initiated in 2014, peaked at 3000 BOPD and accumulated over 5MBbls to date, in an area less than a square mile. *Id.* at 4; *see* Empire Exs. C-4, C-9, & C-10.

Goodnight concedes that two wells have tested oil in the San Andres, EMSU-658 and EMSU-660. Goodnight Ex. E at 4-5. This evidences the existence of moveable oil, which Goodnight's saltwater disposal operations are pushing off the lease and unit. Goodnight's contention that the ROZ exists only in the Grayburg formation rests on the misidentification of the top of the San Andres formation. Empire Rebuttal Exhibits J, K, and N-4. Goodnight admits that

9

it picked the top lower at the Oil Conservation Division's recommendation to increase separation for water disposal. Empire Rebuttal Exhibit N-2.

Empire witness William West estimates that 37 million barrels of oil can be recovered using a 72 pattern 5-spot configuration and 141 million barrels using a 250 pattern field development. Empire Exhibits I-27 and I-29. By raising the reservoir pressure to 3000 psi, Empire will be required to purchase 25% more CO2 than if the CO2 flood is operated at 1500 psi. Empire Exhibit I-30. Goodnight admits it is increasing reservoir pressure by 4 to 7 psi for every one million barrels of water injected, therefore reservoir pressure will increase by 292 to 511 psi per year by the disposal of 200,000 BWPD. Goodnight is negatively impacting the economics of the CO2 flood by their disposal of large volumes of incompatible water. Empire Ex. I at 15(H).

II. GOODNIGHT'S INJECTION INTERFERES WITH EMPIRE'S ABILITY TO RECOVER OIL FROM THE ROZS IN THE GRAYBURG AND SAN ANDRES FORMATIONS.

Historic pressures, water testing, and high volumes of water production prior to the waterflood confirm that communication between the formations occurs through natural fractures.

The San Andres reservoir pressure dropped from 1747 psi at -430' subsea to 1245 psi (28.7% depletion) by April 1986, with limited production from the San Andres, as measured in the EMSU-211 well. This pressure decline was also confirmed by the openhole RFT run in EMSU-458 which showed a 28.5% drop. Fluid levels in EMSU-457 and EMSU-460 San Andres water supply wells also showed a similar pressure drop. Empire Ex. I at 5; Exhibits I-3 and I-4, attached thereto; *see also id.* at 10, Section B (discussing communication between the San Andres formation and the Grayburg formation). In addition, Chevron documented sulfate water from the San Andres entering the Grayburg formation and causing barium sulfate scale prior to the waterflood. *Id.* at 6 and Exhibit I-7. Notably, wells in the crestal area of the reservoir experienced high water

production prior to the waterflood and this high water production is attributed to San Andres water entering the Grayburg through natural fractures. Empire Ex. I at 5-6; Exhibits I-5 & I-6, attached thereto.

Downdip water disposal moves up structure into the -350' to -500' ROZ interval defined by Goodnight and into the -500' to -763' subsea ROZ interval defined by core. Rebuttal Exhibit N-6. Empire has identified the top of the San Andres formation at approximately -350' subsea at the crest and this indicates there is 150' to 400' of ROZ in that area of the field. Empire Exhibit N-5.

In short, natural fractures exist in both the Grayburg and San Andres formations and promote communication between the two intervals. *See* Self-Affirmed Statement of Dr. Robert F. Lindsay at 2, 5-6, 11 (filed as Empire Exhibit B on Aug. 26, 2024); Empire Exhibits J-4 through J-12 and Appendix 1, attached thereto. Empire's witness Dr. Robert Lindsay, who worked on the Eunice Monument complex of unitized oil fields for Chevron from 1988 to 2002, has conducted fracture studies that reveal the prevalence of fractures measured in the lower Grayburg reservoir and in the upper San Andres residual oil zone. *See, e.g.*, Empire Exhibits B-12 to B-20; *see also* Empire Exhibits J-3 to J-9. As explained by Dr. Lindsay, water chemistry studies verified that plumes of water came from the San Andres formation, which contains low salinity water that is sulfate rich. Empire Exhibit B at 4, ¶ 7. The presence of San Andres sulfate water mixing with the Grayburg barium ions and forming barium sulfate scale prior to the waterflood shows that San Andres water entered the Grayburg prior to the waterflood. *See id.* at 4-5, ¶ 8; *id.* at 6; Empire Exhibit B-21.

As explained by Empire's reservoir modeling expert, Dr. James L. Buchwalter, the San Andres is in hydraulic communication with the Grayburg through natural fractures, which are most prevalent at the crestal portions of the field. In Dr. Buchwalter's model, cumulative water production volumes as of 1/1/1986, prior to the waterflood, were used to determine the vertical permeability necessary to match historical well performance and reservoir pressure. Self-Affirmed Statement of Dr. James L. Buchwalter at 3, ¶ K(1), filed as Empire Exhibit E on Aug. 26, 2024. Running the model with no vertical communication between the two intervals resulted in cumulative water production at only about half of the actual historic production and over 100 wells produced excessively low water production in the model, compared to actual. *Id.* at 3-4. A match with historic water production was only possible by increasing the communication between the two formations in the model. *Id.* at 4, ¶ 2.

Further, re-pressurization resulting from Goodnight's continued injection will result in high water influx into the Grayburg, even if pressures are dissipated to other parts of the reservoir. *Id.* at 5, ¶ 5; *id.* at 6, ¶ 2; *see* Empire Ex. I at 2 ("[D]isposal water is pressuring up the reservoir to levels above original reservoir pressure (1527 psi@4000 feet) and based upon maximum allowed surface injection pressures, will likely reach 3000 psi before disposal rates decline significantly."). The resulting uptick in pressure will require Empire to operate the CO₂ EOR project at a higher pressure than necessary (MMP<2000 psi) and to inject produced water into another zone to allow space for the CO₂ to avoid fracturing the formation. *Id.* at 7, ¶ 14; *cf. id.* at 7-8, ¶¶ 15-21 (describing the total area impacted by Goodnight's Operations, which far exceeds the 5-acre surface leases apparently assigned to each of Goodnight's SWDs); Exhibits I-15 to I-17, I-19 to I-20. Allowing Goodnight to continue to dispose of water, thereby increasing the pressure, will increase the amount of CO₂ required, adding significant additional costs. *Id.* at 10, ¶ 34 & Exhibit I-30.

Indeed, within 10 years, the five new proposed wells alone will have impacted 1540 acres each, totaling 13,930 acres, which equates to 98% of EMSU assigned acreage. Empire Ex. I at 9,

12

¶ 25 and Exhibit I-21; *see id.* ¶ 26 and Exhibit I-21 (stating that within 20 years, the five new proposed wells will have collectively impacted 27,950 acres, which is close to twice the size of EMSU). At a disposal rate of 40,000 barrels of water per day, Goodnight will exceed the storage volume of the five-acre tract assigned to each proposed well within 13 days. *Id.* at 9, ¶ 27 and Exhibit I-23.

Notably, the model prepared by Empire witness Dr. Buchwalter confirmed the conclusion reached by Chevron, a predecessor operator of the EMSU, that prior to unitization and the waterflood, San Andres water was migrating into Grayburg and Penrose wells, resulting in barium sulfate scale, barite, and a deposition problem. Empire Ex. E at 6, \P (1). Moreover, Goodnight's disposal of off-lease high salinity water, containing chemicals from Delaware Basin fracture treatments, causes increased corrosion and scaling as it is processed and reinjected into Grayburg wellbores. *See* Empire Ex. I at 3; *id.* at 6, $\P\P$ 11-12 and Exhibits I-8 to -9. The model also demonstrated that influx of injected water from the San Andres to the Grayburg is adversely impacting the waterflood recovery due to non-uniform sweep. Empire Ex. E, \P 3.

Moreover, core analyses reveal larger vertical permeabilities in both the Grayburg and San Andres, which will be an advantage in CO₂ recovery. Ex. C at 5, ¶ 10.; *id.* at 6, ¶ 11. This vertical permeability is adversely impacted, however, by Goodnight's injection. As explained by Dr. Trentham, Goodnight's continuing injection of produced water adversely impacts the recovery of oil from the ROZ in both formations, regardless of the methodology used for the EOR. Empire Ex. D at 22-23. Dr. Trentham concludes as follows:

Core and log information confirms the presence of a ROZ at EMSU, EMSU-B, and AGU. Goodnight's continued injection of off lease produced water into the San Andres reservoir within and near EMSU will greatly diminish or destroy Empire's ability to employ any potential EOR methodology in their properties. Disposal of off lease saltwater by a 3rd party Company should be terminated inside the

waterflood units where a Main Pay Zone or ROZ interval exist[s] so that EOR process can be properly implemented.

Id. at 23-24.

In addition, Empire has seen an increase in chlorides in four wells near the Goodnight SWD wells, indicating that San Andres water is entering the Grayburg formation. Empire Ex. I at 6, ¶ 12; Exhibits I-9 to I-12 attached thereto; Empire Exhibit N-9.

All of this evidence demonstrates, contrary to Goodnight's assertions, there is no "seal" or "geologic barrier" between the Grayburg and the San Andres formations that prevents communication between the two formations. As explained by Empire's witnesses, reservoir quality rock exists just below the Grayburg, with greater than 10% porosity and varying thicknesses of tight anhydrite layers at the top of the San Andres. Empire Ex. G at 5, ¶ 14. As discussed above, this reservoir rock is commonly capped by collapse breccias near the crest of the structure, with fractures that act as fluid conduits. *Id.; see id.* Exhibits G-7(a)-(b), attached thereto.

As explained by Empire's witness Dr. Lindsay, the injection of produced water foreign to the San Andres can reduce reservoir quality and damage ROZ productivity. *See* Empire Exhibit B at 4-5. Notably, water analysis of Goodnight's Wrigley saltwater disposal well ("SWD") raises concerns about scale precipitation due to high levels of sodium and calcium. *Id.* at 5, 9. Goodnight's disposal water contains much higher levels of sodium and calcium than produced waters from Empire's operations. Goodnight's levels of sodium range from 39,580-51,322 mg/L, while Empire's averages 6426 mg/L. Similarly, Goodnight's disposal water contains 2206-5988 mg/L of calcium, while Empire's averages 652 mg/L. *Id.* at 12. In short, produced water containing ions such as Ca, Na, K, and Ba will mix with SO4 to precipitate cement (scale) within the ROZ, reducing reservoir quality and damaging future ROZ productivity. *Id.* at 5. Moreover, by definition, injection of waste water by Goodnight creates over-pressured formations. Empire Ex. C. at 6, ¶ 12. This over-pressurization exacerbates existing, and causes additional, fractures and collapse breccia. *See* Empire Ex. G at 5, ¶ 14.

The error in Goodnight's argument is two-fold: (1) Goodnight misrepresents the top of the San Andres, and (2) Goodnight misinterprets the oil saturation evidenced in the well logs. Notably, the error is compounded by Goodnight's witnesses who rely on the testimony of Goodnight's witness Preston McGuire, without confirming Mr. McGuire's representations.

Goodnight contends that a 200-foot barrier extends across the EMSU, separating the zone in which Goodnight injects incompatible water from the ROZs that exist in the Grayburg and San Andres formations. See, e.g., Self-Affirmed Statement of Preston McGuire at 27, ¶¶ 73-74, filed as Goodnight Exhibit B on Aug. 26, 2024. Goodnight's witness Mr. McGuire states that "[a]dditional engineering evidence, addressed below and through Goodnight's technical experts, confirms this assessment." Id. ¶ 74. The problem with this representation is that the cross-sections provided by Mr. McGuire do not show a continuous 200-foor barrier, and each of Goodnight's witnesses relied on Mr. McGuire's representations that a 200-foot barrier divides Goodnight's disposal zone from existing ROZs. See, e.g., Thomas Tomastik Depo. Tr. at 41:4-11, excerpts attached hereto as Exhibit 3; John McBeath Depo. Tr. at 32:20-23, excerpts attached hereto as Exhibit 4; Larry Lake Depo. Tr. at 26:22-27:1, excerpts attached hereto as Exhibit 5; Davidson Depo. Tr. at 35:17-24, excerpts attached hereto as Exhibit 6. Mr. McGuire's claim that the formation top should be picked based on engineering data, rather than geological data, ignores the voluminous geological data that is available and supports Empire's position. As will be demonstrated at hearing, Mr. McGuire is simply wrong about the tops of the San Andres and the existence of a 200-foot barrier between Goodnight's disposal and Empire's operations.

For example, log analysis of Goodnight's Ryno SWD #1 well reflects the following:

-728 feet SSD>top injection perf in the Ryno SWD #1 well

-761 feet SSD > deepest core point on EMSU-669, 16.2% oil

-2013 feet SSD > deepest injection perf in the Ryno SWD #1 well

-2142 feet SSD > Ryno SWD #1 deepest penetration, 40% oil

Self-Affirmed Statement of Frank J. Marek at 2, filed as Empire Exhibit H on Aug. 26, 2024. Thus, the Ryno SWD #1 well is clearly injecting into an existing ROZ within the San Andres formation. *Id.* This conclusion is supported by core data from the EMSU-679, which shows an oil saturation of 16.2% at -761 feet subsea depth. *Id.*; *see* Empire Exhibit C at 4, \P 8 (explaining the corrected values to conventional core necessary to represent true in-situ values).

III. INJECTION OF HIGH SALINITY PRODUCED WATER WILL LIKELY CONTAMINATE THE GOAT SEEP AQUIFER.

The Goat Seep aquifer is one of only two sources of deep low salinity water in the Chihuahuan desert. Empire Ex. B at 9. Reservoirs along the Eunice Monument units are immediately up-dip approximately 1.5 to 2 miles from the Goat Seep aquifer. *Id.* The Goat Seep aquifer is in pressure and fluid communication with both the EMSU and the Arrowhead Grayburg Unit. *Id.* High salinity produced water injected into the San Andres is being sucked up by the lower pressure Grayburg interval, causing vertical plumes of water that will ultimately migrate down-dip to contaminate the Goat Seep aquifer due to the higher density of the injected water. *Id.*; *see* Exhibits B-28 to B-30.

CONCLUSION

For all the reasons stated herein, which will be established at hearing by Empire, the applications in **Case Nos. 24123, 23614-23617,** and **23775** should be **denied**, and the applications in **Case Nos. 24018, 24019, 24020**, and **24025** should be **approved**.

PROPOSED EVIDENCE BY EMPIRE

Empire anticipates that witnesses will be presented as provided in the Commission's Order on Prehearing Matters filed on or about January 21, 2025, in the following order: (1) Empire, (2) Goodnight, and (3) the Division. *Id.* ¶ 7. As discussed at the Commission's meeting on February 3, 2025, Empire's witnesses are planning to present a summary of their proposed testimony for approximately 15 minutes, to be followed by cross-examination by the parties and the Commission. The time necessary for each witness to testify will be determined by the extent of cross-examination by the parties and the Commission. Additional rebuttal evidence may be allowed as deemed appropriate by the Commission. *Id.*

At this time, Empire plans to have its witnesses available February 24-28 and to present them in the following order:

EMPIRE WITNESSESWritten Testimonies31.Empire VP – Land and Legal Jack E. WheelerEx. A2.Consulting Geologist Dr. Robert F. LindsayExs. B & J3.Consulting Chemical Engineer Galen DillewynRev. Ex. F4.Empire Petroleum Geologist Joseph A. McShaneEx. G

³ Prior to hearing, Empire will provide identical notebooks with all of Empire's exhibits to the Commissioners, Commission counsel, and each party.

5.	Consulting Geologist Ryan Bailey (in rebuttal)	Ex. K
6.	Consulting Petrophysicist Stanley (Scott) Birkhead (in rebuttal)	Ex. L
7.	Consulting Geologist in reservoir characterization and ROZs, Dr. Robert C. Trentham	Ex. D
8.	Consulting Geological Engineer Laurence S. Melzer	Ex. H
9.	Consulting Engineer Frank J. Marek	Ex. H
10.	Consulting Reservoir Engineer Dr. James Buchwalter	Exs. E & M
11.	Empire Senior VP of Operations William West	Exs. I & N

The qualifications and full narrative of the direct testimony and exhibits for all witnesses,

with the exception of Mr. Bailey and Mr. Birkhead, were previously filed on August 26, 2024

(Empire Exs. A-I). Revised testimonies of Mr. Dillewyn and Mr. McShane were filed on or about

December 4 and December 5, 2024, respectively (Revised Exhibit F and Revised Exhibit G).

Rebuttal testimony and exhibits will be filed concurrently with this Pre-Hearing Statement (Empire

Exhibits J-N). Empire provides a summary of each witness's qualifications and testimony below.

- Jack E. Wheeler (Senior VP Land and Legal) is employed by Empire and will testify regarding (1) the creation and history of the EMSU, Empire's acquisition of its interests in the EMSU, and Empire's operations therein, (2) Division orders relating to the EMSU, and (3) the locations of Goodnight's proposed and currently active or permitted SWDs within the EMSU. Mr. Wheeler will present his direct testimony in person.
- 2. Dr. Robert "Bob" F. Lindsay (Consulting Geologist, Lindsay Consulting) will testify to his characterization of the geology of the San Andres/Grayburg reservoir, including (1) selection of the top of San Andres, (2) the presence of a residual oil zone (ROZ) within the San Andres, (3) identifiable vertical fractures within the San Andres and Grayburg which allows for vertical migration of injected saltwater from the San Andres into the Grayburg, and (4) the lack of an effective geologic seal between the Grayburg and the San Andres. Dr. Lindsay will present his direct and rebuttal testimony in person.
- 3. Galen Dillewyn (Consulting Log Analyst, Vice President, Business Development NuTech Energy Alliance) will testify on the procedures NuTech used to determine oil saturations of the Grayburg waterflooded interval and San Andres ROZ in 7 key wells at EMSU, including (1) the NULOOK process for determining rock properties and oil saturation in carbonate reservoirs, (2) sensitivities run where the "m" and "n" were varied,

and (3) determination that a ROZ interval exists at EMSU. Mr. Dillewyn will present his direct testimony by video.

- 4. Joseph A. McShane (Empire Petroleum Geologist) is employed by Empire and will testify to his experience reviewing and studying the unitized Grayburg/San Andres interval in the EMSU, including (1) a geologic overview of the EMSU, (2) cross-sections showing proposed and active Goodnight wells injecting into the unitized interval, (3) subsea structure maps of the Grayburg and San Andres, (4) NuTech log analysis Oil-in-Place volumes, (5) proof of the ROZ in the San Andres and (6) the lack of geologic barrier between the Grayburg and San Andres. Mr. McShane will present his direct testimony in person.
- 5. **Ryan Bailey** (Consulting Geologist in Stratigraphic Modeling, VP of Ops Geologic, LLC) will testify in his rebuttal to Mr. Preston McGuire that (1) Goodnight's selection of a deeper top for the San Andres reduces Goodnight's estimate of oil-in-place for the San Andres ROZ, (2) Goodnight does not recognize the Lovington sand as a marker within the Upper San Andres and many of their picks for top of San Andres are at this sand and (3) there is considerable oil-in-place in both the Upper and Lower San Andres based on Ops Geologic log interpretation and mapping. Mr. Bailey will present his rebuttal testimony in person.
- 6. **Stanley "Scott" Birkhead** (Consulting Petrophysicist, Ops Geologic LLC.) will testify that (1) Goodnight's estimate of oil saturation is pessimistic due to the log parameters and rock facies utilized in the interpretation, (2) their oil-in-place is low due to the use of a San Andres structure top provided to expert witness Dr. Davidson by Goodnight, and (3) that there is high oil saturation intervals in both the Upper and Lower San Andres which Goodnight failed to identify due to their interpretation techniques applied to the data. Mr. Birkhead will present his rebuttal testimony in person.
- 7. **Dr. Robert "Bob" Trentham** (Consulting Geologist in reservoir characterization and ROZs, UT Permian Basin) will testify about (1) the ROZ fairways which developed in New Mexico and Texas, leaving large volumes of residual oil beneath main pay zones (brown field) and isolated with no main pay (green field), (2) CO2-EOR success at Seminole ROZ interval (brown field) which has produced 20,000 BOPD for over 10 years, (3) similarities and the success of CO2-EOR at Tall Cotton (green field) where no commercial oil production had been established prior to CO2 injection, and (4) core and log information confirms the presence of a ROZ at EMSU, EMSU-B, and AGU. Dr. Trentham will present his direct testimony by video.
- 8. Laurence "Steve" Melzer (Consulting Geological Engineer, Melzer CO2 Consulting) will testify about (1) the use of enhanced oil recovery techniques including CO₂ to recover previously-unproduced ROZs around the world, including in the Permian Basin, (2) his estimates of recoverable ROZ resources in Lea County, New Mexico, and (3) how SWD injection into ROZ reservoirs such as the San Andres ROZ will severely impair the ROZ for both oil exploration and CO₂ storage, thus creating waste. Mr. Melzer will present his direct testimony in person.

- 9. Frank "Deacon" J. Marek (Consulting Engineer, Cobb & Associates) will testify to_his evaluation of the impact of existing SWD operations on waterflood projects in the EMSU, including (1) his analysis of cross-sections across the Unit showing oil saturation throughout the entire San Andres interval, and (2) the ways in which injection and further injection of produced water into the unitized interval detrimentally impact Empire's ability to recover hydrocarbons from the ROZ and therefore results in waste. Mr. Marek will present his direct testimony by video.
- 10. **Dr. James "Jim" Buchwalter** (Consulting Reservoir Engineer, President of Gemini Solutions Inc.) will testify about (1) reservoir model constructed for EMSU, EMSU-B, and AGU waterflood units and San Andres ROZ interval, (2) to obtain pressure and production history match required that water influx from San Andres occur with the start of production in the 1930's, and (3) Goodnight is pressuring up the San Andres at a rate of at least 4 psi for every million barrels of water injected and this will result in 50,000 BWPD entering the Grayburg within the next two years due to higher San Andres pressure. Dr. Buchwalter will present his direct and rebuttal testimony in person.
- 11. William West (Senior Vice-President of Operations) is employed by Empire and will testify about (1) the volumes of Goodnight's SWD injections to date and their quantifiable impacts on EMSU secondary recovery operations, (2) evidence of communication between the San Andres and Grayburg formations, (3) evidence that there is a ROZ in the San Andres, (4) the estimated area of exposure of SWD saltwater within the EMSU, (4) SWD impacts on secondary and tertiary recovery projects going forward, and (5) how Goodnight's downdip disposal will impact the updip portions of the San Andres and ultimately enter the Grayburg. Mr. West will present his direct and rebuttal testimony in person.

PROCEDURAL MATTERS

This matter is set for an evidentiary hearing to begin February 24, 2024, with opening

arguments, and arguments on pending motions to the extent deemed necessary by the Commission,

on February 20, 2024. See Third Pre-Hearing Order (issued on or about Jan. 21, 2024). Pending

motions include the following:

- Goodnight's Consolidated Motion for Partial Summary Judgment
- Goodnight's Motion to Strike Empire's Rebuttal Disclosure of Ryan and Scott
- Empire's Motion to Clarify Scope
- Motions to exclude all or a portion of an expert witness's testimony, which are due no later than February 13, 2024

Respectfully submitted,

By: <u>/s/ Sharon T. Shaheen</u>

Sharon T. Shaheen SPENCER FANE LLP P.O. Box 2307 Santa Fe, NM 87504-2307 (505) 986-2678 sshaheen@spencerfane.com

Dana S. Hardy Jaclyn M. McLean Timothy Rode **HINKLE SHANOR LLP** P.O. Box 2068 Santa Fe, NM 87504-2068 (505) 982-4554 <u>dhardy@hinklelawfirm.com</u> <u>jmclean@hinklelawfirm.com</u> <u>trode@hinklelawfirm.com</u>

Ernest L. Padilla **PADILLA LAW FIRM, P.A.** P.O. Box 2523 Santa Fe, NM 87504 (505) 988-7577 padillalawnm@outlook.com

Attorneys for Empire New Mexico, LLC

CERTIFICATE OF SERVICE

I hereby certify that a true and correct copy of the foregoing was served upon the following counsel of record by electronic mail on February 10, 2025.

Michael H. Feldewert Adam G. Rankin Nathan R. Jurgensen Julia Broggi Paula M. Vance Holland & Hart LLP P.O. Box 2208 Santa Fe, New Mexico 87504-2208 Telephone: (505) 986-2678 mfeldewert@hollandhart.com agrankin@hollandhart.com nrjurgensen@hollandhart.com jbroggi@hollandhart.com pmvance@hollandhart.com Attorneys for Goodnight Midstream Permian, LLC	Jesse K. Tremaine Christopher L. Moander New Mexico Energy, Minerals and Natural Resources Department 1220 South St. Francis Drive Santa Fe, New Mexico 87505 Tel (505) 709-5687 Jessek.tremaine@emnrd.nm.gov chris.moander@emnrd.nm.gov Attorneys for New Mexico Oil Conservation Division
Matthew M. Beck PEIFER, HANSON, MULLINS & BAKER, P.A. P.O. Box 25245 Albuquerque, NM 87125-5245 Tel: (505) 247-4800 <i>mbeck@peiferlaw.com</i> <i>Attorneys for Rice Operating Company and</i> <i>Permian Line Service, LLC</i>	Miguel A. Suazo Sophia A. Graham Kaitlyn A. Luck BEATTY & WOZNIAK, P.C. 500 Don Gaspar Ave. Santa Fe, NM 87505 Tel: (505) 946-2090 msuazo@bwenergylaw.com sgraham@bwenergylaw.com kluck@bwenergylaw.com Attorneys for Pilot Water Solutions SWD, LLC

<u>/s/ Sharon T. Shaheen</u> Sharon T. Shaheen

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION OF EMPIRE NEW MEXICO LLC TO REVOKE THE INJECTION AUTHORITY GRANTED UNDER ORDER NO. R-22026 FOR THE ANDRE DAWSON SWD #001 OPERATED BY GOODNIGHT MIDSTREAM PERMIAN LLC, LEA COUNTY, NEW MEXICO

CASE NO. <u>24018</u>

APPLICATION

Empire New Mexico LLC ("Empire") respectfully applies for an order revoking the injection authority granted under Order No. R-22026/SWD-2403 in Case No. 21569 ("Order"). In support, Empire states as follows:

1. Goodnight Midstream Permian, LLC ("Goodnight") is the operator of record for the Andre Dawson SWD #1 well, API# 30-025-50634 ("Well"), a produced water disposal well located 1105' FSL and 244' FEL (Unit P) of Section 17, Township 21 South, Range 36 East, in Lea County, NM.

2. The Well is disposing of water within the unitized interval of the Eunice Monument South Unit ("Unit"), which is operated by Empire.

3. The unitized interval of the Unit extends from the top of the Grayburg formation to the bottom of the San Andres formation ("Unitized Interval"). The vertical limits of the Unitized Interval are the same as the vertical limits of the Eunice Monument Grayburg-San Andres Pool covering the Grayburg and San Andres formations.

4. The Well disposes into the San Andres formation between 4,287 feet and 5,590 feet.

¹ Exhibit 1 5. At the time of the application, Goodnight misrepresented that the San Andres is a non-productive zone known to be compatible with formation water from the Bone Spring, Delaware, and Wolfcamp formations ("Produced Water").

6. However, residual oil zones ("ROZ") are found within the San Andres, and Empire has the right to recover hydrocarbons therein.

7. Moreover, the salinity levels of Produced Water are substantially greater than the salinity levels of water in the Unitized Interval, including the San Andres formation.

8. Goodnight began disposing into the Well on approximately January 18, 2023 and has regularly exceeded the permitted maximum daily disposal rate of 25,000 barrels of water, in violation of the Order. Within the first 166 days of disposal, Goodnight exceeded the permitted daily disposal rate 60 days.

9. Disposal in the Well impairs the ability of Empire to recover hydrocarbons within the Unitized Interval and thereby adversely affects the correlative rights of Empire and other interest owners in the Unit and results in waste.

10. Empire has requested that Goodnight voluntarily cease disposal of produced water in the Well, but as of the date of filing this application, the Well remains an active saltwater disposal well. Rather, Goodnight filed an application to increase the maximum daily disposal rate to 40,000 barrels of water in Case No. 23775, which is currently pending before the Division.

11. Revocation of the disposal authority granted by Order No. R- 22026 will prevent the waste of recoverable hydrocarbons and will protect correlative rights.

WHEREFORE, Empire requests that this case be heard as a status conference on December 7, 2023 and, at that time, be set for a consolidated contested hearing with Case No. 23775.

2

Respectfully submitted,

MONTGOMERY & ANDREWS, P.A.

/s/ Sharon T. Shaheen Sharon T. Shaheen Samantha H. Catalano P.O. Box 2307 Santa Fe, NM 87504-2307 (505) 986-2678 sshaheen@montand.com scatalano@montand.com ec: wmcginnis@montand.com

Ernest L. Padilla PADILLA LAW FIRM P.O. Box 2523 Santa Fe, NM 87504 (505) 988-7577 padillalawnm@outlook.com

and

Dana S. Hardy Jackie McLean HINKLE SHANOR LLP P.O. Box 2068 Santa Fe, NM 87504-2068 (505) 982-4554 dhardy@hinklelawfirm.com jmclean@hinklelawfirm.com

Attorneys for Empire New Mexico, LLC

Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-22026 for the Andre Dawson SWD #001 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-22026, SWD-2403, issued in Case No. 21569 on February 7, 2022, to dispose of produced water in the Andre Dawson SWD #1 well, API# 30-025-50634 ("Well"), a produced water disposal well located 1105' FSL and 244' FEL (Unit P) of Section 17, Township 21 South, Range 36 East, in Lea County, NM. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 6.5 miles Northwest of Eunice City, New Mexico.

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION OF EMPIRE NEW MEXICO LLC TO REVOKE THE INJECTION AUTHORITY GRANTED UNDER ORDER NO. R-22027 FOR THE ERNIE BANKS SWD NO. 1 WELL OPERATED BY GOODNIGHT MIDSTREAM PERMIAN LLC, LEA COUNTY, NEW MEXICO

CASE NO. <u>24019</u>

APPLICATION

Empire New Mexico LLC ("Empire") respectfully applies for an order revoking the injection authority granted under Order No. R-22027 in Case No. 21570 ("Order"). In support, Empire states as follows:

1. Goodnight Midstream Permian, LLC ("Goodnight") is the operator of record for the Ernie Banks SWD No. 1 well, API# 30-025-50633 ("Well"), a produced water disposal well located 395 feet from the North line and 1203 feet from the West line (Unit D) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico.

2. The Well is disposing of water within the unitized interval of the Eunice Monument South Unit ("Unit"), which is operated by Empire.

3. The unitized interval of the Unit extends from the top of the Grayburg formation to the bottom of the San Andres formation ("Unitized Interval"). The vertical limits of the Unitized Interval are the same as the vertical limits of the Eunice Monument Grayburg-San Andres Pool covering the Grayburg and San Andres formations.

The Well disposes into the San Andres formation through a perforated interval from
 4312 feet to 5615 feet below surface.

5. At the time of the application, Goodnight misrepresented that the San Andres is a non-productive zone known to be compatible with formation water from the Bone Spring, Delaware, and Wolfcamp formations ("Produced Water").

6. However, residual oil zones ("ROZ") are found within the San Andres, and Empire has the right to recover hydrocarbons therein.

7. Moreover, the salinity levels of Produced Water are substantially greater than the salinity levels of water in the Unitized Interval, including the San Andres formation.

8. Further, Goodnight is in violation of the Order for failure to report disposal volumes.

9. Disposal in the Well impairs the ability of Empire to recover hydrocarbons within the Unitized Interval and thereby adversely affects the correlative rights of Empire and other interest owners in the Unit and results in waste.

10. Empire has requested that Goodnight voluntarily cease disposal of produced water in the Well, but as of the date of filing this application, the Well remains an active salt water disposal well.

11. Revocation of the disposal authority granted by Order No. R-22027 will prevent the waste of recoverable hydrocarbons and will protect correlative rights.

WHEREFORE, Empire requests that this case be heard as a status conference on December 7, 2023 and, at that time, be set for a contested hearing on the same docket as Case No. 23775.

2

Respectfully submitted,

MONTGOMERY & ANDREWS, P.A

/s/ Sharon T. Shaheen Sharon T. Shaheen Samantha H. Catalano P.O. Box 2307 Santa Fe, NM 87504-2307 (505) 986-2678 sshaheen@montand.com scatalano@montand.com ec: wmcginnis@montand.com

Ernest L. Padilla PADILLA LAW FIRM P.O. Box 2523 Santa Fe, NM 87504 (505) 988-7577 padillalawnm@outlook.com

and

Dana S. Hardy Jackie McLean HINKLE SHANOR LLP P.O. Box 2068 Santa Fe, NM 87504-2068 (505) 982-4554 dhardy@hinklelawfirm.com jmclean@hinklelawfirm.com

Attorneys for Empire New Mexico, LLC

Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-22027 for the Ernie Banks SWD #001 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-22027, issued in Case No. 21570 on February 7, 2022, to dispose of produced water in the Ernie Banks SWD #1 well, API# 30-025-50633 ("Well"), a produced water disposal well located 395 feet from the North line and 1203 feet from the West line (Unit D) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 8.4 miles Northwest of Eunice City, New Mexico.

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION OF EMPIRE NEW MEXICO LLC TO REVOKE THE INJECTION AUTHORITY GRANTED BY ADMINISTRATIVE ORDER SWD-2307 FOR THE RYNO SWD #001 F/K/A SNYDER SWD WELL NO. 1 OPERATED BY GOODNIGHT MIDSTREAM PERMIAN LLC, LEA COUNTY, NEW MEXICO CASE NO. 24020

APPLICATION

Empire New Mexico LLC ("Empire") respectfully applies for an order revoking the injection authority granted under Administrative Order No. SWD-2307 ("Order"). In support, Empire states as follows:

1. Goodnight Midstream Permian, LLC ("Goodnight") is the operator of record for the Ryno SWD #001 f/k/a Snyder SWD Well No. 1, API# 30-025-43901 ("Well"), a produced water disposal well located 1450 feet from the North line and 708 feet from the East line (Unit H) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico.

2. The Well is disposing of water within the unitized interval of the Eunice Monument South Unit ("Unit"), which is operated by Empire.

3. The unitized interval of the Unit extends from the top of the Grayburg formation to the bottom of the San Andres formation ("Unitized Interval"). The vertical limits of the Unitized Interval are the same as the vertical limits of the Eunice Monument Grayburg-San Andres Pool covering the Grayburg and San Andres formations.

4. The Well disposes into the San Andres formation from 4320 feet to 5625 feet below surface.

5. At the time of the application, Goodnight misrepresented that the San Andres is a non-productive zone known to be compatible with formation water from the Bone Spring, Delaware, and Wolfcamp formations ("Produced Water").

6. However, residual oil zones ("ROZ") are found within the San Andres, and Empire has the right to recover hydrocarbons therein.

7. Moreover, the salinity levels of Produced Water are substantially greater than the salinity levels of water in the Unitized Interval, including the San Andres formation.

8. Disposal in the Well impairs the ability of Empire to recover hydrocarbons within the Unitized Interval and thereby adversely affects the correlative rights of Empire and other interest owners in the Unit and results in waste.

9. Empire has requested that Goodnight voluntarily cease disposal of produced water in the Well, but as of the date of filing this application, the Well remains an active salt water disposal well.

10. Revocation of the disposal authority granted under Administrative Order No. SWD-2307 will prevent the waste of recoverable hydrocarbons and will protect correlative rights.

WHEREFORE, Empire requests that this case be heard as a status conference on December 7, 2023 and, at that time, be set for a contested hearing on the same docket as Case No. 23775.

2

Respectfully submitted,

MONTGOMERY & ANDREWS, P.A

/s/ Sharon T. Shaheen Sharon T. Shaheen Samantha H. Catalano P.O. Box 2307 Santa Fe, NM 87504-2307 (505) 986-2678 sshaheen@montand.com scatalano@montand.com ec: wmcginnis@montand.com

Ernest L. Padilla PADILLA LAW FIRM P.O. Box 2523 Santa Fe, NM 87504 (505) 988-7577 padillalawnm@outlook.com

and

Dana S. Hardy Jackie McLean HINKLE SHANOR LLP P.O. Box 2068 Santa Fe, NM 87504-2068 (505) 982-4554 dhardy@hinklelawfirm.com jmclean@hinklelawfirm.com

Attorneys for Empire New Mexico, LLC

Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Administrative Order No. SWD-2307 for the Ryno SWD #001 f/k/a Snyder SWD Well Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Administrative Order No. SWD-2307, issued on November 2, 2017, to dispose of produced water in the Ryno SWD #001 f/k/a Snyder SWD Well No. 1, API# 30-025-43901 ("Well"), a produced water disposal well located 1450 feet from the North line and 708 feet from the East line (Unit H) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 7.7 miles Northwest of Eunice City, New Mexico.

STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION OF EMPIRE NEW MEXICO LLC TO REVOKE THE INJECTION AUTHORITY GRANTED UNDER ORDER NO. R-21190 FOR THE SOSA SA 17 NO. 2 WELL OPERATED BY GOODNIGHT MIDSTREAM PERMIAN LLC, LEA COUNTY, NEW MEXICO

CASE NO. <u>24025</u>

APPLICATION

Empire New Mexico LLC ("Empire") respectfully applies for an order revoking the injection authority granted under Order No. R-21190 in Case No. 20721 ("Order"). In support, Empire states as follows:

1. Goodnight Midstream Permian, LLC ("Goodnight") is the operator of record for the Sosa SA 17 SWD Well No. 2 well, API# 30-025-47947 ("Well"), a produced water disposal well located 470 feet from the South line and 1815 feet from the West line (Unit N) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico.

2. The Well is disposing of water within the unitized interval of the Eunice Monument South Unit ("Unit"), which is operated by Empire.

3. The unitized interval of the Unit extends from the top of the Grayburg formation to the bottom of the San Andres formation ("Unitized Interval"). The vertical limits of the Unitized Interval are the same as the vertical limits of the Eunice Monument Grayburg-San Andres Pool covering the Grayburg and San Andres formations.

4. The Well disposes into the San Andres formation through a perforated interval from4500 feet to 5350 feet below surface.

1

5. At the time of the application, Goodnight misrepresented that the San Andres is a non-productive zone known to be compatible with formation water from the Bone Spring, Delaware, and Wolfcamp formations ("Produced Water").

6. However, residual oil zones ("ROZ") are found within the San Andres, and Empire has the right to recover hydrocarbons therein.

7. Moreover, the salinity levels of Produced Water are substantially greater than the salinity levels of water in the Unitized Interval, including the San Andres formation.

8. Further, Goodnight is in violation of the Order by regularly exceeding its maximum daily injection rate of 25,000 BWPD, with 4 months of disposal averaging more than 25,000 BWPD based on their monthly reported volumes. Most recent violations of the maximum daily rates occurred in July and August 2023.

9. Disposal in the Well impairs the ability of Empire to recover hydrocarbons within the Unitized Interval and thereby adversely affects the correlative rights of Empire and other interest owners in the Unit and results in waste.

10. Empire has requested that Goodnight voluntarily cease disposal of produced water in the Well, but as of the date of filing this application, the Well remains an active salt water disposal well.

11. Revocation of the disposal authority granted by Order No. R-21190 will prevent the waste of recoverable hydrocarbons and will protect correlative rights.

WHEREFORE, Empire requests that this case be heard as a status conference on December 7, 2023 and, at that time, be set for a contested hearing on the same docket as Case No. 23775.

Released to Imaging: 2/11/2025 8:44:14 AM

2

Respectfully submitted,

MONTGOMERY & ANDREWS, P.A

/s/ Sharon T. Shaheen Sharon T. Shaheen Samantha H. Catalano P.O. Box 2307 Santa Fe, NM 87504-2307 (505) 986-2678 sshaheen@montand.com scatalano@montand.com ec: wmcginnis@montand.com

Ernest L. Padilla PADILLA LAW FIRM P.O. Box 2523 Santa Fe, NM 87504 (505) 988-7577 padillalawnm@outlook.com

and

Dana S. Hardy Jackie McLean HINKLE SHANOR LLP P.O. Box 2068 Santa Fe, NM 87504-2068 (505) 982-4554 dhardy@hinklelawfirm.com jmclean@hinklelawfirm.com

Attorneys for Empire New Mexico, LLC

Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-21190 for the Sosa SA 17 SWD Well No. 2 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-21190, issued in Case No. 20721 on March 2, 2020, to dispose of produced water in the Sosa SA 17 SWD Well No. 2, API# 30-025-47947 ("Well"), a produced water disposal well located 470 feet from the South line and 1815 feet from the West line (Unit N) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 7.3 miles Northwest of Eunice City, New Mexico.

STATE OF NEW MEXICO DEPARTMENT OF ENERGY, MINERALS AND NATURAL RESOURCES OIL CONSERVATION COMMISSION

APPLICATIONS OF EMPIRE NEW MEXICO LLC TO REVOKE INJECTION AUTHORITY, LEA COUNTY, NEW MEXICO

CASE NOS. 24018-24020, 24025

AFFIRMATION OF NOTICE

I, Sharon T. Shaheen, attorney for EMPIRE NEW MEXICO LLC. ("Empire"), the Applicant in the above-captioned matter, state and affirm the following:

I caused notice of the applications to be sent by certified mail through the United States Postal Service on November 17, 2023, to the party that is the subject of the applications, that is, Goodnight Midstream Permian LLC. A sample notice letter is attached hereto as Exhibit 2-A. The attached exhibit and Goodnight's appearance in these matters demonstrate to my satisfaction that notice was proper.

I affirm under penalty of perjury under the laws of the State of New Mexico that this statement is true and correct.

<u>/s/ Sharon T. Shaheen</u> SHARON T. SHAHEEN February 10, 2025 Date

EXHIBIT 2





SHARON T. SHAHEEN Direct: (505) 986-2678 Email: <u>sshaheen@montand.com</u> www.montand.com

November 17, 2022

Via U.S. Certified Mail, return receipt requested

Goodnight Midstream Permian LLC 5910 North Central Expressway, Suite 800 Dallas, TX 75206

> Re: Case No. 24018 – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. R-22026, Lea County, New Mexico – Andre Dawson SWD #001 Operated by Goodnight Midstream Permian LLC

Case No. 24019 – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. R-22027, Lea County, New Mexico – Ernie Banks SWD #001 Operated by Goodnight Midstream Permian LLC

Case No. 24020 – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. SWD-2307, Lea County, New Mexico – Ryno SWD #001 f/k/a Snyder SWD Operated by Goodnight Midstream Permian LLC

Case No. 24021 – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. R-22506, Lea County, New Mexico – Rocket SWD #001 Operated by Goodnight Midstream Permian LLC

Case No. 24022 – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. SWD-2391, Lea County, New Mexico – **Pedro SWD #001 Operated by Goodnight Midstream Permian LLC**

Case No. 24023 – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. R-22030, Lea County, New Mexico – Verlander SWD #001 Operated by Goodnight Midstream Permian LLC

REPLY TO: 325 Paseo de Peralta Santa Fe, New Mexico 87501 Telephone (505) 982-3873 • Fax (505) 982-4289

Post Office Box 2307 Santa Fe, New Mexico 87504-2307

Released to Imaging: 2/11/2025 8:44:14 AM

Exhibit 2-A

> **Case No. 24024** – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. R-20855, Lea County, New Mexico – Nolan Ryan SWD #001 Operated by Goodnight Midstream Permian LLC

> **Case No. 24025** – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. R-21190, Lea County, New Mexico – Sosa SA 17 SWD Well No. 2 Operated by Goodnight Midstream Permian LLC

> **Case No. 24026** – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. SWD-2075, Lea County, New Mexico – Ted 28 SWD Well No. 1 Operated by Goodnight Midstream Permian LLC

> **Case No. 24027** – Application of Empire New Mexico LLC Revoke the Injection Authority Granted Under Order No. R-20865, Lea County, New Mexico – Yaz 28 SWD Well No. 1 Operated by Goodnight Midstream Permian LLC

TO WHOM IT MAY CONCERN:

This will advise that Empire New Mexico LLC ("Empire") has filed the following applications with the New Mexico Oil Conservation Division seeking to revoke the authority of Goodnight Midstream Permian LLC to dispose of salt water under the permits identified below.

Case No. 24018. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-22026 for the Andre Dawson SWD #001 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-22026, SWD-2403, issued in Case No. 21569 on February 7, 2022, to dispose of produced water in the Andre Dawson SWD #1 well, API# 30-025-50634 ("Well"), a produced water disposal well located 1105' FSL and 244' FEL (Unit P) of Section 17, Township 21 South, Range 36 East, in Lea County, NM. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 6.5 miles Northwest of Eunice City, New Mexico.

Case No. 24019. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-22027 for the Ernie Banks SWD #001 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-22027, issued in Case No. 21570 on February 7, 2022, to dispose of produced water in the Ernie Banks SWD #1 well, API# 30-025-50633 ("Well"), a produced water disposal well located 395 feet from the North line and 1203 feet from the West line (Unit D) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 8.4 miles Northwest of Eunice City, New Mexico.

Case No. 24020. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Administrative Order No. SWD-2307 for the Ryno SWD #001 f/k/a Snyder SWD Well Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Administrative Order No. SWD-2307, issued on November 2, 2017, to dispose of produced water in the Ryno SWD #001 f/k/a Snyder SWD Well No. 1, API# 30-025-43901 ("Well"), a produced water disposal well located 1450 feet from the North line and 708 feet from the East line (Unit H) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 7.7 miles Northwest of Eunice City, New Mexico.

Case No. 24021. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-22506 for the Rocket SWD Well No. 1 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-22506, issued in Case No. 21527 on March 2, 2023, to dispose of produced water in the Rocket SWD Well No. 1, API# 30-025-pending ("Well"), a produced water disposal well to be located 565 feet from the South line and 245 feet from the West line (Unit M) of Section 28, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 7 miles West of Eunice City, New Mexico.

Case No. 24022. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Administrative Order No. SWD-2391 for the Pedro SWD #001 Well Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the

injection authority granted by Administrative Order No. SWD-2391, to dispose of produced water in the Pedro SWD #1 well, API# 30-025-50079 ("Well"), a produced water disposal well located 1,045' FSL and 1,067' FEL (Unit M) of Section 28, Township 21 South, Range 36 East, in Lea County, NM. The approved injection zone includes the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 19 miles southwest of Hobbs, New Mexico.

Case No. 24023: Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-22030 for the Verlander SWD #001 Well Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-22030, issued in Case No. 20825 on February 16, 2022, to dispose of produced water in the Verlander SWD #001 well, API# 30-025-50632 ("Well"), a produced water disposal well located 2,482' FNL and 1,277' FEL (Unit H) of Section 12, Township 21 South, Range 36 East, in Lea County, NM. The approved injection zone includes the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 5 miles northwest of Eunice, New Mexico.

Case No. 24024. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-20855 for the Nolan Ryan SWD #001 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-20855, issued in Case No. 20555 on September 12, 2019, to dispose of produced water in the Nolan Ryan SWD #001 well, API# 30-025-45349 ("Well"), a produced water disposal well located 779 feet from the South line and 1995 feet from the East line (Unit O) of Section 13, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 4 miles Northwest of Eunice City, New Mexico.

Case No. 24025. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-21190 for the Sosa SA 17 SWD Well No. 2 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-21190, issued in Case No. 20721 on March 2, 2020, to dispose of produced water in the Sosa SA 17 SWD Well No. 2, API# 30-025-47947 ("Well"), a produced water disposal well located 470 feet from the South line and 1815 feet from the West line (Unit N) of Section 17, Township 21 South, Range 36 East, NMPM, Lea County, New Mexico. The approved injection zone is the San Andres formation, an interval which

is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 7.3 miles Northwest of Eunice City, New Mexico.

Case No. 24026. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Administrative Order No. SWD-2075 for the Ted 28 SWD Well No. 1 Well Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Administrative Order No. SWD-2075, issued on Feb. 24, 2020, to dispose of produced water in the Ted 28 SWD Well No. 1, API# 30-025-44386 ("Well"), a produced water disposal well located 2,402' FNL and 1,911' FWL (Unit F) of Section 28, Township 21 South, Range 36 East, NMPM, in Lea County, NM. The approved injection zone includes the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 7 miles Northwest of Eunice, New Mexico.

Case No. 24027. Application of Empire New Mexico LLC to Revoke the Injection Authority Granted Under Order No. R-20865 for the Yaz 28 SWD Well No. 1 Operated by Goodnight Midstream Permian LLC, Lea County, New Mexico. Applicant in the above-styled cause seeks an order revoking the injection authority granted by Order No. R-20865, issued in Case No. 20558 on September 17, 2019, to dispose of produced water in the Yaz 28 SWD Well No. 1, API# 30-025-46382 ("Well"), a produced water disposal well located 230' FNL and 236' FEL (Unit A) of Section 28, Township 21 South, Range 36 East, NMPM, in Lea County, NM. The approved injection zone includes the San Andres formation, an interval which is potentially productive of hydrocarbons since the advent of horizontal drilling. The Well is located approximately 7 miles west of Eunice, New Mexico.

The attached applications will be set for hearing before a Division Examiner at the New Mexico Oil Conservation Division. During the COVID-19 Public Health Emergency, state buildings are closed to the public and hearings will be conducted remotely. The hearing will be conducted on **December 7**, **2023**, beginning at 8:15 a.m. To participate in the electronic hearing, see the instructions posted on the docket for the hearing date: http://www.emnrd.state.nm.us/OCD/hearings.html. You are not required to attend this hearing, but as an owner of an interest that may be affected, you may appear and present testimony.

Failure to appear at that time and become a party of record will preclude you from challenging these applications at a later time. If you intend to present testimony or evidence at the hearing, you must enter your appearance by **November 29, 2023**, and serve the Division, counsel for the Applicant, and other parties with a pre-hearing statement by **November 30, 2023**, in accordance with Division Rule 19.15.4.13 NMAC.

Goodnight's counsel at Holland & Hart has been provided with courtesy copies of the attached applications. Please have them contact me or my co-counsel in these matters if you have any questions about these applications.

Very truly yours,

<u>/s/ Sharon T. Shaheen</u> Sharon T. Shaheen

Ec:

Empire New Mexico LLC Dana Hardy Ernest Padilla

Cc by certified mail:

Bureau of Land Management 414 W. Taylor Hobbs, NM 88240-1157

State Land Office 310 Old Santa Fe Trail Santa Fe, NM 87501

1 STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT 2 OIL CONSERVATION COMMISSION 3 4 APPLICATIONS OF GOODNIGHT MIDSTREAM PERMIAN, LLC FOR APPROVAL OF 5 SALTWATER DISPOSAL WELLS LEA COUNTY, NEW MEXICO 6 CASE NOS. 23614-23617 7 APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN LLC TO AMEND ORDER 8 NO. R-22026/SWD-2403 9 TO INCREASE THE APPROVED INJECTION RATE 10 IN ITS ANDRE DAWSON SWD #1, LEA COUNTY, NEW MEXICO. 11 CASE NO. 23775 12 APPLICATIONS OF EMPIRE NEW MEXICO LLC 13 TO REVOKE INJECTION AUTHORITY, LEA COUNTY, NEW MEXICO 14 CASE NOS. 24018-24020, 24025 15 APPLICATION OF GOODNIGHT PERMIAN 16 MIDSTREAM, LLC FOR APPROVAL OF A SALTWATER DISPOSAL WELL, LEA COUNTY, 17 NEW MEXICO. DIVISION CASE NO. 24123 18 ORDER NO. R-22869-A 19 DEPOSITION OF THOMAS TOMASTIK 20 December 10, 2024 9:00 a.m. MST 21 PURSUANT TO NMSA 1978, §70-2-8 and Rule 22 19.15.4.16.A NMAC, this Deposition was: 23 TAKEN BY: Ernest Padilla, Esq. Attorney for Empire New Mexico 24 REPORTED BY: Barbara Jean Morgenweck 25 NCRA, RPR, NM CCR No. 526 Page 1

Page

Veritext Legal Solutions Calendar-nm@veritext.com 505-243-5691

www.veritext.com

Exhibit 3

1 at that. 1 hole and to alleviate potential corrosion 2 Q. 1 biles and to alleviate potential corrosion 3 some applications to increase injection rates on 3 4 maybe one or two wells, so I am going to have 4 5 quite a bit of water going in there, produced 4 6 water, if Goodnight's application is approved. 5 7 A. Yes. 8 9 Q. You're telling me that as far as you 10 10 know, there are no corrosion issues. 11 11 injection wells that Goodnight is operations? 12 12 the EMSU? 12 A. Fran not sure. I assume to approved 13 A. Correct. 13 Iandfill disposal. 14 Tam not aware of any corrosion issues. 14 Q. Tsuppose you don't know how much solid 15 but as you see in my self-affirmed testimony. 15 waste is filtered out, correct? 16 doitscuss their treatment protocols. 17 Q. The next item that you mention in this 15 protocols. 17 Q. The next item that you mention in this 16				
2Q.Ibelieve there are four and there is some applications to increase injection rates on maybe one or two wells, so I arn going to have furget a bit of water going in there, produced water, if Goodnight's application is approved, forrect?3Q. Is there any solid waste that is filters to itwhen – by Goodnight and its potential solid6water, if Goodnight's application is approved, our cettling me that as far as you linknow, there are no corrosion issues with the linknow, there are no corrosion issues, with the linknow, there are no corrosion issues, linknow, their teratiment protocols. I do discuss their treatment protocols. I do discuss their treatment protocols. I and fill disposal. I suffacts out what and dissolver does? I three kinds of dissolver. So you four that there is some minication between the Grayburg and there is communication between the Grayburg and I suffacts, and you're also addressi scaling i susse with cars bi injection, yournaid susse with scale and indersion their susses with scale and indersion the dissolver does for treating produced water? I three kinds of dissolvers. Do you know what an sulfacts, and you're also addressing the susses with scale and what you're telling me? I subat what you're telling me? I wave listed that they use in their <br< td=""><td>1</td><td>at that.</td><td>1</td><td>hole and to alleviate potential corrosion</td></br<>	1	at that.	1	hole and to alleviate potential corrosion
3some applications to increase injection rates3014maybe one or two wells, so I am going to have4filtered out when - by Goodnight and its5quite a bit of water going in there, produced5operations?6water, if Goodnight's application is approved,7they use rock baskets and a hundred micron7correct?6A. Again, I believe in my testimony that9Q. You're telling me that as far as you9material in the fluids.10know, there are no corrosion issues, with the11go to?11injection wells that Goodnight is operating in12the EMSU?12the EMSU?12A. Tim not aware of any corrosion issues,14T am not aware of any corrosion issues,14Q. I suppose you don't know how much solid15but as you see in my self-affirmed testimony, I15kasessesment of Empire's claims that16do discuss their treatment protocols.16A. No.17Q. Well, you mention four treatment17Q. The next item that you mention in this18protocols.14andres formations.20understanding of what an dissolver does?12Now your assessment in your paper says21A. I doon't understand what you meand four23A. No.23Q. Well, you named - you named four24A. Ros.24treatment programs that Goodnight is doing on25A. Yes.26S. Typically, based on my experience and4Q. Mere	2	Q. I believe there are four and there is		-
4filters to filter4filter dout when - by Goodnight and its5quite a bit of water going in there, produced5operations?6water, if Goodnight's application is approved,7there in my testimony that7correct?7there was rock baskets and a hundred micron9Q. You're telling me that as far as you9material in the fluids.10know, there are no corrosion issues with the10Q. Where is - where does that solid waste11injection wells that Goodnight is operating in11ge to?12the EMSU?12A. Tom or sure. I assume to approved13A. Correct.13landfill disposal.14I am not aware of any corrosion issues,14Q. I suppose you don't know how much solid15but as you see in my self-affirmed testmony,15waste is filtered out, correct?16do discus their treatment protocols.17Q. The next item that you mention in this17Q. Well, you named - you named four13paragraph is assessment of Empire's claims that18protocols. I think three of Good theor20San Andres formations.21A. I don't understand what you mean20San Andres formations.22dissolver.22that there is some permeable barriers - barrier23Q. Well, you named - you named four2Now, your assessment in your paper says24itsues with Cass 2 injection, your main1Q. You didn't pick the top of the San2si		some applications to increase injection rates on	3	
5quite a bit of water going in there, produced5operations?6water, if Goodnight's application is approved,6A. Again, I believe in my testimony that7correct?6A. Again, I believe in my testimony that8A. Yes.6A. Again, I believe in my testimony that9Q. You're telling me that as far as you9interial in the fluids.10know, there are no corrosion issues with the1injection wells that Goodnight is operating in11the EMSU?2A. Ir not sure. I assume to approved13A. Correct.1and fill disposal.14Tam not aware of any corrosion issues,14Q. I suppose you don't know how much solid15but as you see in my self-affirmed testimony, I15wate is filtered out, correct?16do discuss their treatment protocols.16A. No.17Q. Well, you mention four treatment17Q. The next item that you mention in this18paragraph is assessment of Empire's claims that19some form of dissolver. What's your21Now your assessment in your paper says21A. I don't understand what you mean by21Now your assessment in your paper says22dissolver does for treating produced water?223A. Uprically, based on my experience and4A. Yes.2A. Treyeially, based on my experience and424treatment programs dafdress scaling5A. No.5seus which can be i				
6water, if Goodnight's application is approved, r correct?6A. Again, I believe in my testimony that 7 they use rock baskets and a hundred micron7Norrect.7filters to filter to rithe large potential solid9Q. You're telling me that as far as you in micron wells that Goodnight is operating in 12 the EMSU?9material in the fluids.12he EMSU?12A. Correct.1313A. Correct.13landfill disposal.1414I am not aware of any corrosion issues, d do discuss their treatment protocols.14Q. I suppose you don't know how much solid15but as you see in my self-affirmed testimony, of do do discuss their treatment protocols.15waste is filtered out, correct?16do discuss their treatment protocols.14Q. The next item that you mention in this 15paragaph is assessment of Empire's claims that 1617Q. Well, you namedyou named four 24correct?25A. Toor23Q. Well, you namedyou named four 24correct?25A. Ves.24treatment programs that Goodnight is doing on 5 this - on its injection wells, and they're using page 382Now your assessment in your paper says 241three kinds of dissolvers. Do you know what an 4 expertise with Class 2 injection, your main 5 chemical my produced water?3A. No.2there kinds of dissolvers. Do you know what an 4 expertise with corosion inibibitors.9Where age ologist; do you know?9You're addressing the b charing solids dow		•		
7 correct? 7 they use rock baskets and a hundred micron 8 A. Yes. 8 filters to filter out the larger potential solid 9 Q. You're telling me that as far as you 10 know, there are no corrosion issues with the injection wells that Goodnight is operating in the fluids. 10 Q. Where is where does that solid waste 11 injection wells that Goodnight is operating in the fluids. 10 Q. Where is where does that solid waste 13 handfill disposal. 12 A. I'm not sure. I assume to approved 13 handfill disposal. 14 Q. Typopse you don't know how much solid 15 but as you see in my self-affirmed testimony. 15 waste is filtered out, correct? 16 do discuss their treatment protocols. 16 A. No. 20 understanding of what an dissolver does? 20 San Andres formations. 21 A. I don't understand what you mean by 21 Now your assessment in your paper says 23 Q. Well, you named you named four 24 correct? 2 Andres, right? 24 treatment programs data fees you paper says 25 3. Yes. 21 three kinds of dissolvers. Do you know				1
8A. Yes.8filers to filter out the larger potential solid9Q. You're telling me that as far as you9material in the fluids.10know, there are no corrosion issues with the11ipection wells that Goodnight is operating in1212the EMSU?12A. Tm not sure. I assume to approved13A. Correct.13landfill disposal.14I am not aware of any corrosion issues.14Q. I suppose you don't know how much solid15but as you see in my self-affirmed testimony.15waste is filtered out, correct?16do discuss their treatment protocols.16A. No.17Q. Well, you mention four treatment17Q. The next item that you mention in this18protocols.17Q. The next item that you mention in this19some form of dissolver. What's your19there is communication between the Grayburg and20understanding of what an dissolver does?20Sa Andres formations.21A. I don't understand what you mean by21Now your assessment of Empire's claims that23De Well, you named you named four23between the Grayburg and the San Andres; is that24treatment programs that Goodnight is doing on tacs of dissolvers. Do you know what an chernical treatment programs address scaling f chersia treatment programs address scaling26issues which can be ion sulfates, barium sulfates, and you're also addressing the scale to all what you're also addressing the scale tob all what you're also addressing the <b< td=""><td></td><td></td><td></td><td></td></b<>				
9 Q. You're telling me that as far as you 9 material in the fluids. 10 know, there are no corrosion issues with the 10 Q. Where is - where does that solid waste 11 injection wells that Goodnight is operating in 12 12 A. Trin not sure. I assume to approved 13 A. Correct. 13 landfill disposal. 14 I am not aware of any corrosion issues, 15 but as you see in my self-affirmed testimony, I 16 do discuss their treatment protocols. 16 A. No. 17 Q. Well, you mention four treatment 19 sensement of Empire's claims that 18 parce do San Andres formations. 21 21 A. I don't understand what you mean by 21 Now your assessment of Empire's claims that 23 Q. Well, you named you named four 24 correct? 25 23 Q. Well, you named you named four 25 between the Grayburg and 26 24 treatment programs that Goodnight is doing on 25 htt there kinds of dissolvers. Do you know what an 1 Q. You doin't pick the top of the San 2 absolven does for treating produced water? 3 <td></td> <td></td> <td>-</td> <td>-</td>			-	-
10 know, there are no corrosion issues with the 10 Q. Where is where does that solid waste 11 injection wells that Goodnight is operating in 11 go to? 12 the EMSU? 13 A. Correct. 13 landfill disposal. 14 Tam not aware of any corrosion issues, 14 Q. Tsuppose you don't know how much solid 15 but as you see in my self-affirmed testimony, 16 A. No. 17 Q. Well, you mention four treatment 17 Q. The next item that you mention in this 18 parotexist, with the e of them are called or 19 seasessment of Empiré's claims that 19 some form of dissolver. What's your 19 there is communication between the Grayburg and 20 understanding of what an dissolver does? 20 San Andres formations. 21 A. I don't understand what you meand four 23 between the Grayburg and the San Andres; is that 23 Q. Well, you namedyou named four 23 between the Grayburg and San Andres? 23 a. Typically, based on my experience and iron 1 Q. You didn't pick the top of the San 2 startes, and you're also addresssing the 6 G				
11 injection wells that Goodnight is operating in 11 go to? 12 the EMSU? 12 A. Tm not sure to approved 13 A. Correct. 13 landfill disposal. 14 I am not aware of any corrosion issues, 14 Q. I suppose you don't know how much solid 15 but as you see in my self-affirmed testimony, 15 waste is filtered out, correct? 16 do discuss their treatment protocols. 16 A. No. 17 Q. Well, you mention four treatment 17 Q. The next item that you mention in this 19 some form of dissolver. What's your 19 there is some premable barries barrier 20 understand what you meand four 21 A. I don't understand what you meand four 23 between the Grayburg and the San Andres; is that 24 treatment programs that Goodnight is doing on 24 correct? 3 A. Typically, based on my experience and 2 dissolver does for treating produced water? 3 A. Typically, based on my experience and 4 Q. Watere did you get the information that 5 issues with carbos in subters. 1 Q. Watere did you get the information that <		· · · · · · · · · · · · · · · · · · ·	-	
12the EMSU?12A. Tran tot sure. I assume to approved13A. Correct.13Iandfill disposal.14I am not aware of any corrosion issues,14Q. I suppose you don't know how much solid15but as you see in my self-affirmed testimony, I16do discuss their treatment protocols.16do discuss their treatment protocols.17Q. Well, you mention four treatment17Q. Well, you mention four treatment70Q. Well, you named one20understand what you maend boy20San Andres formations.21A. I don't understand what you meand buy21Now your assessment of Empire's claims that23Q. Well, you named you named four21Now your assessment in your paper says24dissolver.21Now your assessment in your paper says25issolver does for treating produced water?2Andres, right?3A. Typically, based on my experience and1Q. You didn't pick the top of the San4expertise with Class 2 injection, your main2Andres, right?3A. Typically, based on my experience and444treatment programs address scaling3A. No.9you're addressing the scale tho cortsoin inhibitors.99You're addressing the back micro bacterial to harcing bacteria with some sort of bioside to harcing bacteria with sown bow the dissolver sowert	1			-
13A. Correct.13landfill disposal.14I am not aware of any corrosion issues,14Q. I suppose you don't know how much solid14I am not aware of any corrosion issues,14Q. I suppose you don't know how much solid16do discuss their treatment protocols.16A. No.17Q. Well, you mention four treatment17Q. The next item that you mention in this18protocols. I think three of them are called or1819some form of dissolver. What's your10there is communication between the Grayburg and20understanding of what an dissolver does?21Now your assessment in your paper says21A. I don't understand what you mean by21Now your assessment in your paper says22dissolver.22that there is some permeable barriers - barrier23Q. Well, you named you named four24correct?24treatment programs that Goodnight is doing on25A. Yes.25A. Typically, based on my experience and1Q. You din't pick the top of the San2corresion issues with Class 2 injection, your main3A. No.4expertise with Class 2 injection, your main5there's an impermeable barrier between the6issues with sulphur reducing bacteria and irron1Q. Where didy ouge the information that7walfates, and you're also addressing the6Grayburg and San Andres?8corrosion issues with sulphur reducing bacteria and irron1A. Yes. <td></td> <td></td> <td></td> <td>•</td>				•
14I am not aware of any corrosion issues, 1514Q. I suppose you don't know how much solid 1515but as you see in my self-affirmed testimony, I 16do discuss their treatment protocols.15wate is filtered out, correct?16do discus their treatment protocols.16A. No.17Q. Well, you mention four treatment 19some form of dissolver. What's your10Som Andres formations.20understanding of what an dissolver does?20San Andres formations.2121A. I don't understand what you mean by 22dissolver.21Now your assessment of pour paper says23Q. Well, you named you named four 1223but were the Grayburg and the San Andres; is that24treatment programs that Goodnight is doing on its on its injection wells, and they're using 212 25 A. Yes.24three kinds of dissolvers. Do you know what an expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion insues with sulphur reducing bacteria and iron 191Q. You don't know how they work; is that 141Q. Is Mr. McGuire?13A. Nepeat that?10Mr. McGuire?11M. Yes.14that can plug off the injection formation. And 1510Mr. Yes.15that can plug off the injection formation. And 1614Q. What is that your understanding of 1616treatment in my testimony.14Q. What is				
15 but as you see in my self-affirmed testimony, I 15 waste is filtered out, correct? 16 do discuss their treatment protocols. 16 A. No. 17 Q. Well, you mention four treatment 17 Q. The next item that you mention in this 18 protocols. I think three of them are called or 18 paragraph is assessment of Empire's claims that 19 some form of dissolver. What's your 19 there is communication between the Grayburg and 20 understanding of what an dissolver does? 1 Now your assessment in your paper says 21 N Kodoni understand what you mean by 20 San Andres formations. 21 N well, you named you named four 15 Now your assessment in your paper says 22 that there kinds of dissolvers. Do you know what an 1 Q. You didn't pick the top of the San 2 a. Typically, based on my experience and 1 Q. You didn't pick the top of the San 3 suffates, and you're adso addressing the 3 A. The evaluation of the open hole logs 8 corrosion issues with corrosion inhibitors. 9 Q. Where did you get the information that 15 that can plug off the injecictin formation suffates,				
16 do discuss their treatment protocols. 16 A. No. 17 Q. Well, you mention four treatment 17 Q. The next item that you mention in this 18 protocols. I think three of them are called or 18 paragraph is assessment of Empire's claims that 19 some form of dissolver. What's your 19 there is communication between the Grayburg and 20 understanding of what an dissolver does? 21 Now your assessment in your paper says 21 A. I don't understand what you meand by 22 that there is some permeable barriers barrier 23 Q. Well, you named you named four 21 Now your assessment in your paper says 24 treatment programs that Goodnight is doing on 22 that there is some permeable barriers barrier 23 Q. Well, you named you named four 23 between the Grayburg and the San Andres; is that 24 treatment programs that Goodnight is doing on 34 Ne. 24 treatment programs daftess scaling 3 A. No. 3 A. Typically, based on my experience and 4 Q. Where did you get the information that 5 there shan impermeable barrier between the 6 Gar				
17Q. Well, you mention four treatment17Q. The next item that you mention in this18protocols. I think three of them are called or18paragraph is assessment of Empire's claims that19some form of dissolver. What's your19there is communication between the Grayburg and20understanding of what an dissolver does?20San Andres formations.21A. I don't understand what you mean by21Now your assessment in your paper says22dissolver.22that there is some permeable barriers - barrier23Q. Well, you named you named four23between the Grayburg and the San Andres; is that24treatment programs that Goodnight is doing on25A. Yes.25A. Typically, based on my experience and1Q. You didn't pick the top of the San4expertise with Class 2 injection, your main5there's an impermeable barrier between the6Grayburg and San Andres?77sulfates, and you're also addressing the6Grayburg and San Andres?8corrosion issues with corrosion inhibitors.9Q. Whore did you get the information that10issues with sulphur reducing bacteria and iron10M. MeGuire?11precipitating solids down hole11A. Yes.12that that can plug off the injection formation. And14Q. Whore did you get ageologist; do you know?13dwsht you're telling me?17A. Yes.14that can plug off the injection formation. And14Q			-	
18 protocols. I think three of them are called or 18 paragraph is assessment of Empire's claims that 19 some form of dissolver. What's your 10 Intere is communication between the Grayburg and 20 understanding of what an dissolver does? 20 San Andres formations. 21 A. I don't understand what you mean by 21 Now your assessment in your paper says 22 dissolver. 22 that there is some permeable barriers barrier 23 Q. Well, you named you named four 24 treatment programs that Goodnight is doing on 25 is on its injection wells, and they're using prage 38 Page 38 Page 40 1 three kinds of dissolvers. Do you know what ar 2 A. Yes. 3 A. Typically, based on my experience and 4 Q. Where did you get the information that 5 chemical treatment programs address scaling 6 Grayburg and San Andres? 7 7 Na. Tupically, based on my experience and 4 Q. Where did you get the information that 5 6 tissues with cornosion inhibitors. 9 Q. Who specifically provided their cross sections. 9 9 You 're addressing th		-	-	
19some form of dissolver. What's your 2019there is communication between the Grayburg and 2020understanding of what an dissolver does? 21A. I don't understand what you mean by 22dissolver.21A. I don't understand what you mean by 22dissolver.2123Q. Well, you named you named four 24treatment programs that Goodnight is doing on its on its injection wells, and they're using Page 3822that there is some permeable barriers barrier 2324its on its injection wells, and they're using Page 3824correct?25A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling 61Q. You doin't pick the top of the San 23A. Typically, based on my experience and expertise with class 2 injection, your main chemical treatment programs address scaling 61Q. You doin't know how the 66issues with can be iron sulfates, barium 330Andres ising the back micro bacterial 103A. No.10issues with sulphur reducing bacteria and iron 1110Mr. McGuire?11A. Yes.12to kill the bacteria to iff the injection formation. And 1514A. Typically movided that? Is that 1010Mr. McGuire?13down hole and precipitating solids down hole 1514Q. You don't know how they work; is that 1614Q. You don't know how the dissolvers work.14Q. You don't know how the dissolvers work.16San Andres is?				-
 20 understanding of what an dissolver does? 21 A. I don't understand what you mean by 22 dissolver. 20 San Andres formations. 21 Now your assessment in your paper says 22 that there is some permeable barriers barrier 23 Q. Well, you named you named four 24 treatment programs that Goodnight is doing on 25 its on its injection wells, and they're using Page 38 26 that there is some permeable barriers barrier 27 between the Grayburg and the San Andres; is that 28 correct? 29 A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 A. Type evaluation of the open hole logs 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 a. Yes. 12 Q. You don't know how they work; is that 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 20. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 relisted inta they Goodnight has provided 25 relied on the top of the San Andres occurs. I 26 relied on the top of the San Andres picks that 27 a. Most of the treatment chemicals that I 28 and listed that they Goodnight has provided 29 crited on the top of the San Andres picks that 20 crite on the top of the San Andres picks that 21 where the top		-		
21A. I don't understand what you mean by 2221Now your assessment in your paper says 2223Q. Well, you named you named four 2423between the Grayburg and the San Andres; is that 2424treatment programs that Goodnight is doing on 5 its on its injection wells, and they're using Page 3824that there is some permeable barriers barrier 2324treatment programs that Goodnight is doing on ission or its injection wells, and they're using Page 3825A. Mores, "ight?3A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria to prevent it from forming 131Q. Where did you get the information that 5 there's an impermeable barrier between the 6 Grayburg and San Andres?10issues with sulphur reducing bacteria and iron 11 precipitating bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed thase that they use in their 16 treatment in my testimony.1A. Yes.17Q. You don't know how the dissolvers work; 11 Is that what you're telling me?20A. There is differences in the selection of 21 where the top of the San Andres occurs. I 2212A. Most of the treatment chemicals that I have listed that they Goodnight has provided 4 mea re inhibitors to prevent the formation of				
 22 dissolver. 23 Q. Well, you named you named four 24 treatment programs that Goodnight is doing on 25 its on its injection wells, and they're using Page 38 1 three kinds of dissolvers. Do you know what an 2 dissolver does for treating produced water? 3 A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 Ihave listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how the dissolvers work. 18 what you're telling me? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided to yood reating meximation formation for a reare inhibitors to prevent the formation for a reare inhibitors to prevent the formation formation formation for are are inhibitors to prevent the formation formation for a reare inhibitors to prevent the formation for a scale to prevent the bacteria formation formation for a scale to prevent the bacteria formation formation formation for a scale to prevent the bacteria formation formation for a scale to prevent the bacteria formation formation for the formation for a scale to prevent the formation formation formation formation formation for a scale to prevent the bacteria		-		
 23 Q. Well, you named you named four 24 treatment programs that Goodnight is doing on 25 its on its injection wells, and they're using Page 38 1 three kinds of dissolvers. Do you know what an 2 dissolver does for treating produced water? 3 A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria with some sort of bioside 12 to kill the bacteria to prevent it from forming 3 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 Ihave listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how the dissolvers work. 11 Is that what you're telling me? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 between the Grayburg and the San Andres picks that 23 between the Grayburg and San Andres 21 where the top of the San Andres picks that 22 relica on the top of the San Andres picks that 23 were provided by Goodnight Midstream except 24 where I would reference well completion records 25 scale to prevent the bacteria formations down 				
24 treatment programs that Goodnight is doing on 25 24 correct? 25 A. Yes. Page 40 1 three kinds of dissolvers. Do you know what ar 2 1 Q. You didn't pick the top of the San 2 A. Yes. Page 40 1 three kinds of dissolvers. Do you know what ar 2 1 Q. You didn't pick the top of the San 2 A. dres, right? 3 A. Typically, based on my experience and 4 4 Q. Where did you get the information that 5 there's an impermeable barrier between the 6 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 Q. Where did you get the information that 5 there's an impermeable barrier between the 6 6 Grayburg and San Andres? 7 A. The evaluation of the open hole logs 8 8 provided by Goodnight and their cross sections. 9 Q. Who specifically provided that? Is that 10 10 Mr. McGuire? 11 A. Yes. 12 to kill the bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 1 A. Yes. 14 Q. Okay. So have you read the the 15 15 Empire expert witnesses on whe				-
25 its on its injection wells, and they're using Page 38 25 A. Yes. Page 40 1 three kinds of dissolvers. Do you know what an 2 dissolver does for treating produced water? 1 Q. You didn't pick the top of the San 2 A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 20 A. There is differences in the selection of 21 where the top of the San Andres picks that 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formation of 25 scale to prevent the bacteria formation of 25 scale to prevent the bacteria formation of 25 A. Yes. 20 A. There is differences in the selection of 25 or from Chevron or XTO. Then I would have used		· · · · ·		
Page 38Page 401three kinds of dissolvers. Do you know what ar dissolver does for treating produced water?1Q. You didn't pick the top of the San3A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium3A. No.7sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors.6Grayburg and San Andres?7you're addressing the 8 corrosion issues with corrosion inhibitors.7A. The evaluation of the open hole logs 8 provided by Goodnight and their cross sections.9You're addressing the back micro bacterial 10 issues with sulptur reducing bacteria and iron 11 precipitating bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony.1A. Yes.17Q. You don't know how they work; is that 16 San Andres is?17A. Yes.18what you're telling me?18Q. What is that your understanding of 1911A. Repeat that?19what is that your understanding of 1921Is that what you're telling me?20A. There is differences in the selection of 2122A. Most of the treatment chemicals that I 2322Where the top of the San Andres occurs. I 2223A. Most of the treatment chemicals that I 2423were provided by Goodnight Midstream except 2424Mee ar inhibitors to pr				
1three kinds of dissolvers. Do you know what ar dissolver does for treating produced water?1Q. You didn't pick the top of the San2A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria with some sort of bioside 12 to kill the bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony.1Q. Vau don't know how they work; is that 10 Mr. McGuire?17Q. You don't know how the dissolvers work. 11 Is that what you're telling me?10A. Tyes.12A. Most of the treatment chemicals that I 14 have listed that they Goodnight has provided 14 have listed that they Goodnight has provided 15 have listed that they Goodnight has provided 16 treatment in my testimony.10A. There is differences in the selection of 21 where the top of the San Andres picks that 22 where I would reference well completion records 23 were provided by Goodnight Midstream except24Meer I would reference well completion records 25 or from Chevron or XTO. Then I would have used	23		25	
 2 dissolver does for treating produced water? 3 A. Typically, based on my experience and 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria to prevent it from forming 12 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20. You don't know how the dissolvers work. 11 S that what you're telling me? 21 A. Most of the treatment chemicals that I 22 Andres, right? 3 A. No. 4 Q. Where did you get the information that 5 there's an impermeable barrier between the 6 Grayburg and San Andres? 7 A. The evaluation of the open hole logs 8 provided by Goodnight and their cross sections. 9 Q. Who specifically provided that? Is that 10 Mr. McGuire? 11 A. Yes. 14 Q. Okay. So have you read the the 15 Empire expert witnesses on where the top of the 16 San Andres is? 17 A. Yes. 18 Q. What is that your understanding of 19 that testimont? 20 A. Most of the treatment chemicals that I 12 and the treatment chemicals that I 13 have listed that they Goodnight has provided 14 where I would reference well completion records 25 or from Chevron or XTO. Then I would have used 		0		
 A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? Q. You don't know how the dissolvers work. I Is that what you're telling me? A. Most of the treatment chemicals that I have listed that the? Goodnight has provided have listed that the? Goodnight has provided where I would reference well completion records where I would reference well completion records or from Chevron or XTO. Then I would have used 	1	three linds of dissolvers. Do you know what on	1	O Van didate aight the ten of the Con
 4 expertise with Class 2 injection, your main 5 chemical treatment programs address scaling 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria with some sort of bioside 12 to kill the bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 14 that can plug off the injection formation. And 15 Ihave listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 10 A. Repeat that? 11 A. Yes. 12 Q. Is Mr. McGuire a geologist; do you know? 13 A. Yes. 14 Q. Okay. So have you read the the 15 Empire expert witnesses on where the top of the 16 San Andres is? 17 A. Yes. 18 Q. What is that your understanding of 19 that testimony? 20 A. There is differences in the selection of 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 were provided by Goodnight Midstream except 24 where I would reference well completion records 25 or from Chevron or XTO. Then I would have used 				
5chemical treatment programs address scaling 65there's an impermeable barrier between the 66issues which can be iron sulfates, barium 7sulfates, and you're also addressing the 86Grayburg and San Andres?7N. The evaluation of the open hole logs88corrosion issues with corrosion inhibitors. 99Q. Who specifically provided that? Is that10issues with sulphur reducing bacteria and iron 110Mr. McGuire?11precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming 1310Mr. McGuire a geologist; do you know?13down hole and precipitating solids down hole 1414Q. Okay. So have you read the the15I have listed those that they use in their 1615Empire expert witnesses on where the top of the16San Andres is?17A. Yes.17Q. You don't know how they work; is that 1818Q. What is that your understanding of19A. Repeat that?19that testimony?20Q. You don't know how the dissolvers work. 2120A. There is differences in the selection of21Is that what you're telling me?21where the top of the San Andres occurs. I22A. Most of the treatment chemicals that I22relied on the top of the San Andres picks that23were provided by Goodnight Midstream except23were provided by Goodnight Midstream except24me are inhibitors to prevent the formation of 2525or from Ch	2	dissolver does for treating produced water?	2	Andres, right?
 6 issues which can be iron sulfates, barium 7 sulfates, and you're also addressing the 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria with some sort of bioside 12 to kill the bacteria to prevent it from forming 12 down hole and precipitating solids down hole 13 A. Yes. 14 that can plug off the injection formation. And 14 Q. Okay. So have you read the the 15 Empire expert witnesses on where the top of the 16 San Andres is? 17 A. Yes. 18 what you're telling me? 19 A. Repeat that? 10 A. Repeat that? 20 You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 	2 3	dissolver does for treating produced water?A. Typically, based on my experience and	2 3	Andres, right? A. No.
7sulfates, and you're also addressing the 87A. The evaluation of the open hole logs8corrosion issues with corrosion inhibitors.9Q. Who specifically provided that? Is that10issues with sulphur reducing bacteria and iron 1110Mr. McGuire?11precipitating bacteria to prevent it from forming 1310Mr. McGuire a geologist; do you know?13down hole and precipitating solids down hole 1413A. Yes.14that can plug off the injection formation. And 1514Q. Okay. So have you read the the15I have listed those that they use in their 1615Empire expert witnesses on where the top of the16treatment in my testimony.16San Andres is?17Q. You don't know how they work; is that 1817A. Yes.18what you're telling me?18Q. What is that your understanding of19A. Repeat that?19that testimony?20Q. You don't know how the dissolvers work.20A. There is differences in the selection of21Is that what you're telling me?21where the top of the San Andres occurs. I22A. Most of the treatment chemicals that I22relied on the top of the San Andres picks that23were provided by Goodnight Midstream except23were provided by Goodnight Midstream except24me are inhibitors to prevent the formation of25or from Chevron or XTO. Then I would have used	2 3 4	dissolver does for treating produced water?A. Typically, based on my experience and expertise with Class 2 injection, your main	2 3 <mark>4</mark>	Andres, right?A. No.Q. Where did you get the information that
 8 corrosion issues with corrosion inhibitors. 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria with some sort of bioside 12 to kill the bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 	2 3 4 5	dissolver does for treating produced water?A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling	2 3 4 5	Andres, right?A. No.Q. Where did you get the information that there's an impermeable barrier between the
 9 You're addressing the back micro bacterial 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria with some sort of bioside 12 to kill the bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 	2 3 4 5 6	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium	2 3 4 5 6	Andres, right?A. No.Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres?
 10 issues with sulphur reducing bacteria and iron 11 precipitating bacteria with some sort of bioside 12 to kill the bacteria to prevent it from forming 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 	2 3 4 5 6 7	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the	2 3 4 5 6	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs
11precipitating bacteria with some sort of bioside11A. Yes.12to kill the bacteria to prevent it from forming12Q. Is Mr. McGuire a geologist; do you know?13down hole and precipitating solids down hole13A. Yes.14that can plug off the injection formation. And14Q. Okay. So have you read the the15I have listed those that they use in their15Empire expert witnesses on where the top of the16treatment in my testimony.16San Andres is?17Q. You don't know how they work; is that17A. Yes.18what you're telling me?18Q. What is that your understanding of19A. Repeat that?19that testimony?20Q. You don't know how the dissolvers work.20A. There is differences in the selection of21Is that what you're telling me?21where the top of the San Andres occurs. I22A. Most of the treatment chemicals that I22relied on the top of the San Andres picks that23have listed that they Goodnight has provided23were provided by Goodnight Midstream except24me are inhibitors to prevent the formation of24where I would reference well completion records25scale to prevent the bacteria formations down25or from Chevron or XTO. Then I would have used	2 3 4 5 6 7 8	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors.	2 3 4 5 6 7 8	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections.
12to kill the bacteria to prevent it from forming13down hole and precipitating solids down hole14that can plug off the injection formation. And14that can plug off the injection formation. And15I have listed those that they use in their16treatment in my testimony.17Q. You don't know how they work; is that18what you're telling me?19A. Repeat that?20Q. You don't know how the dissolvers work.21Is that what you're telling me?22A. Most of the treatment chemicals that I23have listed that they Goodnight has provided24me are inhibitors to prevent the formation of25scale to prevent the bacteria formations down	2 3 4 5 6 7 8 9	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial	2 3 4 5 6 7 8 9	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that
 13 down hole and precipitating solids down hole 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 	2 3 4 5 6 7 8 9 10	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron	2 3 4 5 6 7 8 9 10	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire?
 14 that can plug off the injection formation. And 14 that can plug off the injection formation. And 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 	2 3 4 5 6 7 8 9 10 11	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside	2 3 4 5 6 7 8 9 10 11	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes.
 15 I have listed those that they use in their 16 treatment in my testimony. 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 15 Empire expert witnesses on where the top of the 16 San Andres is? 17 A. Yes. 18 Q. What is that your understanding of 19 that testimony? 20 A. There is differences in the selection of 21 where the top of the San Andres occurs. I 22 relied on the top of the San Andres picks that 23 were provided by Goodnight Midstream except 24 where I would reference well completion records 25 or from Chevron or XTO. Then I would have used 	2 3 4 5 6 7 8 9 10 11 12	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming	2 3 4 5 6 7 8 9 10 11 12	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know?
16treatment in my testimony.16San Andres is?17Q. You don't know how they work; is that17A. Yes.18what you're telling me?18Q. What is that your understanding of19A. Repeat that?19that testimony?20Q. You don't know how the dissolvers work.20A. There is differences in the selection of21Is that what you're telling me?20A. There is differences in the selection of22A. Most of the treatment chemicals that I22relied on the top of the San Andres occurs. I23have listed that they Goodnight has provided23were provided by Goodnight Midstream except24me are inhibitors to prevent the formation of24where I would reference well completion records25scale to prevent the bacteria formations down25or from Chevron or XTO. Then I would have used	2 3 4 5 6 7 8 9 10 11 12 13	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole	2 3 4 5 6 7 8 9 10 11 12 13	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes.
 17 Q. You don't know how they work; is that 18 what you're telling me? 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 17 A. Yes. 18 Q. What is that your understanding of 19 that testimony? 20 A. There is differences in the selection of 21 where the top of the San Andres occurs. I 22 relied on the top of the San Andres picks that 23 were provided by Goodnight Midstream except 24 where I would reference well completion records 25 or from Chevron or XTO. Then I would have used 	2 3 4 5 6 7 8 9 10 11 12 13 14	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And	2 3 4 5 6 7 8 9 10 11 12 13 14	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the
 18 what you're telling me? 18 Q. What is that your understanding of 19 A. Repeat that? 20 Q. You don't know how the dissolvers work. 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 18 Q. What is that your understanding of 19 that testimony? 20 A. There is differences in the selection of 21 where the top of the San Andres occurs. I 22 relied on the top of the San Andres picks that 23 were provided by Goodnight Midstream except 24 where I would reference well completion records 25 or from Chevron or XTO. Then I would have used 	2 3 4 5 6 7 8 9 10 11 12 13 14 15	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their	2 3 4 5 6 7 8 9 10 11 12 13 14 15	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the
19A. Repeat that?19that testimony?20Q. You don't know how the dissolvers work.20A. There is differences in the selection of21Is that what you're telling me?21where the top of the San Andres occurs. I22A. Most of the treatment chemicals that I22relied on the top of the San Andres picks that23have listed that they Goodnight has provided23were provided by Goodnight Midstream except24me are inhibitors to prevent the formation of24where I would reference well completion records25scale to prevent the bacteria formations down25or from Chevron or XTO. Then I would have used	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is?
20Q. You don't know how the dissolvers work.20A. There is differences in the selection of21Is that what you're telling me?21where the top of the San Andres occurs. I22A. Most of the treatment chemicals that I22relied on the top of the San Andres picks that23have listed that they Goodnight has provided23were provided by Goodnight Midstream except24me are inhibitors to prevent the formation of24where I would reference well completion records25scale to prevent the bacteria formations down25or from Chevron or XTO. Then I would have used	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes.
 21 Is that what you're telling me? 22 A. Most of the treatment chemicals that I 23 have listed that they Goodnight has provided 24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down 21 where the top of the San Andres occurs. I 22 relied on the top of the San Andres picks that 23 were provided by Goodnight Midstream except 24 where I would reference well completion records 25 or from Chevron or XTO. Then I would have used 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of
 A. Most of the treatment chemicals that I have listed that they Goodnight has provided me are inhibitors to prevent the formation of scale to prevent the bacteria formations down or from Chevron or XTO. Then I would have used 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of that testimony?
 have listed that they Goodnight has provided me are inhibitors to prevent the formation of scale to prevent the bacteria formations down or from Chevron or XTO. Then I would have used 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? Q. You don't know how the dissolvers work. 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of that testimony? A. There is differences in the selection of
24 me are inhibitors to prevent the formation of 25 scale to prevent the bacteria formations down24 where I would reference well completion records 25 or from Chevron or XTO. Then I would have used	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? Q. You don't know how the dissolvers work. Is that what you're telling me? 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of that testimony? A. There is differences in the selection of where the top of the San Andres occurs. I
25 scale to prevent the bacteria formations down 25 or from Chevron or XTO. Then I would have used	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? Q. You don't know how the dissolvers work. Is that what you're telling me? A. Most of the treatment chemicals that I 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of that testimony? A. There is differences in the selection of where the top of the San Andres occurs. I relied on the top of the San Andres picks that
-	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? Q. You don't know how the dissolvers work. Is that what you're telling me? A. Most of the treatment chemicals that I have listed that they Goodnight has provided 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of that testimony? A. There is differences in the selection of where the top of the San Andres occurs. I relied on the top of the San Andres picks that were provided by Goodnight Midstream except
Page 39 Page 41	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? Q. You don't know how the dissolvers work. Is that what you're telling me? A. Most of the treatment chemicals that I have listed that they Goodnight has provided me are inhibitors to prevent the formation of 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of that testimony? A. There is differences in the selection of where the top of the San Andres occurs. I relied on the top of the San Andres picks that were provided by Goodnight Midstream except
	$\begin{array}{c} 2\\ 3\\ 4\\ 5\\ 6\\ 7\\ 8\\ 9\\ 10\\ 11\\ 12\\ 13\\ 14\\ 15\\ 16\\ 17\\ 18\\ 19\\ 20\\ 21\\ 22\\ 23\\ 24\\ \end{array}$	 dissolver does for treating produced water? A. Typically, based on my experience and expertise with Class 2 injection, your main chemical treatment programs address scaling issues which can be iron sulfates, barium sulfates, and you're also addressing the corrosion issues with corrosion inhibitors. You're addressing the back micro bacterial issues with sulphur reducing bacteria and iron precipitating bacteria with some sort of bioside to kill the bacteria to prevent it from forming down hole and precipitating solids down hole that can plug off the injection formation. And I have listed those that they use in their treatment in my testimony. Q. You don't know how they work; is that what you're telling me? A. Repeat that? Q. You don't know how the dissolvers work. Is that what you're telling me? A. Most of the treatment chemicals that I have listed that they Goodnight has provided me are inhibitors to prevent the formation of scale to prevent the bacteria formations down 	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	 Andres, right? A. No. Q. Where did you get the information that there's an impermeable barrier between the Grayburg and San Andres? A. The evaluation of the open hole logs provided by Goodnight and their cross sections. Q. Who specifically provided that? Is that Mr. McGuire? A. Yes. Q. Is Mr. McGuire a geologist; do you know? A. Yes. Q. Okay. So have you read the the Empire expert witnesses on where the top of the San Andres is? A. Yes. Q. What is that your understanding of that testimony? A. There is differences in the selection of where the top of the San Andres picks that were provided by Goodnight Midstream except where I would reference well completion records or from Chevron or XTO. Then I would have used

11 (Pages 38 - 41)

Veritext Legal Solutions

1 1 STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION COMMISSION 2 3 4 APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN LLC FOR APPROVAL 5 OF A SALTWATER DISPOSAL WELL, LEA COUNTY, NEW MEXICO. COMM. CASE NO. 24123 6 APPLICATIONS OF GOODNIGHT 7 MIDSTREAM PERMIAN LLC FOR APPROVAL OF SALTWATER DISPOSAL WELLS LEA COUNTY, NEW MEXICO, DIV. CASE NOS. 23614-23617 8 9 APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC TO AMEND 10 ORDER NO. R-22026/SWD-2403 TO INCREASE THE APPROVED INJECTION RATE IN ITS 11 ANDRE DAWSON SWD #1, LEA COUNTY, NEW MEXICO. DIV. CASE NO. 23775 12 APPLICATIONS OF EMPIRE NEW MEXICO LLC 13 TO REVOKE INJECTION AUTHORITY LEA COUNTY, NEW MEXICO. 14 DIV. CASE NOS. 24018-24020 24025 15 16 DEPOSITION OF JOHN MCBEATH 17 November 25, 2024 9:01 a.m. 18 Via Zoom PURSUANT TO THE FEDERAL RULES OF CIVIL 19 PROCEDURE, this deposition was: 20 TAKEN BY: DANA SIMMONS HARDY, ESQ. 21 ATTORNEY FOR EMPIRE 22 REPORTED BY: KENDRA D. TELLEZ, RMR-CRR-RPR Kendra Tellez Court Reporting, Inc. 23 A Veritext Company Suite 105 24 500 4th Street, Northwest Albuquerque, New Mexico 87102 25 Page 1

> Veritext Legal Solutions Calendar-nm@veritext.com 505-243-5691

www.veritext.com

John McBeath - November 25, 2024

	John McBeath - November 25, 2024			
	Examination by Ms. Hardy 30		Examination by Ms. Hardy 32	
1	A. Other than who? Other than me?	1	Q. We spoke about the testimony you reviewed	
2	Q. Well, did you meet with the other	2	from the other witnesses. Who, if any, of	
3	witnesses regarding preparation of testimony?	3	Goodnight's other witnesses are you relying on for	
4	A. I've had some virtual meetings with the	4	your testimony?	
5	Netherland Sewell's group, which would include two	5	Oh, you're cutting out.	
6	of the other witnesses.	6	Can't hear you.	
7	Q. Okay.	7	A. Can you hear me now?	
8	A. Knights and Davidson.	8	Q. Yes.	
9	Q. Okay. And then did you have meetings	9	A. It's worse when I brought it closer to me,	
10	virtually or otherwise with Dr. Lake?	10	SO	
11	A. Yes.	11	Do you think it's worth trying to reboot	
12				
	Q. And about how many times did you meet with	12	or change something? Because, I mean, we are going	
	Dr. Lake?	13	to go crazy with this today.	
14	A. I think I had two Kim and I had two	14	MS. HARDY: I think that's good a	
15	face-to-face meetings with him over the summer, and	15	good idea. Should we take a ten-minute break?	
16	we had several Teams meetings, I'd say.	16	THE WITNESS: Yes.	
17	Q. And approximately how many times did you	17	MR. RANKIN: No objection.	
18	meet with Mr. Davidson?	18	MR. MOANDER: No objection.	
19	A. I can recall two virtual meetings with	19	(Off the Record.)	
20	Netherland Sewell.	20	Q. So I think my last question was whether	
21	Q. Okay. And did that also include		you're which other Goodnight witnesses' testimony	
22	Mr. Knights?		you are relying on for your testimony?	
23	A. It did, yes.	23	A. Preston McGuire for sure, Jim Davidson,	
24	Q. Okay. And did you in preparing for	24	Mr. Knights, and I think the other ones are more	
25	your deposition, did you have any meetings with	25	tangential. Those would be the three principal.	
	Page 30		Page 32	
	Examination by Ms. Hardy 31		Examination by Ms. Hardy 33	
1	Goodnight's other witnesses?	1	Q. Okay. I wanted to show you here I'm	
2	A. Well, Preston McGuire was present in one	2	going to switch for a minute. We'll go back to your	
3	of those depo prep meetings, yes.	3	testimony certainly, but I wanted to mark as an	
4	Q. And were Goodnight's lawyers also present?	4	exhibit the prehearing order in this case, which	
5	A. Yes.	5	I've got up on the screen. And I believe that would	
6	Q. Is there anything else that you did to	6	be Exhibit 3.	
7	prepare for your deposition?	7	(Exhibit 3 Referred to in Deposition.)	
8	A. Not beyond what we've discussed already.	8	Q. Have you seen this Pre-hearing Order	
9	Q. Let's look at your testimony, which I	9	previously?	
10	marked as Exhibit 2 to your deposition. And I've	10	A. I have, yes.	
11	got it pulled up, and I'm hoping that my screen will	11	Q. Okay. And paragraph 7 of the order	
12	cooperate. Let me share it.	12	requires the parties to provide copies of documents	
13	A. I'm just rearranging some furniture to try	13	that their experts relied on in preparation of their	
14	to get this microphone closer to me.	14	hearing testimony. Is that your understanding?	
15	Q. Okay.	15	A. Yes.	
16	A. If you hear something.	16	Q. Okay. And I have a number of documents	
17	Q. Can you see my screen now?	17	that have been produced on your behalf. I believe	
18	A. Yes, I can.	18	it's about 1,239 pages of documents and data files.	
19	Q. And did you personally prepare your	19	Does that sound about right to you?	
20	testimony for this matter?	20	A. The number is not that meaningful to me.	
20	A. Yes, I did.	20	-	
			I would probably need to just look at them.	
22	Q. Did anyone assist you?	22	Q. I'm going to pull them up so we can go	
23	A. I believe Kim Gordon read drafts of my	23	through them. I don't want to mark all of them as exhibits, certainly, but I wanted to find out from	
		1.1/1	evaluate certainly but I wanted to find out from	
24	testimony and commented and maybe recommended			
	changes or things like that, or additions. Page 31	24	you exactly what the documents are and how you're Page 33	

9 (Pages 30 - 33)

Veritext Legal Solutions

1 1 STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT 2 OIL CONSERVATION COMMISSION 3 4 APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN LLC FOR APPROVAL 5 OF A SALTWATER DISPOSAL WELL, LEA COUNTY, NEW MEXICO. COMM. CASE NO. 24123 6 APPLICATIONS OF GOODNIGHT 7 MIDSTREAM PERMIAN LLC FOR APPROVAL OF SALTWATER DISPOSAL WELLS LEA COUNTY, NEW MEXICO, DIV. CASE NOS. 23614-23617 8 9 APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC TO AMEND 10 ORDER NO. R-22026/SWD-2403 TO INCREASE THE APPROVED INJECTION RATE IN ITS 11 ANDRE DAWSON SWD #1, LEA COUNTY, NEW MEXICO. DIV. CASE NO. 23775 12 APPLICATIONS OF EMPIRE NEW MEXICO LLC 13 TO REVOKE INJECTION AUTHORITY LEA COUNTY, NEW MEXICO. DIV. CASE NOS. 24018-24020 14 24025 15 16 DEPOSITION OF DR. LARRY LAKE 17 November 12, 2024 9:00 a.m. 18 Via Zoom 19 PURSUANT TO THE FEDERAL RULES OF CIVIL PROCEDURE, this deposition was: 20 SHARON T. SHAHEEN, ESQ. TAKEN BY: 21 ATTORNEY FOR EMPIRE 22 REPORTED BY: KENDRA D. TELLEZ, RMR-CRR-RPR Kendra Tellez Court Reporting, Inc. 23 A Veritext Company Suite 105 24 500 4th Street, Northwest Albuquerque, New Mexico 87102 25 Page 1

> Veritext Legal Solutions Calendar-nm@veritext.com 505-243-5691

www.veritext.com

Released to Imaging: 2/11/2025 8:44:14 AM

	Dr. Larry Lake, PE -	No	vember 12, 2024
	Examination by Ms. Shaheen 26		Examination by Ms. Shaheen 28
1	McBeath's work; is that right?	1	So I'll represent to you, Dr. Lake, that
2	A. Yes.	2	this was an order that was entered in this case.
3	Q. And that you spoke with McBeath in	3	And with respect to witnesses, I'll turn I'll
4	preparation?	4	direct you to paragraph 7 here.
5	A. Yes.	5	Do you see that at the bottom of this
6	Q. And what was the topic of your	6	page?
7	conversation with McBeath?	7	A. Your my CV is at the front of the
8	A. Well, let's see. It was all about this	8	screen. It's covering this up.
9	case. Basically, it was about the behavior of	9	Q. What about now?
10	pressures in reservoirs. Basically, it was about	10	A. Still there.
11	the interpretation of logs. Other things would have	11	Q. Let me stop and do this again.
12	been what else would we have talked about?	12	A. I'm sorry, that was me. That was my
13	Briefly about ROZ zones and things like that.	13	document search. So just go back where you were.
14	Q. And did you rely on his work in your	14	Q. Okay. Do you see it now where it says
15	report?	15	Pre-Hearing Order?
16	A. Well, that's a hard question to answer,	16	A. Yes, I see that.
17	because what I tried I'm sorry. I'll give you an	17	Q. Okay. Great. So I direct you to
18	"I don't know" on that because it's more	18	paragraph 7 because this is what pertains to the
19	complicated. I would try to form an opinion myself	19	witnesses.
20	and then discuss it with him back and forth to where	20	So here you'll see that the parties agree
21	we came to an agreement.	21	to provide copies of documents that their witnesses
22	Q. And I believe you were you were talking	22	relied on and referenced in their testimony and
23	about some exhibits from Preston McGuire that you	23	exhibits. Did your attorneys ask you to provide
24	identify in your report. And did you rely on some	24	those documents to them?
25	of his work in your opinions?	25	A. I believe they asked me through ATXCE. So
	Page 26		Page 28
	Examination by Ms. Shaheen 27		Examination by Ms. Shaheen 29
1	A. Yes.	1	all the requests that went, went to ATXCE and then
2	Q. Anyone else that you can recall that you	2	on to the attorneys.
3	relied on their work in your opinions?	3	Q. And then did you provide ATX I have it
4	A. Maybe. I don't recall beyond that.	4	down as ACPE; is that right? Austin Consulting?
5	Q. Okay. Well, as we go through your	5	A. I think I may have written that down once
6	statement, your opinions, if you if something	6	myself, but it's ATXCE, it's Austin Texas Consulting
7	comes to mind about "Oh, yes, I remember now. I	7	Engineers.
8	relied on this," feel free to speak up and let me	8	Q. Okay. I think I'm going to refer to them
9	know.	9	as Austin Consulting Engineers. Will that work for
10	And now turning back to your Exhibit 1,	10	you?
11	did you personally prepare your report for this	11	A. Yes.
12	matter?	12	Q. Okay. Did you provide Austin Consulting
13	A. The testimony, yes, I did.	13	Engineers with documents to produce in this
14	Q. Okay. And did you have any assistance in	14	proceeding?
15	preparing that report?	15	A. Are you referring to a specific document
16	A. Do you mean did I ask somebody to read it	16	or to just in general?
17	and give me comments? Yes, I did do that.	17	Q. Just in general for now. We're going to
18	Q. Okay. And other than your attorneys or	18	come back to the documents that you did produce.
19	Goodnight's attorneys, who did you ask to review it	19	A. I did.
20	for you?	20	Q. Okay. And so is it your understanding
20	A. McBeath and Kim Gordon.	20	that you provided them with everything you relied on
	(Exhibit 3 Referred to in Deposition.)	21	to support your opinions in this matter?
//		44	to support your opinions in this matter?
22 23	-	22	MR HIRGENSEN, Objection form
23	Q. Okay. I want to turn briefly now to a	23 24	MR. JURGENSEN: Objection, form.
	-	23 24 25	MR. JURGENSEN: Objection, form. Q. You can answer if you understand the question.
23	Q. Okay. I want to turn briefly now to a		

8 (Pages 26 - 29)

Veritext Legal Solutions

1	STATE OF NEW MEXICO
	ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT
2	OIL CONSERVATION COMMISSION
3	APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN LLC FOR
4	APPROVAL OF A SALTWATER
	DISPOSAL WELL, LEA COUNTY,
5	NEW MEXICO. COMM. CASE NO. 24123
6	APPLICATIONS OF GOODNIGHT
_	MIDSTREAM PERMIAL LLC FOR
7	APPROVAL OF SALTWATER DISPOSAL WELLS, LEA
8	COUNTY, NEW MEXICO. DIV. CASE NOS. 23614-23617
-	
9	APPLICATION OF GOODNIGHT MIDSTREAM PERMIAN, LLC TO
10	AMEND ORDER NO.
ΤŪ	4-22026/SWD-2403 TO
11	INCREASE THE APPROVED
<u>т</u> т	
1 0	INJECTION RATE IN ITS
12	ANDRE DAWSON SWD #1, LEA
	COUNTY, NEW MEXICO. DIV. CASE NO. 23775
13	
	APPLICATIONS OF EMPIRE NEW
14	MEXICO LLC TO REVOKE
	INJECTION AUTHORITY, LEA DIV. CASE NOS. 24018-2420,
15	COUNTY, NEW MEXICO. 24025
16	
	REMOTE ORAL DEPOSITION OF
17	
	JAMES A. DAVIDSON
18	
	November 22, 2024
19	
20	
	REMOTE ORAL DEPOSITION OF JAMES A. DAVIDSON,
21	located in Dallas, Texas, produced as a witness at the
	instance of Empire New Mexico LLC, and duly sworn,
22	taken in the above-styled and numbered cases on
	November 22, 2024, from 10:03 a.m. to 3:26 p.m., before
23	Joseph D. Hendrick, Certified Shorthand Reporter in and
	for the State of Texas, reported by machine shorthand,
24	pursuant to subpoena issued by the New Mexico Oil
4 T	Conservation Commission, and any provisions stated on
25	the record or attached hereto.
77	the record of actached hereto.

Page 1

Veritext Legal Solutions Calendar-nm@veritext.com 505-243-5691

www.veritext.com

Exhibit 6

1	in the Seminole San Andres unit wells, we ran the	1	can to be honest with you, I don't know that anybody
2	model and then compared it to some of the core work	2	can reliably pick that unless we get paleontological
3	that Hess had published and see if we were coming up	3	data of some type.
4	with reasonable matches to the core measurements.	4	Q. I'm sorry, you said what kind of data?
5	Q. I think we're about ready to jump to your	5	A. Like paleo data, critters, bugs, you know,
6	report. And I am going to share my screen again.	6	fossils. That sort of thing maybe could be used. I
7	MS. SHAHEEN: Does everyone see	7	don't know. Again, I'm not a geologist. I don't make
8	Dr. Davidson's statement here? I'm on page 3.	8	zone picks.
9	MR. MOANDER: Yes.	9	Q. Did you see any distinct demarker on logs
10	THE WITNESS: Yeah, I can see it.	10	indicating that the top of the San Andres?
11	Q. (BY MS. SHAHEEN) And, Dr. Davidson, can	11	A. No.
12	you read it?	12	Q. Turning now to bullet four. And we're
13	A. I can read a copy of my hard copy. I can't	13	going to actually switch back and forth between bullet
14	see it on the screen, but I can probably get it on the	14	four and figure 4.
15	hard copy I have.	15	A. Okay.
16	Q. Okay. Well, if you'll just let me know if	16	Q. At the top of page 4, "The intervals of
17	if you need Jonathan's assistance, we'd like to have	17	residual oil in the San Andres aquifer are too thin,
18	him on camera when he's helping you. And we can take	18	too widely spaced, and are not likely areally
19	some time to make that happen.	19	continuous enough to support efficient enhanced
20	A. I can move over and he can help. Not	20	recovery operations." Is that correct?
21	quite. You can almost see him. Let me move over more.	21	A. Yes.
22	And now I'm not in. All right. Now we're both in.	22	Q. Can you provide some clarification on why
23	Q. Thank you so much.	23	you are stating that the potential San Andres ROZ is
24	So, here on pages 3 and 4, you have	24	too thin and too widely spaced, when you are showing
25	provided a summary of your opinions.	25	continuous oil saturation on the EMSU 746 log
	Page 34		Page 36
1	A. Mm-hmm.	1	interpretation, which is figure 4? And I can jump to
2	Q. And taking a look first at this bullet	2	that now. Let me see if I can get the right page.
3	three here where my hand is on the screen, it says, "A	3	So, this is figure 4, and I believe this
4	residual oil zone analogous to those where CO2 enhanced	4	relates to that opinion that we just were reviewing.
5	oil recovery operations have been employed exists only	5	It's the EMSU well, actually, this might be
6	in the Grayburg formation in the EMSU."	6	figure yeah, this is it the EMSU 746
7	A. Okay.	7	interpretation?
8	Q. Is that correct?	8	THE WITNESS: Is that in the appendix?
9	A. Yes.	9	That doesn't look like a complete figure
10	Q. Would you agree that this opinion is	10	(Indiscernible discussion between Dr.
11	dependent on where the top of the San Andres is picked?	11	Davidson and Jonathan.)
12	A. Would be.	12	THE REPORTER: I'm sorry, I'm not hearing
13	Q. And how was the top defined?	13	what Dr. Davidson is saying.
14	A. I was given the tops. I don't make any	14	THE WITNESS: Okay. Well, we're just
15	effort to pick the tops. Those were provided by	15	trying to I'm just trying to find the figure she's
16	Goodnight.	16	pointing to.
17	Q. And do you know who picked the tops that	17	A. This is the figure you're pointing to is
18	were provided?	18	just a gamma ray log, not an interpretation not the
19	A. I do not. I suspect the geologist from	19	interpreted response. What you see in the left-hand
20	Goodnight is Preston McGuire. I assume that Preston	20	track is just a gamma ray readings. The actual
21	picked them, but I don't know that to be the case.	21	interpretation of this well is in the appendix, I
22	Just an assumption on my part.	22	believe.
23	Q. So, you didn't make any effort to verify	23	THE WITNESS: Actually, does this one not
24	the tops that you were provided?	24	show up on the one where we show the comparison with
25	A. No. That's I don't know that anybody	25	the Seminole San Andres. Let's refer to the one that's
	Page 35		Page 37

10 (Pages 34 - 37)

Veritext Legal Solutions

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Operator:	OGRID:
Empire New Mexico LLC	330679
2200 S. Utica Place	Action Number:
Tulsa, OK 74114	430341
	Action Type:
	[HEAR] Prehearing Statement (PREHEARING)

QUESTIONS

Testimony			
Please assist us by provide the following information about your testimony.			
Number of witnesses	11		
Testimony time (in minutes)	180		

Page 54 of 54

Action 430341