

Case No
3815

Large Exhibits

V.A.M.C.F. MURKIN



BEST AVAILABLE COPY

Case No
3815

Large Exhibits

U.S. G.P.O. : 1964 O - 300-000



BEST AVAILABLE COPY

COMPANY EMPIRE OIL & REFINING COMPANY
WELL ABO CLARK PLUFFY DRUM UNIT # 19
FIELD EMPIRE ABO
COUNTY EDDY **STATE** NEW MEXICO

Location
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Other Logs
 GUARD
 FORKS

Set _____ **Type** _____ **Fig.** _____ **Elevation** _____
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Formation **Depth** **Log** **Remarks**
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Core No. _____ **Core** _____
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Top Depth _____ **Bottom** _____
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Survey _____ **Remarks** _____
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Mod Date _____ **Mod By** _____
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Recorded By _____ **Checked By** _____
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

Casing Record
 990' FSL 1650' FWL
 SEC 16 TWP 18-S
 RGE 27-E

NEUTRON

NEUTRON INTENSITY INCREASES
 COUNTS/SECOND

200 (SURF - 1400') 430'

700' 930'

1500' 1600' 1700' 1800' 1900' 2000'

5600 5650 5700 5750 5800 5850 5900 5950

12" HOLE 48" HOLE 72" HOLE 48" HOLE

NEUTRON POROSITY INDEX (DOWN HOLE ONLY)

REPEAT SECTION



