Case No.

5874

Large Exhibits

COMPANY Texaco Inc.

WELL State R (NCT-2) #5

FIELD Vacuum Glorieta

COUNTY — STATE New Mexico

Location 330 FNL 1650 FEL

Other Services: Guard Focus

Sec. 2 Twp 18-S Rge 34E

Permanent Datum Ground Level Elev. 4011

Log Measured From KB 14 Ft. Above Perm. Datum — Elev.: K.B. 4025, D.F. 4024, G.L. 4011

Drilling Measured From KB by Gustavus

Date	4-4-65				
Run No.	one				
Type—Depth	6250				
Type—Water	6248				
Type—Loss Interv.	6248				
Type Log Depth	6248				
Type—Depth	1650 to 6250				
Casing—Weight					
Type Fluid	9.9 lb — 1650 To 3400 ft / 9.1 — 3400 To 6250				
Type Fluid in Hole	mud	Starch Flo-Zan paper			
Density / Visc.	10.0 / 37				
pH / Fluid Loss	~ 10.5 ml	ml	ml	ml	ml
Source of Sample	Circulation				
Rm @ Meas. Temp.	.065@80°F	@ °F	@ °F	@ °F	@ °F
Rmf @ Meas. Temp.	.055@82°F	@ °F	@ °F	@ °F	@ °F
Rmc @ Meas. Temp.	~ .50 ~ 73	@ °F	@ °F	@ °F	@ °F
Source: Rmf / Rmc	Measured				
Rm @ BHT	.053@172°F	35 °F	65 °F	95 °F	125 °F
Time Since Circ.	2 Hrs.				
Max. Rec. Temp.	172°F	°F	°F	°F	°F
Equipment—Location	Loc 3 Hobbs				
Recorded By	R. E. Appleton				
Witnessed By	Mr. Hollowell				

VC ___ AA 12645



U.S.G.S. MICROFILMED
BEST AVAILABLE COPY



U.S.G.S. PHOTOGRAPHIC
BEST AVAILABLE COPY