
Case No.


1923

Large Exhibits



CAULKINS OIL COMPANY

PROPOSED DUAL COMPLETION OF PICTURED CLIFFS AND DAKOTA FORMATIONS
LEASE: SANCHEZ ST 07930A WELL: #1
LOCATED: 560' FROM N LINE AND 660' FROM W LINE OF SECTION 24, T26N R6W, RIO ARRIBA COUNTY, NEW MEXICO
DATE: 3-16-60




BEFORE EXAMINER UTZ
OIL CONSERVATION COMMISSION
Spdce Exhibit NO. 2
CASE NO. 1923

CASE #1923. EXHIBIT # 2

CAULKINS OIL COMPANY

PROPOSED DUAL COMPLETION OF PICTURED CLIFFS AND DAKOTA FORMATIONS
LEASE: SANCHEZ ST 07930A WELL: #1
LOCATED: 560' FROM N LINE AND 660' FROM W LINE OF SECTION 24, T26N R6W, RIO ARRIBA COUNTY, NEW MEXICO
DATE: 3-16-60



CASE #1923. EXHIBIT # 2.

CAULKINS OIL COMPANY

PROPOSED DUAL COMPLETION OF PICTURED CLIFFS AND DAKOTA FORMATIONS
LEASE: SANCHEZ ST 07930A WELL: #1
LOCATED: 560' FROM N LINE AND 660' FROM W LINE OF SECTION 24, T26N R6W, RIO ARRIBA COUNTY, NEW MEXICO
DATE: 3-16-60

U.S.B.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

SCHLUMBERGER WELL SURVEYING CORPORATION

Electrical Log

COUNTY RIO ARRIBA
FIELD or LOCATION WILDCAT-SO. LARGO
WELL G.A. SANCHEZ #1
COMPANY LOWRY OIL COMPANY

COMPANY LOWRY OIL COMPANY
WELL G.A. SANCHEZ #1
FIELD WILDCAT-SO. LARGO
LOCATION SEC. 24-25N-5W
COUNTY RIO ARRIBA
STATE NEW MEXICO

Location of Well: 560' FR N/L & 660' FR W/L SEC. 24-25N-5W

Elevation: D.F. 6672'
G.L.
K.B.

PERMO No.

REMARKS RUN ONE MUD FROM FLOW LINE
RUN TWO MUD FROM FLOW LINE
RUN THREE MUD FROM FLOW LINE
RUN FOUR MUD FROM FLOW LINE
RUN FIVE MUD FROM FLOW LINE
*CAUSTIC-QUEB-GEL

SP-MILLIVOLTS-POTENTIAL millivolts

RESISTIVITY ohms. m²/m

NORMAL 1000

LATERAL 1000

MODIFIED NORMAL 20

RESISTIVITY ohms. m²/m

LONG NORMAL 1000

1000


100

1000







V.R.M.C.F. MICROGRAPHICS




U.S.B.C.F. MICROGRAPHICS




W.N.M.C.F. MICROGRAPHICS




W.H.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




V.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY




U.S.N.C.F. MICROGRAPHICS




V.N.M.C.F. MICROGRAPHICS
NOT AVAILABLE OPT




U.S.N.C.F. MICROGRAPHICS




U.S.N.R.C.F. MICROGRAPHICS



U.S.N.C.F. MICROGRAPHICS





V.V.M.C.F. MICROGRAPHICS




U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

CASE #1923. EXHIBIT #3







U.S.B.G.S. MICROGRAPHICS




V.N.M.C.F. MICROGRAPHICS



U.S.N.C.F. MICROGRAPHICS



V.V.M.C.F. MICROGRAPHICS




U.S.B.C.F. MICROGRAPHICS



U.S.N.C.F. MICROGRAPHICS





CALLERY OIL COMPANY


PROPOSED WELL COMPLETION
OF
PICTURED CLIFFS AND DAKOTA FORMATIONS
LEASE: SANCHEZ GAS #7500 WELL NO. #3
LOCATION: 540' FROM N LINE AND 660' FROM E LINE
SECTION 24, T29N, R6W, RIO ARRIBA COUNTY,
NEW MEXICO


DATE: 3-14-60

CASE #923. EXHIBIT # 2.

N.M.O.C.C. MICROGRAPHICS


BEST AVAILABLE COPY


SCHLUMBERGER WELL SURVEYING CORPORATION
Electrical Log
COMPANY LOMA NEGRA C.I.A.
WELL C.A. SANCHEZ #1
FIELD WILDCAT-SO. LARGO
LOCATION SEC. 24-26N-6W
COUNTY RIO ARRIBA
STATE NEW MEXICO
RESISTIVITY ohms m²/m
RESISTIVITY ohms m²/m
LATERAL
LONG NORMAL
SHORT NORMAL
REMARKS
RUN ONE
RUN TWO
RUN THREE
MAIN FLOW LINE
ROUT FLOW LINE
ACOUSTIC-CURVE-FEEL




W.K.M.C.P. MICROGRAPHICS


NOT AVAILABLE OFFT




V.R.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



U.K.N.C.F. MICROGRAPHICS
NOT AVAILABLE OFF



U.S.N.C.F. MICROGRAPHICS



U.S. N.R.C.F. MICROGRAPHICS

SCHLUMBERGER WELL SURVEYING CORPORATION

Electrical Log

COMPANY LOWRY OIL COMPANY

WELL C.A. SANCHEZ #1

FIELD WILDCAT-SO. LARGO

LOCATION SEC. 24-26N-6W

HENRY S. BROWNE

COUNTY RIO ARRIBA

STATE NEW MEXICO

Location of Well

660' FR N/L
660' FR W/L
SEC. 24-26N-6W

ES
Elevation: D.F. 6672'
G.L.
or G.L.

FILING No.

COUNTY RIO ARRIBA
FIELD or FORMATION WILDCAT-SO. LARGO
WELL C.A. SANCHEZ #1
COMPANY LOWRY OIL COMPANY

RUN No.	ONE	TWO	THREE	FOUR	FIVE
Date	6-28-52	7-15-52	7-19-52	8-29-52	
Total Reading	4648	5707	6812	7505	7188
Last Reading	4566	5648	6707	6812	7005
Feet Measured	4192	2052	105	693	283
Csg. Schlum.	454			454	454
Csg. Driller	466	466	466	466	466
Depth Reached	4648	5707	6812	7505	7188
Bottom Driller	4650	5707	6812	7519	7195
Depth Driven	RDB	RDB	RDB	RDB	RDB
Mud Mat.	OVER-GEL	OVER-GEL			OVER-GEL
" Density	10	9.7	9.6	9.5	9.8
" Viscosity	50	48	48	52	51
" Fluids	BASE	10 cc	9.6 cc	9.4 cc	9.0 cc	9.4 cc
Res. Mud	3.3@119°F	3.68@136°F	2.8@137°F	3.46@145°F	2.16@148°F
" Mc	8.4@	7.6@	7.8@	8.5@	@
" Wtr. Loss	9 cc 30 min.	9 cc 30 min.	7 cc 30 min.	7 cc 30 min.	cc 30 min.
Mud Temp. °F	119	136	137	145	148
Rm Src	8 3/4"	8 3/4"	8 3/4"	8 3/4"	8 3/4"
Rmf @ °F	Meas.	Meas.	Meas.	Meas.	Meas.
Rmc @ °F	Meas.	Meas.	Meas.	Meas.	Meas.
Rm @ BHT	1.15@150°	1.15@150°	1.15@150°	1.15@150°	1.15@150°
Time Since Circ.	12 Hrs.	14 Hrs.	14 Hrs.	23 Hrs.	21 Hrs.
Max. Rec. Temp.	150°	150°	150°	150°	150°
Equip. No.	1716	1716	1716	1716	1716
Recorded By	KUNLAND	MILLER	MILLER	KUNLAND	
Witness By	BIRDSEYE	BIRDSEYE	BIRDSEYE	BIRDSEYE	BIRDSEYE


REMARKS: LAND ONE RUN FROM FLOW LINE
RUN TWO RUN FROM FLOW LINE
RUN THREE RUN FROM FLOW LINE
RUN FIVE RUN FROM FLOW LINE

RESISTIVITY -ohms. m²/m
LONG NORMAL 100 1000


RESISTIVITY -ohms. m²/m
NORMAL 1000 10000
LATERAL 100 1000
SPHERICALLY FOCUSED NORMAL 20 200

SPONTANEOUS POTENTIAL millivolts

5" = 100'
2" = 100'




U.S.G.S. MICROGRAPHICS
NOT AVAILABLE OFFLINE




U.S.B.C.F. MICROGRAPHICS

NOT AVAILABLE OFF




U.W.M.C.F. MICROGRAPHICS




U.S.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



U.K.H.C.F. MICROGRAPHICS



U.S.N.C.F. MICROGRAPHICS