


Case No

7123


Large Exhibits






DST #1 9615-8631* (corrected to
 100' - 100' - 100' - 100'
 100' - 100' - 100' - 100'
 100' - 100' - 100' - 100'
 100' - 100' - 100' - 100'
 100' - 100' - 100' - 100'
 100' - 100' - 100' - 100'


Case No. 7123
 N.M. Oil Conservation Div.
 1/14/51 Examiner Hearing
 Yates Petroleum Corporation
 Exhibit No. 3






DST #1-8615-8651' (corrected to
 30" 90" 8600-8636')
 Rec: 1305' water + 90' DM NGPS
 BHS: 2506' 117 cty. 2050 cc water
 C1 66-500 ppm Cl - Dil 21000 ppm
 FP 99-442 450-696
 SI: 1495-3499 .4 grad


Case No. 7123
 N.M. Oil Conservation Div.
 1/14/81 Examiner Hearing
 Yates Petroleum Corporation
 Exhibit No. 3






DST #1 8615-8651' (corrected to
 30" 90" 8600-8636'
 60" 120"
 Roci: 1305' water + 90' DR NGTS
 RUD: 2304' 17 ccy, 2000 cc water
 66,500 ppm Cl - pit 21000 ppm
 Cl
 FP 99-442 450-696
 SP: 3489-3499 .4 quad

Case No. 7123
 N.M. Oil Conservation Div.
 1/14/81 Examiner Hearing
 Yates Petroleum Corporation
 Exhibit No. 3





DST #1 9615-8651 (corrected to 8600-8616)
 30" 90" 60" 120"
 Rm: 1395' water + 90' DM NGPS
 BH: 2504' 17 cfs, 2050 cc water
 G: 500 rpm CI - 241 21000 rpm
 CI -
 PP 99-112 450-696
 SP: 1490-3479 4 read

Case No. 7123
 N.W. Oil Conservation Div.
 1/14/81 Examiner: Harding
 Yates Petroleum Corporation
 Exhibit No. 3

