Case No

7568-7569

Large Exhibits

Schlumberger

SIMULTANEOUS
COMPENSATED NEUTRON-FORMATION DENSITY

COMPANY PETROLEUM CORPORATION OF DELAWARE

WELL PARKWAY WEST #3

FIELD PARKWAY WEST

COUNTY EDDY STATE NEW MEXICO

1980' FSL & 1980' FWL

SEC.	TWP.	RANGE
29	19-S	29-E

Other Services: DLL-MSFL


Permanent Datum GL Elev. 3326

Log Measured From RKB 16 Ft. Above Perm. Datum


Drilling Measured From RKB


Elev.: K.B. 3327
D.F.
G.L. 3326

Date	11-27-82						
Run No.	ONE						
Depth—Driller	11449						
Depth—Logger	11425						
Btm. Log Interval	11422						
Top Log Interval	SURF						
Casing—Driller	8 5/8@ 2831	@		@		@	
Casing—Logger	2833						
Bit Size	7 7/8						
Type Fluid in Hole	SALT GEL/BRINE						
Dens. / Visc.	10.9 / 52						
pH / Fluid Loss	11.2 / 5 ml		ml		ml		ml
Source of Sample	PIT						
R_m @ Meas. Temp.	.085 @ 74 °F	@ °F		@ °F		@ °F	
R_mf @ Meas. Temp.	@ °F	@ °F		@ °F		@ °F	
R_mc @ Meas. Temp.	@ °F	@ °F		@ °F		@ °F	
Source: R_mf / R_mc	/						
R_m @ BHT	.059 @169 °F	@ °F		@ °F		@ °F	
Circulation Stopped	1130						
Logger on Bottom	2100						
Max. Rec. Temp.	169 °F		°F		°F		°F
Equip. / Location	8215 / RSVL						
Recorded By	GARVIN						
Witnessed By	OVERTON						






10400
10500
10600
10700
10800
10900
11000
11100
11200
11300
PKR.
NORTH
SOUTH


11000
11100
11200
11300
11400
11500
11600
11700
11800
11900
12000
12100
12200
12300
12400
12500
12600
12700
12800
12900
13000
13100
13200
13300
13400
13500
13600
13700
13800
13900
14000
14100
14200
14300
14400
14500
14600
14700
14800
14900
15000

Schlumberger

SIMULTANEOUS
COMPENSATED NEUTRON-FORMATION DENSITY

COMPANY PETROLEUM CORPORATION OF DELAMARE

WELL PARKWAY WEST UNIT #10

FIELD PARKWAY WEST

COUNTY EDDY STATE NEW MEXICO

Location: 1980' FNL, E 1980' FEL

Other Services: DLL-MSFL

Permanent Datum: GL Elev. 3328

Log Measured From: KB 23 Ft. Above Perm. Datum

Drilling Measured From: KB

Elev.: K.B. 3351 D.F. G.L. 3328

Date	1-7-82						
Run No.	ONE						
Depth—Driller	11070						
Depth—Logger	11070						
Btm. Log Interval	11067						
Top Log Interval	9300						
Casing—Driller	8 5/8@ 3095	@		@		@	
Casing—Logger	3171						
Bit Size	7 7/8						
Type Fluid in Hole	DRISPAC/KCL						
Dens. / Visc.	10.4 / 45						
pH / Fluid Loss	10 / 5 ml		ml		ml		ml
Source of Sample	MUD PIT						
Rm. @ Meas. Temp.	.074 @ 62°F	@	°F	@	°F	@	°F
Rmf @ Meas. Temp.	.052 @ 62°F	@	°F	@	°F	@	°F
Rmc @ Meas. Temp.	.091 @ 62°F	@	°F	@	°F	@	°F
Source Rmf / Rmc	C / C						
Rm @ BHT	.029 @ 162°	@	°F	@	°F	@	°F
Circulation Stopped	1600						
Logger on Bottom	2100						
Max. Rec. Temp.	162		°F		°F		°F
Equip. / Location	8185 / RSWL						
Recorded By	RICE/HEDMAN						
Witnessed By	GARRETT/OVERTON						

EDDY PARKWAY WEST
PARKWAY WEST UNIT
PETR. CORP. OF DEL.


SEC. 27 TWP. 19-S RGE. 28-E


10800 10900 10950 11000 11047 11067 11100 11200 11300 11400 11500 11600 11700

STRAWN ATOKA MORROW

FR. GR/CNL 0 100 FR. TEN 0 5000

FR. CALIPER 6 16 FR. GR/IDPH 0 100




11100
11200
11300
11400
11500
11600
11700
MINIMUM-RI
MINIMUM-RO
CALIPER
CALIPER

Schlumberger

SIMULTANEOUS
COMPENSATED NEUTRON
FORMATION DENSITY

COMPANY PETROLEUM CORPORATION OF DELAWARE

WELL SUPERIOR FEDERAL #6

FIELD WILDCAT

COUNTY EDDY STATE NEW MEXICO

660' FSL & 1980' FWL


SEC.	TWP.	RANGE
6	20 S	29 E


Other Services: DLL/MSFL

Permanent Datum: G.L. Elev. 3284
Log Measured From: K.B. 14 Ft. Above Perm. Datum
Drilling Measured From: K.B.

Elev.: K.B. 3298, D.F., G.L. 3284

Date	12-27-81	1-26-82			
Run No.	ONE	TWO			
Depth-Driller	3110	11470			
Depth-Logger	3107	11475			
Btm. Log Interval	3104	11475			
Top Log Interval	SURF	3100			
Casing-Driller	11 3/4@5350	8 5/8@3110	@		@
Casing-Logger	347	3110			
Bit Size	11"	7 7/8			
Type Fluid in Hole	SALT GEL	SALT GEL			
Dens. / Visc.	8.3 / 27	10.3 / 46			
pH / Fluid Loss	7 /	9 / 15 ml			
Source of Sample	MUD PIT	MUD PIT			
Rm @ Meas. Temp.	.05 @ 65 °F	.053 @ 60 °F	@ °F		@ °F
Rmf @ Meas. Temp.	@ °F	.045 @ 60 °F	@ °F		@ °F
Rmc @ Meas. Temp.	@ °F	@ °F	@ °F		@ °F
Source Rmf / Rmc					
Rm @ BHT	.04 @ 75 °F	.028 @ 147F	@ °F		@ °F
Circulation Stopped	0700	12/26/0200			
Logger on Bottom	0200	12/27/0830			
Max. Rec. Temp.	75 °F	147 °F	°F		°F
Equip. Location	8161 / ROSWL	8135 / ROSWL			
Recorded By	MINSTER	JENSEN			
Witnessed By	WYATT	PINKERTON			




1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
MORNING
MORNING
MORNING

Schlumberger

SIMULTANEOUS
COMPENSATED NEUTRON-FORMATION DENSITY

COMPANY PETROLEUM CORPORATION OF DELAMARE

WELL SUPERIOR FEDERAL #6

FIELD WILDCAT

COUNTY EDDY STATE NEW MEXICO

LOCATION: 660' FSL & 1980' FWL


Other Services: DLL/MSFL

API SERIAL NO. | SEC. 6 | TWP. 20 S | RGE. 29 E


Permanent Datum: G.L. Elev. 3284
Log Measured From K.B. 14 Ft. Above Perm. Datum
Drilling Measured From K.B.


Elev.: K.B. 3298
D.F.
G.L. 3284


Date	12-27-81	1-26-82					
Run No.	ONE	TWO					
Depth-Driller	3110	11478					
Depth-Logger	3107	11476					
Btm. Log Interval	3104	11474					
Top Log Interval	SURF.	3100					
Casing-Driller	11 3/4@350	8 5/8@3110	@		@		
Casing-Logger	350	3110					
Bit Size	11"	7 7/8					
Type Fluid in Hole	SALT GEL	SALT GEL					
Dens. / Visc.	8.3 / 27	10.3 / 40					
pH / Fluid Loss	12 /	9 / 3 cc		cc			cc
Source of Sample	MUD PIT	MUD PIT					
Rm @ Meas. Temp.	.05 @ 45 °F	.065 @ 60 °F	@	°F	@		°F
Rmf @ Meas. Temp.	@ °F	.045 @ 60 °F	@	°F	@		°F
Rmc @ Meas. Temp.	@ °F	@ °F	@	°F	@		°F
Source: Rmf / Rmc	M	M					
Rm @ BHT	.04 @ 75 °F	.028 @ 147°	@	°F	@		°F
Circulation Stopped	0700 12/26	0200					
Logger on Bottom	0200 12/27	0830					
Max. Rec. Temp.	75 °F	147 °F		°F			°F
Equip. / Location	8141 / ROSWL	8185 / ROSWL					
Recorded By	PINKSETT	JENSEN					
Witnessed By	EVERTON	WETON					









PARKWAY WEST
PARKWAY
N. BURTON
WINCHESTER
6800
6850
6900
6950
7000
7050
7100
7150
6750
Amoco State "EC"
Amoco State "EX"
State "EW"
McKee Spencer
Tenneco State
Cities Service State
Ashmun & Hilliard Leonard Tenneco State
Stoneleind State
Bass Ent. Palmillo St.
Desco ONY-State
Threshold Conoco St.
Threshold Conoco "IO" St.
Tenneco State "WL"
Threshold Flag
Exxon 1-DC
Hondo State
So. Roy. State
Parkway St. I-B
Hondo Union St "TX"
Pet. Corp.
Desco St. "ONY"
Exxon New Mex-St "CU"
Coquina Flag St.
Gulf Eddy St. "IL"
Petroleum Corp. Parkway West Unit
Cities Service "CY"
Bennett & Ryon Exxon
Petroleum Corp. Petco St.
So. Roy.
H.L. Brown Yates-Fed.
Dorchester ARCO Fed.
Dorchester
Hillin D.W.U.-St.
Penrod Delo-Fed.
Exxon State
J.C. Williamson State
Marathon Martinez Fed.
Sunray New Mexico St "O"
Coquina Bogs St.
Petroleum Corp. Sun Fed
Hillin J.C.W.-St.
Williamson U.S. Smelt.
Penrod Shell-Fed
Williamson Shell-Fed.
Yates Antonijovanni
Penrock
Petroleum Corp. Superior-Fed.
Petroleum Corp. Superior Fed
Cities Service "AB"
Cities Service "Y"
Yates Marala
Texas Oil & Gas Superior-Fed.
Texas Oil & Gas Williamson Fed
"Yates Fed"
Cactus Jennings-Fed.
Getty Burton Flat
Texas Oil & Gas Yates Fed
Williamson 1026-Fed
Texas Oil & Gas Williamson-Fed "A"
Texas Oil & Gas Williamson-Fed
Cities Service "AC"
Penrod "R"
28
29
20


Penrock
Yates Antenglovanni J-MJ -6887
Petroleum Corp. Superior-Fed. 1 -9932
Petroleum Corp. Superior Fed. 6989
Petroleum Corp. Superior Fed. 7032
Cities Service "AB"
Cities Service "Y"
Cities Service 2-Y Yates Marala -6937
6937 J
14-BC
Texos Oil & Gas Superior-Fed. 8 -7048
"Yates Fed." 7039
Texos Oil & Gas Williamson Fed 7089
2 -7138
7150
Cactus Aguanga-Fed. S -7145 D -9486
Getty Burton Flat
"T" -6845
"R" -6841
"AC" -6830
"AC" 2 -6925
Texos Oil & Gas Yates Fed. 2
4 -7024
3 -7031
3-BC
1-A
J. Williamson TOC- Fed 16 2 -7171
Texos Oil & Gas Williamson Fed "A"
Texos Oil & Gas Williamson Fed. 4 15
"AA"
Cities Service "U" 22 -6834
"W"
Cities Service "Z" 23
Texos Oil & Gas Yates Fed. "A" 21
Odessa Natural Dooley S -7435 D -9853
11 -6815 Monsanto
Monsanto
BURTON FLAT (DEEP) UNIT
Yates Stubbins-Fed 1 30 S -7130 D -9545
Pan Am. U.S.A. Emperor 28
6 -6841
9 6923
H. Yates Frog Redfern
-7157 Fannie Lou Fed
Yates Pennzoil-Fed. 1 32
Huber Yates Fed. 1 S -7325
Stoltz & Co. Yates St. 1
Gulf BD 1
2 Pennzoil Hudson Fed. 33
20
29
THE PETROLEUM CORPORATION
PARKWAY WEST UNIT AREA
EDDY COUNTY, NEW MEXICO
STRUCTURE MAP
CONTOURS: STRAWN
CONTOUR INTERVAL: 50'
SCALE: 1" = 2,000'
DATE: APRIL 1982
BEFORE EXAMINER STAMETS
OIL CONSERVATION DIVISION
EXHIBIT NO. 1
CASE NO. 7548 & 7549
Submitted by Petroleum Corp.
Hearing Date 8/12/82

WINCHESTER
N. BURTON
PARKWAY WEST
PARKWAY
7500
7600
7700
7800
7850
7900
7950
8000
8050
8100
8150
8200
8250
8300
8350
8400
8450
8500
8550
8600
28
29
19
Stonehind State
Bass Palmillo St.
Amoco State "EC"
Amoco State "EN"
State "EW"
Cities Service State
Cities Service State
Tenneco State
Ashman & Hilliard Leonard
Depco DHY - State
Threshold Conoco St.
Threshold Conoco "O" St.
Tenneco State "HL"
Threshold Flag
Exxon
Hondo State
So. Roy. State
Cont'l.
So. Roy.
So. Roy. Parkway St.
Hondo Union St "TX"
Depco St. "DHY"
Petroleum Corp. Parkway West Ut.
Exxon New Mex.-St."CU"
Conoco Flag St.
Petroleum Corp. Parkway West Unit
So. Roy.
So. Roy.
Cities Service "CY"
Bennett & Ryon Exxon
Gulf Eddy State "IL"
Petroleum Corp. Petco St.
So. Roy.
H. L. Brown Yates-Fed.
Dorchester ARCO Fed.
Hilbn C.W.U - St.
Dorchester
Penroc Penro-Fed.
J. C. Williamson State
Marathon Merrliaz Fed.
Sunray New Mexico St."O"
Conoco Bass St.
Petroleum Corp. Sun Fed
Hilbn J.C.W.-St.
Williamson U.S. Smelt.
Williamson Shell-Fed
Penroc Shell-Fed
Cities Service Gov. "S"
Penroc
Yates Antelopevomi
Petroleum Corp. Superior-Fed.
Petroleum Corp. Superior Fed.
Petroleum Corp. Superior Fed.
Yates Superior-Fed.
Texas Oil & Gas Superior-Fed
Cactus Jennings-Fed.



THE PETROLEUM CORPORATION

PARKWAY WEST UNIT AREA


EDDY COUNTY, NEW MEXICO


STRUCTURE MAP

CONTOURS: MORROW CONTOUR INTERVAL: 50'

SCALE: 1" = 2,000' DATE: APRIL, 1982

OIL CONSERVATION DIVISION
EXHIBIT NO. #11
CASE NO. 7568-7569
Submitted by PETROLEUM CORP.
Hearing Date 5/26/82


Amoco State "EC"
Amoco State "EN"
State "EW"
Cities Service State I-C2
Tenneco State I-HL
Ashmun & Hilliard Leonard I-HL 8078
Cities Service State I-DA
S - 7014
D - 9237
Stanolind State I-A
Boss Palmillo St.
Depco DNY - State I-B
Threshold Conoco St.
Threshold Conoco "O" St.
Tenneco State "HL"
Hondo State
Threshold Flag
Exxon I-DQ
So. Roy. State 7947
Cont'l. 8028
So. Roy. 8035
So. Roy. Parkway St. 8038
Hondo Union St "TX" 7862
7968
Depco St. "DH" 1
Exxon New Mex.-St."CU"
Coquina Flag St. 7888
7884
8053
Petroleum Corp. Parkway West Ut.
8028
8100
7939
PARKWAY WEST
S - 6881
8024
Petroleum Corp. Parkway West Unit
I-A 8179
So. Roy. 8236
So. Roy. 8278
Cities Service "CY"
7796
Gulf Eddy State "IL" 7833
7929
7946
8185
PARKWAY
Petroleum Corp. Parkza St.
DNP
S - 7067
S - 7146
I-25 8438
So. Roy.
H. L. Brown Yates Fed.
S - 7353
Bennett & Ryan Exxon 7850
I-CU Exxon State
N. BURTON
Sunray New Mexico St."Q" S - 6840 7931
Marathon Martinez Fed. 7882
Coquina Boss St. 7946
Petroleum Corp. Sun Fed. 8134
Dorchester ARCO Fed.
Hilin D.W.U. - St. S - 6752
WINCHESTER
Dorchester 7812
Penroc Pero-Fed. S - 6800 7818
7859
J. C. Williamson State S - 6812
Cities Service Gov. "S"
Hilin J.C.W.-St.
Williamson U.S.Smelt.
Williamson Shell-Fed. 7914
Penroc Shell-Fed 7979
Penroc
7860
Petroleum Corp. Superior-Fed.
Petroleum Corp. Superior Fed 8150
Petroleum Corp. Superior Fed. 8230
Yates Antonioiovanni I-MJ 7971
Yates Superior-Fed. 8030
Texas Oil & Gas Superior-Fed. 8201
Texas Oil & Gas Williamson Fed 8297
Cactus Jennings-Fed. 8390 S - 7145 D - 9496
Getty Burton Flat
Cities Service "AB" 7939
"Y" 7993
Cities Service "AC" 8059
Yates Morelo 8041
"Yates Fed." 8240
9-BC 8053
Texas Oil & Gas Yates Fed.
Texas Oil & Gas Williamson Fed 8365
7800
7850
7900
7950
8000
8050
8100
8150
8200
8250
8300
8350
8400
8450
8500
8550
8600



THE PETROLEUM CORPORATION

PARKWAY WEST UNIT AREA


EDDY COUNTY, NEW MEXICO


STRUCTURE MAP

CONTOURS: MORROW CONTOUR INTERVAL: 50'

SCALE: 1" = 2,000' DATE: APRIL, 1982

OIL CONSERVATION DIVISION
Case No. 7568 : 7569
Submitted by: Petroleum Corp.
Hearing Date 5/20/82


PARKWAY WEST
PARKWAY
N. BURTON
WINCHESTER
6800
6850
6900
6950
7000
7050
7100
7150
Stanolind State
Base Ext. Pardo/Ile St.
Amoco State "EB"
Amoco State "EC"
State "EW"
McKee Spencer
Cities Service State
Tenneco State "HL"
Ashmun & Stafford Leonard Tenneco State
Depco DHY-State
Threshold Conoco St.
Threshold Conoco "IO" St.
Hondo State
Hondo Union St "TX"
So. Roy. State
So. Roy. Parkway St.
Depco St. DHY
Exxon New Mex.-St "CU"
Coquina Flag St.
Pet. Corp.
Petroleum Corp. Parkway West Unit
Petroleum Corp. Petco St.
So. Roy.
H.L. Brown Yates-Fed
Cities Service "CY"
Gulf Eddy St "IL"
Bennett & Ryon Exxon
Dorchester ARCO Fed.
Hillin D.W.U.-St.
Penroc Pelo-Fed.
J.C. Williamson State
Sunray New Mexico St "O"
Marathon Herring Fed.
Coquina Bard St.
Petroleum Corp. Sun Fed
Hillin J.C.W.-St.
Williamson U.S. Smelt.
Williamson Shell-Fed.
Penroc Shell-Fed
Yates Anlongiovanni
Petroleum Corp. Superior-Fed.
Cities Service
Texas Oil & Gas Superior-Fed.
Texas Oil & Gas Williamson Fed
Cactus Jennings-Fed.
Getty Burton Flat
Texas Oil & Gas Yates Fed.
Williamson TOG-Fed
Texas Oil & Gas Williamson-Fed "A"



THE PETROLEUM CORPORATION

PARKWAY WEST UNIT AREA

EDDY COUNTY, NEW MEXICO

STRUCTURE MAP

CONTOURS-STRAWN CONTOUR INTERVAL 50'

SCALE: 1" = 2,000' DATE: APRIL 1982

BEFORE EXAMINER STAMETS
OIL CONSERVATION DIVISION
EXHIBIT NO. 1
CASE NO. 7585-7589
Submitted by Petroleum Corp.
Hearing Date 5/26/82

Schlumberger

SIMULTANEOUS
COMPENSATED NEUTRON-FORMATION DENSITY

COMPANY PETROLEUM CORPORATION OF DELAWARE

WELL PARKWAY WEST #3

FIELD PARKWAY WEST

COUNTY EDDY STATE NEW MEXICO

LOCATION: 1980' FSL & 1980' FWL


Other Services: DLL-MSFL

API SERIAL NO.	
SEC.	29
TWP.	19-S
RANGE	30-E


Permanent Datum: GL Elev.: 3326
Log Measured From: RKB 16 Ft. Above Perm. Datum
Drilling Measured From: RKB


Elev.: K.B. 3342
D.F.
G.L. 3326

Date	1-27-82						
Run No.	ONE						
Depth-Driller	11549						
Depth-Logger	11425						
Btm. Log Interval	11422						
Top Log Interval	SURF						
Casing-Driller	8 5/8@ 2931	@		@		@	
Casing-Logger	2835						
Bit Size	7 7/8						
Type Fluid in Hole	SALT GEL/BRINE						
Dens. / Visc.	10.9 58						
pH / Fluid Loss	11.2 5 ml		ml		ml		ml
Source of Sample	PIT						
Rm @ Meas. Temp.	.035 @ 74 °F	@ °F		@ °F		@ °F	
Rmf @ Meas. Temp.	@ °F	@ °F		@ °F		@ °F	
Rmc @ Meas. Temp.	@ °F	@ °F		@ °F		@ °F	
Source: Rmf / Rmc							
Rm @ BHT	.019 @ 169 °F	@ °F		@ °F		@ °F	
Time Circulation Stopped	1130						
Time Logger on Bottom	2100						
Max. Rec. Temp.	169 °F	°F		°F		°F	
Equip. / Location	8215 / ROSWELL						
Recorded By	CALVIN						
Witnessed By	AUSTIN						






10400
10500
10600
PKR.
10700
10800
10900
11000
11100
11200



Schlumberger

SIMULTANEOUS
COMPENSATED NEUTRON-
FORMATION DENSITY

COMPANY PETROLEUM CORPORATION OF DELAWARE
WELL PARKWAY WEST UNIT #10
FIELD PARKWAY WEST
COUNTY EDDY STATE NEW MEXICO

Location: 1980' FNL & 1980' FEL
Other Services: DLL-MSFL


API Serial No.	Sec.	Twp.	Rge.
	27	19-S	29-E


Permanent Datum: GL Elev.: 3328
Log Measured From: KB 23 Ft. Above Perm. Datum
Drilling Measured From: KB


Elev.: K.B. 3351
D.F.
G.L. 3328

Date	1-7-82						
Run No.	ONE						
Depth—Driller	11978						
Depth—Logger	11970						
Bot. Log Interval	11960						
Top Log Interval	SURF						
Casing—Driller	@ 5786 3095	@		@		@	
Casing—Logger	3127						
Bit Size	7 7/8						
Type Fluid in Hole	DRISPAC/KCL						
Dens. / Visc.	10.4 45						
pH / Fluid Loss	10 5 ml		ml		ml		ml
Source of Sample	MUD PIT						
Rm @ Meas. Temp.	.074 @ 62 °F	@ °F		@ °F		@ °F	
Rmf @ Meas. Temp.	.052 @ 62 °F	@ °F		@ °F		@ °F	
Rmc @ Meas. Temp.	.091 @ 62 °F	@ °F		@ °F		@ °F	
Source: Rmf / Rmc	C / E						
Rm @ BHT	.029 @ 162°	@ °F		@ °F		@ °F	
Circulation Stopped	1600						
Logger on Bottom	2100						
Max. Rec. Temp.	162 °F		°F		°F		
Equip. Location	8125 RSHL						
Recorded By	STEVE THOMSON						
Witnessed By	ELLIOTT / COURTNEY						

EDDY
PARKWAY WEST
PARKWAY WEST UNIT
COMPANY PETR. CORP. OF DEL.


10600
10700
10800
10900
10000
10100
10200
10300
10400
10500
10600
10700
10800
10900
11000
DELAWARE
BRUSHY CANYON
BRUSHY CANYON
BRUSHY CANYON
BONE SPRING
BONE SPRING
BONE SPRING


0700
0800
0900
1000
1100
1200
1300
1400
MARROW
MARROW
MARROW


11200
11300
11400
11500
11600
11700
11800
11900
12000
12100
12200
12300
12400
12500
12600
12700
12800
12900
13000
13100
13200
13300
13400
13500
13600
13700
13800
13900
14000
14100
14200
14300
14400
14500
14600
14700
14800
14900
15000
15100
15200