

CJ Holder Delivery
Facility ID- fAPP2123555271

System Overview

The LOGOS gathering system flowlines service only LOGOS wells. The gathering systems are all low pressure, sweet natural gas, non-regulated by PHMSA/NMPRC, steel pipelines. The CJ Holder Delivery system is a buried system constructed in the 2000's.

Routine Operations and Maintenance

LOGOS buried pipelines are marked and identified with the LOGOS emergency contact information. LOGOS routinely monitors the pipelines for pipeline integrity. A yearly auditory, visual, and olfactory inspection is completed on each of the major systems by walking the pipeline right of ways. LOGOS routinely pigs, at least monthly, all buried pipelines where equipment is available and any additional times that pigging is deemed necessary. Conventional pigging is utilized, and the system is pigged by pigging the lateral lines and the main lines to ensure optimal fluid recovery. LOGOS monitors a variety of parameters including pressures and trending fluid recovery to ensure that the pipelines are maintained.

Pipeline maintenance has been infrequent for LOGOS because of the lack of necessity. If the pipeline was identified to need maintenance the system would first be depressurized to minimize natural gas losses and help, ensure safety for the operations teams. The area would be isolated, production to the area would be ceased, the lines will be pulled down to the minimum pressure and the lateral compression will be used to capture the remaining gas before the pipeline maintenance is performed. LOGOS has not pressure tested the lines but monitors pressures consistently. Pipelines are dewatered by pigging and surging the lines. LOGOS has separation prior to gas entry into all the natural gas lines which limits the amount of fluid that incurs in the lines.

Cathodic Protection, Corrosion Control and Liquids Management

LOGOS does not currently treat any of its pipelines directly, if the need arose a program would be implemented. LOGOS fluids are managed by separation after the wellheads and prior to the natural gas pipelines, fluid that does enter the pipelines is maintained by pigging the pipelines. The facilities where the pipelines are delivered to are monitored with at least a weekly auditory, visual, and olfactory inspection. The tanks are electrically gauged with high tank kills where available, Rosa East, and are otherwise manually gauged and maintained by the operations teams, both routinely and when pigging and during possible overflow events. Venting is heavily managed by the separation that occurs after the pipeline but before the delivery points.

Procedure to Reduce Releases

LOGOS' goal is to optimize the recovery of natural gas. Venting is minimized whenever safely and feasibly possible. During routine maintenance and the event of an emergency the depressurization procedure would be followed. The leak, or maintenance area, will be isolated, then gas production to the area will be stopped and the line will be pulled down to maintain or repair the issue and optimize natural gas recovery. LOGOS is the only company that flows into these pipelines. LOGOS emergency response plan is the same as above but includes isolation, minimization, and notifications, as necessary. LOGOS utilizes an online form to report unrecovered natural gas from the operations teams to the

regulatory department. The volume of natural gas is determined, and the proper reporting is completed to the regulatory agencies by the regulatory team.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 43938

QUESTIONS

Operator: LOGOS OPERATING, LLC 2010 Afton Place Farmington, NM 87401	OGRID: 289408
	Action Number: 43938
	Action Type: [NGGS] NGGS Operations Plan (NGGS-OP)

QUESTIONS

Verification	
Does the operator own the selected facility	Yes
Is the selected facility a natural gas gathering system	Yes

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 43938

ACKNOWLEDGMENTS

Operator: LOGOS OPERATING, LLC 2010 Afton Place Farmington, NM 87401	OGRID: 289408
	Action Number: 43938
	Action Type: [NGGS] NGGS Operations Plan (NGGS-OP)

ACKNOWLEDGMENTS

<input checked="checked" type="checkbox"/>	I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Gathering System Operations Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
--------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------